

# **V.R. BINDER - THINNER**

## **MSDS Number**

**BBLZC** 

## **National Stock Number**

6520-00F002915

### **Product Name**

V.R. BINDER - THINNER

#### Manufacturer

AUSTENAL DENTAL INC

## **Product Identification**

Product ID: V.R. BINDER - THINNER MSDS Date:10/16/1986 FSC:6520 NIIN:00F002915

MSDS Number: BBLZC

# **Responsible Party**

AUSTENAL DENTAL, INC

5101 SOUTH KEELER AVENUE

CHICAGO, IL 60632

Emergency Phone: (312) 735-0601

Info Phone: (800) 621-0176 Preparer: JOHN CRINION

Cage: EO702

### **Contractor**

AUSTENAL DENTAL, INC

CHICAGO, IL 60632

(800) 621-0176

Cage: EO702

## **Ingredients**

ISOPROPYL ALCOHOL (SARA III)

CAS: 67-63-0

RTECS: NT8050000

OSHA PEL400 PPM/500 STEL

ACGIH TLV: 400 PPM/500STEL;9192

METHYL ALCOHOL (METHANOL) (SARA III)

CAS: 67-56-1

RTECS: PC1400000

OSHA PELS,200PPM/250STEL

ACGIH TLV: S,200PPM/250STEL; 93 EPA Report Quantity: 5000 LBS DOT Report Quantity: 5000 LBS



HYDROGEN CHLORIDE (HYDROCHLORIC ACID) (SARA III)

CAS: 7647-01-0 RTECS: MW4025000 OSHA PELC 5 PPM

ACGIH TLV: C 5 PPM; 9192 EPA Report Quantity: 5000 LBS DOT Report Quantity: 5000 LBS

ETHYL ALCOHOL (ETHANOL)

CAS: 64-17-5

RTECS: KQ6300000 OSHA PEL1000 PPM

ACGIH TLV: 1000 PPM; 9192

#### Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

 $\label{thm:local_condition} Health \ \mbox{Hazards Acute and Chronic:INHALATION: DIZZINESS, DROWSINESS, NAUSEA, \& VOMITING. INGESTION: EUPHORIA, NAUSEA, VOMITING & COMA. \\ \mbox{COMA.}$ 

Explanation of Carcinogenicity: NONE

Effects of Overexposure: EYES: IRRITATION. INHALATION: NOSE & THROAT IRRITATION, DIZZINESS, DROWSINESS, NAUSEA, & VOMITING. INGESTION:

DROWSINESS, EUPHORIA, NAUSEA, VOMITING & COMA.

### First Aid

First Aid: EYES: FLUSH W/LARGE QUANTITIES OF WATER. INGESTION: INDUCE VOMITING. CALL PHYSICIAN.

## **Fire Fighting**

Flash Point Method:TCC Flash Point:42F Lower Limits:3.3% Upper Limits:19.0%

Extinguishing Media: WATER SPRAY, CO2, DRY CHEMICAL, UNIVERSAL TYPE

FOAMS.

Fire Fighting Procedures: USE SELF-CONTAINED BREATHING APPARATUS &

PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:NONE

### **Accidental Release**

Spill Release Procedures: ELIMINATE ALL SOURCES OF IGNITION. FLUSH AWAY W/LARGE QUANTITIES OF WATER.

### Handling

Handling and Storage Precautions: KEEK ALL CONTAINERS TIGHTLY CLSOED. KEEP AWAY FROM HEAT, SPARKS & OPEN FLAME. WASH THOROUGHLY AFTER HANDLING.

### **Exposure Controls**

Respiratory Protection: NONE

Ventilation: PROVIDE MECHANICAL VENTILATION TO KEEP Protective Gloves: NEOPRENE

Eye Protection: SPLASH PROOF GOGGLES

Other Protective Equipment: EYEWASH FACILITY AND EMERGENCY SHOWER. Work Hygienic Practices: AVOID PROLONGED BREATHING OF VAPOR & CONTACT

W/SKIN & EYES.

Supplemental Safety and Health

## **Chemical Properties**

Boiling Pt:B.P. Text:174F



Vapor Pres:25 Vapor Density:1.4 Spec Gravity:0.859

Evaporation Rate & Reference:(BU AC = 1): 2.2

Solubility in Water: COMPLETELY

Appearance and Odor:LIGHT PINK LIQUID WITH ALCOHOL ODOR.

## **Stability**

Stability Indicator/Materials to Avoid:YES OXIDIZING MATERIALS, ACETYL CHLORIDE, NITRIC ACID & HYDROGEN PEROXIDE. Stability Condition to Avoid:HEAT, SPARKS, & OPEN FLAME Hazardous Decomposition Products:CO, CO2

### Disposal

Waste Disposal Methods: INCINERATE WHERE PERMITTED BY STATE & LOCAL REGULATIONS.

\_\_\_\_\_\_

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.