

## **DEVELOPMENTAL MIX 193-M**

### **MSDS Number**

BBMWH

### **National Stock Number**

5640-00F003391

### **Product Name**

DEVELOPMENTAL MIX 193-M

### **Manufacturer**

BABCOCK AND WILCOX CO INSULATING PRODS DIV

### **Product Identification**

Product ID:DEVELOPMENTAL MIX 193-M

MSDS Date:05/01/1987

FSC:5640

NIIN:00F003391

MSDS Number: BBMWH

### **Responsible Party**

BABCOCK & WILCOX CO/INSULATING PRODS DIV

2102 OLD SAVANNAH ROAD

AUGUSTA , GA 30903

US

Emergency Phone: (404) 796-4200

Info Phone: (404) 796-4200

Cage: 19740

### **Contractor**

BABCOCK & WILCOX

AUGUSTA, GA 30903

(404) 796-4200

Cage: 19740

### **Ingredients**

SILICA CRYSTALLINE, SILICA (CRISTOBALITE) (SUSPECTED HUMAN

CAS: 14464-46-1

RTECS: VV7325000

Fraction By Weight: 0-15%

OSHA PELSEE TABLE Z3

ACGIH TLV: 0.05 MG/M3 RDUST9293

SILICA, CRYSTALLINE - FUSED

CAS: 60676-86-0

RTECS: VV7328000

Fraction By Weight: 0-20%

OSHA PELSEE TABLE Z3

ACGIH TLV: 0.1 MG/M3 RDUST;9293

PARTICULATES NOT OTHERWISE REGULATED (NUISANCE DUST)

Fraction By Weight: >80%

OSHA PEL5 MG/CUM

ACGIH TLV: 10 MG/CUM

FIBER SURFACE ORGANIC BINDERS

INORGANIC BINDERS

## Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO  
Health Hazards Acute and Chronic:INHALATION: DUST MAY CAUSE DELAYED LUNG INJURY (SILICOSIS), IRRITATION OR DISCOMFORT OF NOSE/THROAT/LUNGS. SKIN/EYES: IRRITATION.  
Explanation of Carcinogenicity:SILICA, CRYSTALLINE IS A SUSPECTED HUMAN CARCINOGEN.  
Effects of Overexposure:INHALATION: DUST MAY CAUSE DELAYED LUNG INJURY (SILICOSIS), IRRITATION OR DISCOMFORT OF NOSE/THROAT/LUNGS. SKIN/EYES: IRRITATION.  
Medical Cond Aggravated by Exposure:BRONCHIAL DISORDERS

## First Aid

First Aid:INHALATION: REMOVE TO FRESH AIR. INGESTION: DRINK PLENTY OF WATER. SKIN: WASH W/MILD SOAP & WATER. EYES: FLUSH W/PLENTY OF WATER. OBTAIN MEDICAL ATTENTION IN ALL CASES.

## Accidental Release

Spill Release Procedures:FOLLOW ROUTINE HOUSEKEEPING PROCEDURES. COLLECT SPILLED PRODUCT IN CLOSED CONTAINER.

## Exposure Controls

Respiratory Protection:USE A MSHA/NIOSH APPROVED, AIR PURIFYING, HALF MASK OR FULL FACEPIECE RESPIRATOR W/APPROPRIATE FILTER PAD OR CARTRIDGE.  
Ventilation:LOCAL EXHAUST OR MECHANICAL  
Protective Gloves:RECOMMENDED  
Eye Protection:GOGGLES/SAFETY GLASSES  
Supplemental Safety and Health  
PRODUCTS ARE ALUMINOSILICATES WHICH MAY TRANSFORM UPON HEATING TO MULLITE & CRISTOBALITE. REMOVAL OF THESE PRODUCTS AFTER SERVICE MAY GENERATE DUST. PRODUCT CONTAINS MINOR AMOUNTS OF ORGANIC AND/OR IN ORGANIC BINDERS WHICH WILL BURN OUT DURING FIRST HEAT-UP.

## Chemical Properties

Spec Gravity:1.7-2.5  
Solubility in Water:INSOLUBLE  
Appearance and Odor:COLOR VARIES DEPENDING ON PRODUCT, NO ODOR.

## Stability

Stability Indicator/Materials to Avoid:YES

## Disposal

Waste Disposal Methods:LANDFILL IN ACCORDANCE W/LOCAL, STATE, & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.