

ENAMEL REDUCERS Y3864S

MSDS Number

BBNCY

National Stock Number

8010-00F003498

Product Name

ENAMEL REDUCERS Y3864S

Manufacturer

E I DUPONT DE NEMOURS

Product Identification

Product ID:ENAMEL REDUCERS Y3864S

MSDS Date:04/15/1987

FSC:8010

NIIN:00F003498

MSDS Number: BBNCY

Responsible Party

E.I. DUPONT DE NEMOURS

WILMINGTON , DE 19898

Emergency Phone: (800) 441-3637

Info Phone: (800) 441-7515

Cage: 19898

Contractor

E.I. DUPONT DE NEMOURS & CO., INC.

1635

WILMINGTON, DE 19898

US

800-441-3637

Cage: 19898

Ingredients

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

OSHA PEL200 PPM/150 STEL

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

SOLVENT NAPHTHA (LIGHT AROMATIC)

CAS: 64742-95-6

ACGIH TLV: NONE

ALIPHATIC NAPHTHA

CAS: 64742-89-8

MEDIUM ALIPHATIC NAPHTHA (AROMATIC 100)

CAS: 64742-88-7

(#/GAL) 6.4-7.5

RTECS: 9999999VO

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INGESTION: GASTRO-INTESTINAL DISTRESS.
MAY CAUSE NOSE AND THROAT IRRITATION. EYE WATERING, HEADACHES,
NAUSEA, DIZZINESS AND LOSS OF COORDINATION ARE SIGNS THAT SOLVENT
LEVELS ARE TOO HIGH. MAY CAUSE IRRITATION OR BURNING.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:INHALATION: NOSE/THROAT IRRITATION. HEADACHE,
DIZZINESS, NAUSEA, STAGGERING GAIT, CONFUSION, UNCONSCIOUSNESS.
OVEREXPOSURE TO SOLVENTS MAY LEAD TO PERMANENT BRAIN AND NERVOUS
SYSTEM DAMAGE. SKIN: REPEATED OR PROLONGED LIQUID CONTACT MAY
CAUSE IRRITATION WITH DISCOMFORT AND DERMATITIS.

First Aid

First Aid:EYE: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15
MINUTES; CALL A PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. IF
IRRITATION OCCURS, CONTACT A PHYSICIAN. INGESTION: CALL A PHYSICIAN
IMMEDIATELY. INHALATION: REMOVE TO FRESH AIR. IF BREATHING
DIFFICULTY, OR OCCURS LATER, CONSULT A PHYSICIAN.

Fire Fighting

Flash Point Method:CC
Flash Point:20-73F
Lower Limits:0.6%
Upper Limits:13.1%
Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER SPRAY.
Fire Fighting Procedures:WEAR FULL PROTECTIVE EQUIPMENT, INCLUDING
SELF-CONTAINED BREATHING APPARATUS. WATER MAY BE USED TO COOL
CLOSED CONTAINERS TO PREVENT PRESSURE BUILD UP.
Unusual Fire/Explosion Hazard:FINE MISTS OR SPRAYS MAY BE FLAMMABLE AT
TEMPERATURES BELOW THE FLASH POINT, BURN, & BE EXPLOSIVE.

Accidental Release

Spill Release Procedures:VENTILATE AREA. REMOVE SOURCES OF IGNITION.
PREVENT SKIN CONTACT AND BREATHING OF VAPOR. CONFINE AND REMOVE
WITH INERT ABSORBANT.

Handling

Handling and Storage Precautions:KEEP AWAY FROM HEAT, SPARKS & FLAME.
CLOSED CONTAINER AFTER USE. GROUND CONTAINERS WHEN POURING. DON'T
STORE >120F. DON'T GET IN EYES OR ON SKIN.
Other Precautions:WASH THOROUGHLY AFTER HANDLING & BEFORE EATING OR
SMOKING. DON'T SAND, FLAME CUT, BRAZE OR WELD DRY COATING WITHOUT A
NIOSH/MSHA APPROVED RESPIRATOR OR APPROPRIATE VENTILATION.

Exposure Controls

Respiratory Protection:WHEN USED WITH A PAINT REQUIRING ISOCYANATE
HARDENER/ACTIVATOR, WEAR A POSITIVE PRESSURE SUPPLIED-AIR
RESPIRATOR. WHEN NO ISOCYANATE IS USED, WEAR A VAPOR/PARTICULATE
RESPIRATOR.
Ventilation:PROVIDE LOCAL EXHAUST VENTILATION TO KEEP
Eye Protection:SPLASH GUARDS/SIDE SHIELD
Work Hygienic Practices:DON'T PERMIT ANYONE W/OUT RESP PROTECTION IN
THE PAINTING AREA. WASH THOROUGHLY AFTER HANDLING/BEFORE EATING OR
SMOKING.

Supplemental Safety and Health
GAL WT: 6.40-7.50

Chemical Properties

Boiling Pt:B.P. Text:54-245F
Vapor Density:>AIR
Evaporation Rate & Reference:SLOWER THAN ETHER
Solubility in Water:MISCIBLE
Percent Volatiles by Volume:100%

Stability

Stability Indicator/Materials to Avoid:YES
NONE REASONABLY FORESEEABLE
Stability Condition to Avoid:KEEP AWAY FROM HEAT, SPARKS AND FLAME.
Hazardous Decomposition Products:CO, CO2, SMOKE

Disposal

Waste Disposal Methods:DON'T ALLOW MATERIAL TO CONTAMINATE GROUND WATER SYSTEMS. INCINERATE ABSORBED MATERIAL IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REQUIREMENTS. DON'T INCINERATE IN CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.