

# **789S SYNTHETIC ENAMEL, TRACTOR & IMPLEMENT ENAMELS**

### **MSDS Number**

**BBNFN** 

### **National Stock Number**

8010-00F003529

### **Product Name**

789S SYNTHETIC ENAMEL, TRACTOR & IMPLEMENT ENAMELS

#### Manufacturer

DU PONT E I DE NEMOURS AND CO INC

## **Product Identification**

Product ID:789S SYNTHETIC ENAMEL, TRACTOR & IMPLEMENT ENAMELS MSDS Date: 02/01/1989

FSC:8010 NIIN:00F003529 MSDS Number: BBNFN

## **Responsible Party**

DU PONT E I DE NEMOURS & CO INC

1007 MARKET ST

WILMINGTON, DE 19899

US

Emergency Phone: 800-441-3637

Info Phone: 800-441-7515

Cage: 90227

#### Contractor

DU PONT E I DE NEMOURS & CO FABRICATED PROD DEPT

WILMINGTON, DE 19898

\_\_\_

US

800-441-3637 Cage: 90227

### **Ingredients**

ALKYD RESIN

ALUMINUM (POWDER)

CAS: 7429-90-5

RTECS: BD0330000 Fraction By Weight: 12%

OSHA PEL15 MG/CUM

ACGIH TLV: 10 MG/CUM (DUST)

MEDIUM ALIPHATIC NAPHTHA (AROMATIC 100), PARAFFIN-NAPTHANES

CAS: 64742-88-7 OSHA PEL500 PPM ACGIH TLV: 100 PPM



#### Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: INGESTION: GASTROINTESTINAL DISTRESS.

INHALATION: NOSE & THROAT IRRITATION/EYE

WATERING/HEADACHES/NAUSEA/DIZZINESS/LOSS OF COORDINATION. EYES:

IRRITATION & BURNING.

Explanation of Carcinogenicity: NONE

Effects of Overexposure: INHALATION: PERMANENT BRAIN/NERVOUS SYSTEM

DAMAGE. SKIN: IRRITATION W/DISCOMFORT/DERMATITIS.

#### First Aid

First Aid:INHALATION: REMOVE TO FRESH AIR. IF BREATHING DIFFICULTY PERSISTS, OR OCCURS LATER, CONSULT A PHYSICIAN. EYES: FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MINS. SKIN: WASH W/SOAP & WATER. OBTAIN MEDICAL A TTENTION IN ALL CASES.

### Fire Fighting

Flash Point Method:CC Flash Point:>100F Lower Limits:0.8% Upper Limits:13.1%

Extinguishing Media: FOAM, CO2, DRY CHEMICAL

Fire Fighting Procedures: FULL PROTECTIVE EQUIPMENT, INCLUDING SCBA. WATER FROM FOG NOZZLES MAY BE USED TO COOL CLOSED CONTAINERS TO PREVENT PRESSURE BUILD-UP.

Unusual Fire/Explosion Hazard: HEATING ABOVE FLASH POINT, EMITS FLAMMABLE VAPORS, WHEN MIXED W/AIR CAN BURN/BE EXPLOSIVE. FINE MISTS/SPRAYS MAY BE FLAMMABLE BELOW FLASH POINT. FLAMMABLE LIQ.

#### **Accidental Release**

Spill Release Procedures: VENTILATE AREA. REMOVE SOURCES OF IGNITION. PREVENT SKIN CONTACT AND BREATHING OF VAPORS. WEAR PROTECTIVE EQUIPMENT. CONFINE & REMOVE W/INERT ABSORBENT.

### Handling

Handling and Storage Precautions: OBSERVE LABEL PRECAUTIONS. KEEP AWAY FROM HEAT, SPARKS & FLAME. CLOSE CONTAINER AFTER EACH USE. GROUND CONTAINERS WHEN POURING.

Other Precautions: DON'T STORE > 120F. AVOID INHALATION OF VAPORS OR MISTS.

### **Exposure Controls**

Respiratory Protection: WEAR A PROPERLY FITTED NIOSH-MSHA APPROVED PAINT SPRAY RESPIRATOR (TC-23C) DURING APPLICATION & UNTIL ALL VAPORS & SPRAY MISTS ARE EXHAUSTED. IN CONFINED SPACES USE POSITIVE PRESSURE, SUPPLIED-AIR RES PIRATOR (TC-19C).

Ventilation: SUFFICIENT VENTILATION IN VOLUME & PATTERN TO KEEP CONTAMINANTS BELOW APPLICABLE LIMITS.

Protective Gloves: NEOPRENE

Eye Protection:SPLASH GUARDS/SIDE SHIELD Other Protective Equipment:NEOPRENE COVERALLS

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING & BEFORE EATING

& SMOKING.

Supplemental Safety and Health PERCENT BY WEIGHT: 49.1-61.8.

### **Chemical Properties**

Boiling Pt:B.P. Text:129.2-374F

Vapor Density:>1

Evaporation Rate & Reference: SLOWER THAN ETHER

Solubility in Water:MISCIBLE Percent Volatiles by Volume:59-70%

## Stability

### Stability Indicator/Materials to Avoid:YES



Stability Condition to Avoid:HEAT, SPARKS, FLAME, TEMPS >120F, & OTHER SOURCES OF IGNITION Hazardous Decomposition Products:CO, CO2, SMOKE, OXIDES OF HEAVY METALS IN INGREDIENTS

### **Disposal**

Waste Disposal Methods: DON'T ALLOW MATERIAL TO CONTAMINATE GROUND WATER SYSTEMS. INCINERATE ABSORBED MATERIAL IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REQUIREMENTS. DON'T INCINERATE IN CLOSED CONTAINERS. FLAMMABLE LIQUID . UN 1263.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.