

03BR38CA, BROWN, 33617, PART B

MSDS Number

BBNXL

National Stock Number

8010-00F003850

Product Name

03BR38CA, BROWN, 33617, PART B

Manufacturer

DEFT INC

Product Identification

Product ID:03BR38CA, BROWN, 33617, PART B

MSDS Date:01/01/1987

FSC:8010

NIIN:00F003850

MSDS Number: BBNXL

Responsible Party

DEFT, INC/IRVINE, CAL 92714

Emergency Phone: (714) 474-0400

Cage: EO744

Contractor

DEFT, INC/IRVINE, CAL 92714

IRVINE, CA 92614

US

949-474-0400

Cage: EO744

Ingredients

METHYL ISOBUTYL KETONE (SARA III)

CAS: 108-10-1

RTECS: SA9275000

Fraction By Weight: 10%

OSHA PEL100 PPM/75 STEL

ACGIH TLV: 50 PPM/75 STEL; 9293

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

Fraction By Weight:

OSHA PEL200 PPM/150 STEL

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

2-ETHOXYETHYL ACETATE (CELLOSOLVE ACETATE) (EGEEA)

CAS: 111-15-9

RTECS: KK8225000

Fraction By Weight: 5%

OSHA PELS,100 PPM

ACGIH TLV: S, 5 PPM; 9192

1,6-DIISOCYANATOHXANE (HEXAMETHYLENE DIISOCYANATE)

CAS: 822-06-0

RTECS: MO1740000

Fraction By Weight: 30%

ACGIH TLV: 0.005 PPM; 9192

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS: 78-93-3

RTECS: EL6475000

Fraction By Weight: 45%

OSHA PEL200 PPM/300 STEL

ACGIH TLV: 200 PPM/300STEL 9192

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

Hazards

Effects of Overexposure:INHALATION: HEADACHE/DIZZINESS/STAGGERING
GAIT/CONFUSION/UNCONSCIOUSNESS/COMA/IRRITATION/NAUSEA.

First Aid

First Aid:VAPORS: REMOVE FROM EXPOSURE. RESTORE BREATHING. KEEP
WARM/QUIET. NOTIFY A PHYSICIAN. EYES: FLUSH W/WATER FOR 15 MINUTES,
TAKE TO A PHYSICIAN FOR MEDICAL ATTENTION. SKIN: WASH AFFECTED
AREAS W/WATER. REMOVE CONTAMINATED CLOTHING, CONSULT APHYS.

Fire Fighting

Flash Point:24F TCC

Lower Limits:1.0%

Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG

Fire Fighting Procedures:USE SCBA. WATER COOL CONTAINERS TO PREVENT
PRESSURE BUILD-UP

Unusual Fire/Explosion Hazard:KEEP CONTAINERS TIGHTLY CLOSED. CLOSED
CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT.

Accidental Release

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION (FLAME/HOT
SURFACES/SPARKS SOURCES). AVOID BREATHING PORS. CONTAIN & REMOVE
WITH INERT ABSORBENT & NON-SPARKING TOOLS.

Handling

Handling and Storage Precautions:REMOVE/WASH CONTAMINATED CLOTHING
BEFORE REUSE. DON'T REUSE CONTAMINATED CLOTHING. WASH HANDS FORE

EATING/SMOKING OR USING WASHROOM.
Other Precautions:KEEP CONTAINERS TIGHT/UPRIGHT TO PREVENY LEAKAGE.
DON'T STORE OR USE NEAR HEAT/SPARKS/FLAME. STORE ONLY IN VENTILATED
AREAS.REVENT PROLONGED OR REPEATED BREATHING OF VAPOR OR SPRAY
MIST.

Exposure Controls

Respiratory Protection:CONFINED AREAS: APPROVED AIR LINE TYPE
RESPIRATORS OR HOODS.
Ventilation:VENT FUMES ON HEATING.
Protective Gloves:NEOPRENE/RUBBER
Eye Protection:SAFETY EYEWEAR/SIDESHIELD
Other Protective Equipment:USE LONG SLEEVE AND LONG LEG CLOTHING
Supplemental Safety and Health
MSDS DATED: 12 MAY 1986. WT/GAL: 7.51 LBS. ALSO CONTAINS: N-BUTYL
ACETATE (AF7350000)

Chemical Properties

Boiling Pt:B.P. Text:175F-313F
Vapor Density:>AIR
Evaporation Rate & Reference:SLOWER THAN ETHER
Percent Volatiles by Volume:76.7

Stability

Stability Indicator/Materials to Avoid:YES
WATER/ALCOHOLS/AMINES/STRONG BASES/METAL COMPOUNDS _
Stability Condition to Avoid:CONTACT W/MOISTURE & MATERIALS WHICH REACT
W/ISOCYANATES
Hazardous Decomposition Products:CO₂, CO, OXIDES OF NITROGEN, TRACES OF
HCN, HDI
Conditions to Avoid Polymerization:AVOID HIGH TEMPS & SURFACE ACTIVE
MATERIALS.

Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND
FEDERAL REGULATIONS. INCINERATE IN APPROVED FACILITY. DON'T
INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.