
03GN144, G/S GREEN, 34086, PART A

MSDS Number

BBNXR

National Stock Number

8010-00F003853

Product Name

03GN144, G/S GREEN, 34086, PART A

Manufacturer

DEFT INC

Product Identification

Product ID:03GN144, G/S GREEN, 34086, PART A

MSDS Date:01/01/1987

FSC:8010

NIIN:00F003853

MSDS Number: BBNXR

Responsible Party

DEFT, INC/IRVINE, CAL 92714

Emergency Phone: (714) 474-0400

Cage: EO744

Contractor

DEFT, INC/IRVINE, CAL 92714

IRVINE, CA 92614

US

949-474-0400

Cage: EO744

Ingredients

2-ETHOXYETHYL ACETATE (CELLOSOLVE ACETATE) (EGEEA)

CAS: 111-15-9

RTECS: KK8225000

Fraction By Weight: 25%

OSHA PELS,100 PPM

ACGIH TLV: S, 5 PPM; 9192

METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS: 78-93-3

RTECS: EL6475000

Fraction By Weight: 15%

OSHA PEL200 PPM/300 STEL

ACGIH TLV: 200 PPM/300STEL 9192

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

DIBUTYL TIN DILAURATE (AS TIN)

CAS: 77-58-7

RTECS: WH7000000

Fraction By Weight:

OSHA PELS, 0.1 MG/M3

ACGIH TLV: S, 0.1 MG/M3; 8990

Hazards

Effects of Overexposure: INHALATION: HEADACHE/DIZZINESS/STAGGERING
GAIT/CONFUSION/UNCONSCIOUSNESS/COMA/IRRITATION/NAUSEA.

First Aid

First Aid: VAPORS: REMOVE FROM EXPOSURE. RESTORE BREATHING. KEEP WARM/QUIET. NOTIFY A PHYSICIAN. EYES: FLUSH W/WATER FOR 15 MINUTES, TAKE TO A PHYSICIAN FOR MEDICAL ATTENTION. SKIN: WASH AFFECTED AREAS W/WATER. REMOVE CONTAMINATED CLOTHING, CONSULT A PHYSICIAN.

Fire Fighting

Flash Point: 24°F TCC

Lower Limits: 1.7%

Extinguishing Media: FOAM, CO2, DRY CHEMICAL, WATER FOG

Fire Fighting Procedures: USE SCBA. WATER COOL CONTAINERS TO PREVENT PRESSURE BUILD-UP

Unusual Fire/Explosion Hazard: KEEP CONTAINERS TIGHTLY CLOSED. CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT.

Accidental Release

Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION (FLAME/HOT SURFACES/SPARK SOURCES). AVOID BREATHING VAPORS. CONTAIN & REMOVE WITH INERT ABSORBENT & NON-SPARKING TOOLS.

Handling

Handling and Storage Precautions: REMOVE/WASH CONTAMINATED CLOTHING BEFORE REUSE. DON'T REUSE CONTAMINATED CLOTHING. WASH HANDS BEFORE EATING/SMOKING OR USING WASHROOM.

Other Precautions: KEEP CONTAINERS TIGHT/UPRIGHT TO PREVENT LEAKAGE. DON'T STORE OR USE NEAR HEAT/SPARKS/FLAME. STORE ONLY IN VENTILATED AREAS. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR OR SPRAY MIST.

Exposure Controls

Respiratory Protection: CONFINED AREAS: APPROVED AIR LINE TYPE RESPIRATORS OR HOODS.

Ventilation: VENT FUMES ON HEATING

Protective Gloves: NEOPRENE/RUBBER

Eye Protection: SAFETY EYEWEAR/SIDESHIELD

Other Protective Equipment: USE LONG SLEEVE AND LONG PANTS CLOTHING.

Supplemental Safety and Health

MSDS DATED: 12 MAY 1986. WG/GAL: 10.23 LBS.

Chemical Properties

Boiling Pt: B.P. Text: 168°F-313°F

Vapor Density: >AIR

Evaporation Rate & Reference: SLOWER THAN ETHER

Percent Volatiles by Volume: 58.3

Stability

Stability Indicator/Materials to Avoid: YES

ACIDS AND BASES

Stability Condition to Avoid: ELEVATED TEMPERATURES

Disposal

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. INCINERATE IN APPROVED FACILITY. DON'T

INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.