

CHROMEL AA, 827

MSDS Number

BBNZC

National Stock Number

6850-00F003881

Product Name

CHROMEL AA, 827

Manufacturer

HOSKINS

Product Identification

Product ID: CHROMEL AA, 827 MSDS Date: 01/01/1987 FSC:6850 NIIN:00F003881 MSDS Number: BBNZC

Responsible Party

HOSKINS/HAMBURG, MICHIGAN 48139 Emergency Phone: (800) 424-9300

Cage: EO749

Contractor

HOSKINS/HAMBURG, MICHIGAN 48139

HAMBURG, MI 48139

US 313-231-1900

Cage: EO749

Ingredients

NICKEL (SARA III) CAS: 7440-02-0

RTECS: QR5950000 OSHA PEL1 MG/M3

ACGIH TLV: 1 MG/M3; 9192

CHROMIUM (SARA III)

CAS: 7440-47-3 RTECS: GB4200000 OSHA PEL1 MG/M3

ACGIH TLV: 0.5 MG/M3; 9192 EPA Report Quantity: 1 LB DOT Report Quantity: 1 LB

SILICON CARBIDE

CAS: 409-21-2

RTECS: VW0450000



OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3 TDUST; 9293

IRON OXIDE

CAS: 1309-37-1

RTECS: NO7400000

OSHA PEL10 MG/M3 (FE)

ACGIH TLV: 5 MG/M3(FE), B2; 9293

COBALT (SARA III)

CAS: 7440-48-4 RTECS: GF8750000

OSHA PELO.1 MG/M3;AS CO

ACGIH TLV: 0.05 MG/M3; DUST 9293

Hazards

Effects of Overexposure:IRRITATION TO THE NOSE/EYES/THROAT/SKIN/NAUSEA/TIGHTNESS OF CHEST/DIZZINESS/HEADACHES/BREATHING.

First Aid

First Aid:INHALATION: MOVE TO FRESH AIR. SKIN: WASH AFFECTED AREA W/SOAP & WATER. EYES: WASH WITH WATER. INGESTION: SEEK MEDICAL ATTENTION. IN ALL CASES, SEEK MEDICAL ATTENTION FOR FIRST AID.

Fire Fighting

Extinguishing Media:N/K 1
Fire Fighting Procedures:N/K _
Unusual Fire/Explosion Hazard:NONFLAMMABLE, ALTHOUGH SPARKS FROM
GRINDING/WELDING MAY IGNITE FLAMMABLE OR COMBUSTABLE MATERIALS

Accidental Release

Spill Release Procedures: GRINDING DUSTS, WELDING FUME, AND CHEMICAL CLEANING SOLUTION GENERATED FROM THIS MATIAL MUST BE DISPOSED OF IN ACCORDANCE WITH PROPER REGULATING AGENCIES.

Handling

Handling and Storage Precautions:PRACTICE PROPER INDUSTRIAL HYGIENE TO INSURE THAT THE USE OF THIS MATERIAL DOESN'T GENERATE GRDING DUSTS OR WELDING FUMES IN EXCESS OF OSHA.

Other Precautions:CONSULT THE FEDERAL REGISTER

Exposure Controls

Respiratory Protection: USE ONLY NIOSH APPROVED RESPIRATORS

Ventilation:_

Protective Gloves:

Eye Protection: FACESHIELDS

Other Protective Equipment:USE NIOSH APPROVED GLOVES/FACESHIELDS/PROTECTIVE CLOTHING.

Supplemental Safety and Health MSDS DATED: 01 NOV 85.

Chemical Properties

Appearance and Odor: ROD, WIRE, STRIP OR RIBBON

Stability

Stability Indicator/Materials to Avoid:YES



Stability Condition to Avoid:N/K

Disposal

Waste Disposal Methods: N/K

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.