https://msdsreport.com/msds/BBNZG

# MAGNOLIA 1058, UNPIGMENTED

#### **MSDS Number**

BBNZG

#### **National Stock Number**

8040-00F003884

#### **Product Name**

MAGNOLIA 1058, UNPIGMENTED

#### Manufacturer

MAGNOLIA PLASTIC

#### **Product Identification**

Product ID:MAGNOLIA 1058, UNPIGMENTED MSDS Date:01/01/1987 FSC:8040 NIIN:00F003884 MSDS Number: BBNZG

#### **Responsible Party**

MAGNOLIA PLASTIC/CHAMBLEE, GA 30341

Emergency Phone: (404) 451-2777

Cage: 22121

#### Contractor

MAGNOLIA PLASTICS INC

CHAMBLEE, GA 30341-2234

US

(770) 451-2777/(800) 457-4280

Cage: 22121

#### Ingredients

N-BUTYL GLYCIDYL ETHER (BGE)

CAS: 2426-08-6

RTECS: TX4200000

Fraction By Weight: 4%

OSHA PEL50 PPM

ACGIH TLV: 25 PPM; 9293

#### Hazards

Effects of Overexposure: MODERATELY IRRITATING TO SKIN/EYES. MAY BE A STRONG SKIN SENSITIZER.

#### **First Aid**

First Aid:IN CASE OF SKIN CONTACT: WASH WITH SOAP/WATER. IN EYES: FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION.

## **Fire Fighting**

Flash Point:>200F PMCC Extinguishing Media:WATER SPRAY, CO2, DRY CHEMICAL, FOAM Fire Fighting Procedures:IN CONFINED AREAS NIOSH APPROVED SCBA. AVOID BREATHING SMOKE Unusual Fire/Explosion Hazard:NONE

## **Accidental Release**



Spill Release Procedures: WIPE WITH A RAG OR COLLECT ON ABSORBENT MATERIAL. PLACE IN SALVAGE VESSELS.

•

#### Handling

Handling and Storage Precautions: STORE IN A COOL, DRY AREA IN TIGHTLY CLOSED CONTAINER.

#### **Exposure Controls**

Respiratory Protection:NIOSH APPROVED RESPIRATOR FOR ORGANIC VAPORS. Ventilation:LOCAL EXHAUST AND MECHANICAL Protective Gloves:RUBBER Eye Protection:GOGGLES Other Protective Equipment:IMPERVIOUS CLOTHING/BOOTS TO PREVENT PERSONAL CONTACT. Supplemental Safety and Health MSDS DATED: 9 JAN 1986.

### **Chemical Properties**

Boiling Pt:B.P. Text:>200F Vapor Pres:NIL Vapor Density:>1 Spec Gravity:1.5 Evaporation Rate & Reference:(BU AC=1) Solubility in Water:SLIGHT Appearance and Odor:NEUTRAL VISCOUS LIQUID; ETHER ODOR.

#### Stability

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, STRONG ACIDS AND BASES Hazardous Decomposition Products:OXIDES OF CARBON Conditions to Avoid Polymerization:CURING PROCESS IS EXOTHERMIC.

#### Disposal

Waste Disposal Methods:CURE, THEN BURY. REMOVE SALVAGE VESSELS TO A WASTE DISPOSAL SITE OPERATING IN COMPLIANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.