

## **CLOCKWISE VANDALISM MARK REMOVER**

### **MSDS Number**

BBPDY

### **National Stock Number**

7930-00F003961

### **Product Name**

CLOCKWISE VANDALISM MARK REMOVER

### **Manufacturer**

HUNTINGTON LABORATORIES

### **Product Identification**

Product ID: CLOCKWISE VANDALISM MARK REMOVER

MSDS Date: 01/01/1987

FSC: 7930

NIIN: 00F003961

MSDS Number: BBPDY

### **Responsible Party**

HUNTINGTON LABORATORIES/HUNTINGTON, IN 46750

Emergency Phone: (219) 356-8100

Cage: 39800

### **Contractor**

HUNTINGTON LABORATORIES/HUNTINGTON, IN 46750

Cage: 39800

### **Ingredients**

DIACETONE ALCOHOL (4-HYDROXY-4-METHYL-2-PENTANONE)

CAS: 123-42-2

RTECS: SA9100000

Fraction By Weight: 7%

OSHA PEL50 PPM

ACGIH TLV: 50 PPM; 9192

ISOPROPYL ALCOHOL (SARA III)

CAS: 67-63-0

RTECS: NT8050000

Fraction By Weight: 5%

OSHA PEL400 PPM/500 STEL

ACGIH TLV: 400 PPM/500STEL;9192

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

Fraction By Weight: 35%

OSHA PEL200 PPM/150 STEL

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS: 1330-20-7

RTECS: ZE2100000

Fraction By Weight: 8%

OSHA PEL100 PPM/150 STEL

ACGIH TLV: 100 PPM/150STEL;9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

## Hazards

Effects of Overexposure:INHALATION: DROWSINESS/HEADACHE/LUNG IRRITATION/NAUSEA. EYES/SKIN MAY CAUSE IRRITATION.

## First Aid

First Aid:INHALATION: MOVE TO FRESH AIR. EYES: FLUSH WITH FLOWING WATER FOR 15 MINUTES. IF IRRITATION PERSISTS CALL PHYSICIAN. SKIN: RINSE WITH WATER. INGESTION: DON'T INDUCE VOMITING. CALL A PHYSICIAN IMMEDIAT ELY.

## Fire Fighting

Flash Point:64F TOC

Extinguishing Media:FOAM, DRY CHEMICAL, CO2

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

## Accidental Release

Spill Release Procedures:SOAK UP WITH AN APPROPRIATE ABSORBENT MATERIAL OR FLUSH WITH WATER.

## Handling

Handling and Storage Precautions:DON'T STORE OR USE NEAR HEAT, SPARKS OR OPEN FLAMES. DON'T STORE WHERE TEMPERATURES EXCEED 120

Other Precautions:DON'T PUNCTURE OR INCINERATE. MAY SOFTEN SOME PLASTICS, PAINT AND ASPHALT IF USED EXCESSIVELY. KEEP AWAY FROM CHILDREN.

## Exposure Controls

Ventilation:NORMAL

Protective Gloves:NONE REQUIRED

Eye Protection:GOGGLES

Other Protective Equipment:NONE REQUIRED

Supplemental Safety and Health

MSDS DATED: 12 NOV 1985. PH: 7.2

## Chemical Properties

Vapor Pres:45

Spec Gravity:0.93

Evaporation Rate & Reference:(WATER = 1): 1

Solubility in Water:100%

Appearance and Odor:CREAMY WHITE GEL, MILD ODOR.

Percent Volatiles by Volume:95%

## Stability

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:EXCESSIVE HEAT

Hazardous Decomposition Products:CARBON DERIVATIVES

## Disposal

Waste Disposal Methods:SANITARY LANDFILL DISPOSE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.