

# **MISTER JINX ALL-PURPOSE CLEANER #761104**

### **MSDS Number**

**BBPGR** 

## **National Stock Number**

7930-00F003996

## **Product Name**

MISTER JINX ALL-PURPOSE CLEANER #761104

#### Manufacturer

CLAIRE

## **Product Identification**

Product ID:MISTER JINX ALL-PURPOSE CLEANER #761104

MSDS Date:01/01/1987

FSC:7930 NIIN:00F003996

MSDS Number: BBPGR

## **Responsible Party**

CLAIRE/ADDISON, IL 60101

Emergency Phone: (312) 543-7600

Cage: EO763

## Contractor

CLAIRE/ADDISON, IL 60101

ADDISON, IL 60101

630-543-7600

US

Cage: EO763

### **Ingredients**

2-BUTOXYETHANOL

CAS: 111-76-2

RTECS: KJ8575000

Fraction By Weight: 5 - 15%

OSHA PELS, 50 PPM

ACGIH TLV: S, 25 PPM; 9293

## SODIUM METASILICATE

CAS: 6834-92-0 RTECS: VV9275000

Fraction By Weight: 1%

AMMONIUM HYDROXIDE (SARA III)

CAS: 1336-21-6

RTECS: BQ9625000

Fraction By Weight: 1%

EPA Report Quantity: 1000 LBS



DOT Report Quantity: 1000 LBS

QUARTERNARY AMMONIUM CHLORIDES

CAS: 8001-54-5 RTECS: BO3150000 Fraction By Weight: 1%

LPG (LIQUEFIED PETROLEUM GAS)

CAS: 68476-85-7 RTECS: SE7545000 Fraction By Weight: 4% OSHA PEL1000 PPM

ACGIH TLV: 1000 PPM; 9192

#### **Hazards**

Effects of Overexposure: EYE/SKIN CONTACT: IRRITATING. INHALATION MAY IRRITATE RESPIRATORY TRACT AND CAUSE LIGHT HEADEDNESS

#### First Aid

First Aid:IF UNCONSCIOUS, REMOVE VICTIM TO FRESH AIR AND CALL A PHYSICIAN. IN CASE OF EYE CONTACT, FLUSH IMMEDIATELY WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES, IF DISCOMFORT PERSISTS SEEK MEDICAL HELP.

## Fire Fighting

Lower Limits: 2.1% Upper Limits: 9.5%

Extinguishing Media: CO2, DRY CHEMICAL

Fire Fighting Procedures: KEEP CONTAINERS COOL. PROTECT PERSONNEL

AGAINST BURSTING.

Unusual Fire/Explosion Hazard: AT ELEVATED TEMPS (OVER 54C-130F)

CONTAINS MAY VENT, RUPTURE, OR BURST.

### **Accidental Release**

Spill Release Procedures: SOAK UP WITH ABSORBANT MATERIAL AND DISPOSE AS OILY RAGS.

## Handling

Handling and Storage Precautions: DON'T STORE WHERE TEMPERATURES COULD EXCEED 54C (130F).

## **Exposure Controls**

Respiratory Protection: NONE

Ventilation: LOCAL EXHAUST SHOULD BE USED WHEN DISPERSING LG AMOUNTS.

Protective Gloves: NONE

Eye Protection: NONE UNDER NORMAL USE.

Supplemental Safety and Health MSDS DATED: 25 NOV 1985.

## **Chemical Properties**

Vapor Pres:130 Vapor Density:>AIR Spec Gravity:0.98

Evaporation Rate & Reference: SLOWER THAN NBU-AC

Solubility in Water:>10

Appearance and Odor: WATER SOLUBLE RESIDUE. FLORAL-AMMONIA ODOR.

Percent Volatiles by Volume:95%

## **Stability**



Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:CARBON MONOXIDE

## **Disposal**

Waste Disposal Methods: DON'T PUNCTURE OR INCINERATE CONTAINERS. GIVE EMPTY, LEADING OR FULL CONTAINERS TO A DISPOSAL SERVICE EQUIPPED TO SAFELY HANDLE AND DISPOSE OF PRESSURIZED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.