

## **ANSUL 3% FLUOROPROTEIN FOAM CONCENTRATE**

### **MSDS Number**

BBPJT

### **National Stock Number**

4240-00F004042

### **Product Name**

ANSUL 3% FLUOROPROTEIN FOAM CONCENTRATE

### **Manufacturer**

ANSUL

### **Product Identification**

Product ID:ANSUL 3% FLUOROPROTEIN FOAM CONCENTRATE

MSDS Date:01/01/1987

FSC:4240

NIIN:00F004042

MSDS Number: BBPJT

### **Responsible Party**

ANSUL/MARINETTE, WI 54143

Emergency Phone: (715) 735-7411

Cage: EO780

### **Contractor**

ANSUL/MARINETTE, WI 54143

MARINETTE, WI 54143-2542

US

715-735-7411

Cage: EO780

### **Ingredients**

HEXYLENE GLYCOL

CAS: 107-41-5

RTECS: SA0810000

Fraction By Weight: 7 - 9%

OSHA PELC 25 PPM

ACGIH TLV: C 25 PPM; 9192

DICHLOROPHENE

CAS: 97-23-4

RTECS: SM0175000

Fraction By Weight:

PROTEIN HYDROLYSATE

Fraction By Weight:

GLYCOL SOLVENTS

Fraction By Weight:

FLUOROSURFACTANTS

Fraction By Weight:

## Hazards

Effects of Overexposure: IRRITATION OF THE EYES, SKIN AND MUCOUS MEMBRANES.

## First Aid

First Aid: EYE CONTACT: FLUSH W/WATER; IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION. SKIN CONTACT: WASH WITH SOAP/WATER. INHALATION: REMOVE VICTIM TO FRESH AIR. INGESTION: IF PATIENT IS CONSCIOUS, GIVE WATER AND INDUCE VOMITING. SEEK MEDICAL HELP.

## Fire Fighting

Flash Point: NONE TO BOILING

Fire Fighting Procedures: THIS IS AN EXTINGUISHING AGENT

## Accidental Release

Spill Release Procedures: RINSE FLOOR THOROUGHLY WITH WATER AS MATERIAL IS SLIPPERY. PREVENT MATERIAL FROM REACHING SEWERS OR WATERWAYS TO AVOID NUISANCE FOAMING.

## Handling

Handling and Storage Precautions: STORE IN ORIGINAL CONTAINER.

Other Precautions: DON'T MIX AGENTS. AVOID SKIN AND EYE CONTACT.

## Exposure Controls

Respiratory Protection: NOT NORMALLY NECESSARY

Ventilation: MECHANICAL: RECOMMENDED

Eye Protection: CHEMICAL GOGGLES

Other Protective Equipment: EYE WASH/SAFETY SHOWERS ARE GOOD SAFETY PRACTICE.

Supplemental Safety and Health

MSDS DATED: 01 JUN 1986. ALSO CONTAINS: INORGANIC SALTS (1000201S)

## Chemical Properties

Boiling Pt: B.P. Text: 101F

Vapor Density: Spec Gravity: 1.13

Evaporation Rate & Reference: (BU AC = 1): 0.39

Solubility in Water: 100%

Appearance and Odor: RED/BROWN OPAQUE LIQUID, MILDLY PUNGENT ODOR.

Percent Volatiles by Volume: 72%

## Stability

Stability Indicator/Materials to Avoid: YES

REACTIVE METALS/MATERIALS REACTIVE WITH WATER

Stability Condition to Avoid: ELECTRICALLY ENERGIZED EQUIPMENT

## Disposal

Waste Disposal Methods: DISPOSE OF IN COMPLIANCE WITH LOCAL, STATE, FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.