

POSTER ROYAL BLUE, JRP-410

MSDS Number

BBPKT

National Stock Number

8010-00F004065

Product Name

POSTER ROYAL BLUE, JRP-410

Manufacturer

ADVANCE PROCESS SUPPLY

Product Identification

Product ID: POSTER ROYAL BLUE, JRP-410

MSDS Date: 01/01/1987

FSC: 8010

NIIN: 00F004065

MSDS Number: BBPKT

Responsible Party

ADVANCE PROCESS SUPPLY/CHICAGO, IL 60622

Emergency Phone: (312) 829-1400

Cage: 29431

Contractor

ADVANCE PROCESS SUPPLY CO.

CHICAGO, IL 60622-6383

US

312-942-8504

Cage: 29431

Ingredients

NAPHTA (PETROLEUM SPIRITS OR BENZIN)

CAS: 8030-30-6

RTECS: DE3030000

Fraction By Weight: 26.2%

OSHA PEL100 PPM

NAPHTHA (PETROLEUM SPIRITS OR BENZIN)

CAS: 8030-30-6

RTECS: SE7555000

Fraction By Weight: 14.9%

OSHA PEL100 PPM

POLYETHYLENE GLYCOL MONOLAURYL ETHER

RTECS: MD0875000

Fraction By Weight: 0.88%

Hazards

Effects of Overexposure:PROLONGED EXPOSURE MAY CAUSE HEADACHE, NAUSEA, VOMITING & DIZZINESS. SKIN WILL BECOME RED & DRY.

First Aid

First Aid:INHALATION: MOVE TO FRESH AIR. APPLY RESPIRATION IF NECESSARY. EYES: FLUSH W/WATER FOR 15 MINUTES. SKIN: WASH W/SOAP & WATER. REMOVE CONTAMINATION CLOTHING. CALL PHYSICIAN IMMEDIATELY. INGESTION: DON' T INDUCE VOMITING. GET MEDICAL ATTENTION.

Fire Fighting

Flash Point:100F
Lower Limits:1.0%
Upper Limits:6.0%
Extinguishing Media:ALCOHOL FOAM, CO2, DRY CHEMICAL.
Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING. USE SCBA.
Unusual Fire/Explosion Hazard:VAPOR >AIR,. VAPORS MAY TRAVEL/IGNITE/FLASHBACK. EMPTY CONTAINERS COULD IGNITE EXPLOSIVELY.

Accidental Release

Spill Release Procedures:ABSORB W/SAND & DISPOSE OF IN APPROVED MANNER. REMOVE ALL SOURCES OF IGNITION. DIKE EA W/SAND TO CONTAIN SPILLED LIQUID. WEAR PROTECTIVE CLOTHING. LARGE SPIS-COLLECT FOR DISPOSAL. PUMP INTO SALVAGE TANK. KEEP MATERIAL OUT OF SEWS/STREAM

Handling

Handling and Storage Precautions:EMPTY CONTAINERS CONTAINING RESIDUE MAY CAUSE A HAZARD. WASH THOROUGHLY AFTER HANDLING. DON'T KE INTERNALLY. AVOID CONTACT W/SKIN/EYES/CLOTHING
Other Precautions:AVOID BREATHING DUST OR MIST. KEEP AWAY FROM IGNITION SOURCES. CHECK ALL CONTAINERS FOR LEAKS. AVOID PROLONGED BREATHING OR NTACT WITH SKIN.

Exposure Controls

Respiratory Protection:MESA/NIOSH APPROVED RESPIRATOR. COMBINATION DUST/VAPOR RESPIRATOR.
Ventilation:PROVIDE LOCAL EXHAUST VENTILATION TO KEEP BELOW TLV
Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY GOGGLES/FACE SHIEL
Supplemental Safety and Health
MSDS DATE: 28 JAN 1986.

Chemical Properties

Boiling Pt:B.P. Text:308-383F
Vapor Pres:3.7
Vapor Density:4.12
Spec Gravity:1.180
Evaporation Rate & Reference:SLOW THAN N-BU AC
Solubility in Water:(Appearance and Odor:BLUE PASTE - MILD ODOR
Percent Volatiles by Volume:58.6

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS/ACIDS/BASES/ALKALIES/MINERAL ACIDS.
Stability Condition to Avoid:ELEVATED TEMPERATURES/SOURCES OF IGNITION
Hazardous Decomposition Products:OXIDES OF CARBON, VARIOUS HYDROCARBON

Disposal

Waste Disposal Methods:INCINERATE IN APPROVED MANNER. LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.