

VINYL WASHUP, T-911

MSDS Number

BBPKW

National Stock Number

8010-00F004067

Product Name

VINYL WASHUP, T-911

Manufacturer

ADVANCE PROCESS SUPPLY

Product Identification

Product ID: VINYL WASHUP, T-911

MSDS Date: 01/01/1987

FSC: 8010

NIIN: 00F004067

MSDS Number: BBPKW

Responsible Party

ADVANCE PROCESS SUPPLY/CHICAGO, IL 60622

Emergency Phone: (312) 829-1400

Cage: 29431

Contractor

ADVANCE PROCESS SUPPLY CO.

CHICAGO, IL 60622-6383

US

312-942-8504

Cage: 29431

Ingredients

ACETONE (SARA III)

CAS: 67-64-1

RTECS: AL3150000

Fraction By Weight: 50.0%

OSHA PEL1000PPM

ACGIH TLV: 750PPM/1000STEL;9293

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

Fraction By Weight: 50.0%

OSHA PEL200 PPM/150 STEL

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

Hazards

Effects of Overexposure:VAPORS MAY IRRITATE THE EYES/RESPIRATORY TRACT.
VAPORS MAY CAUSE DIZZINESS.

First Aid

First Aid:MOVE TO FRESH AIR. EYES: FLUSH WATER FOR 15 MINUTES. REMOVE
CONTAMINATED CLOTHING. CALL PHYSICIAN IMMEDIATELY. INDUCE VOMITING.
DRINK WATER IMMEDIATELY. APPLY ARTIFICIAL RESPIRATION IF NECESSARY.
GET MEDICAL ATTENTION.

Fire Fighting

Flash Point:16F
Lower Limits:1.2%
Extinguishing Media:ALCOHOL FOAM, CO2, DRY CHEMICAL.
Fire Fighting Procedures:USE SELF CONTAINED BREATHING APPARATUS
Unusual Fire/Explosion Hazard:VAPOR IS >AIR. VAPORS MAY
TRAVEL/IGNITE/FLASHBACK. EMPTY CONTAINERS COULD IGNITE EXPOSITIVELY.

Accidental Release

Spill Release Procedures:ABSORB W/SAND & DISPOSE OF IN APPROVED MANNER.
REMOVE ALL SOURCES OF IGNITION. DIKE EA W/SAND TO CONTAIN SPILLED
LIQUID. WEAR PROTECTIVE CLOTHING. PUMP INTOALVAGE TANK. KEEP
MATERIAL OUT OF SEWERS, ST REAM.

Handling

Handling and Storage Precautions:EMPTY CONTAINERS RESIDUE MAY CAUSE A
HAZARD. WASH THOROUGHLY AFTER HANDLING. DON'T TAKE INTERNAY. AVOID
CONTACT W/SKIN, EYES & CLOTHING.
Other Precautions:AVOID BREATHING DUST OR MIST. KEEP AWAY FROM FEED &
FOOD PRODUCTS. CHECK ALL CONTAINERS FOR LEAKS. AVOID PROLONGED
BREATHINGR CONTACT WITH SKIN.

Exposure Controls

Respiratory Protection:MESA/NIOSH APPROVED RESPIRATOR.
Ventilation:PROVIDE LOCAL EXHAUST VENTILATION TO KEEP BELOW TLV.
Protective Gloves:NITRILE RUBBER
Eye Protection:SAFETY GOGGLES
Other Protective Equipment:IMPERVIOUS CLOTHING AND BOOTS.
Supplemental Safety and Health
MSDS DATE: 30 JAN 1986.

Chemical Properties

Boiling Pt:B.P. Text:133F
Spec Gravity:0.840
Evaporation Rate & Reference:SLOW THAN N-BU AC
Solubility in Water:NEG (Appearance and Odor:CLEAR LIQUID MILD ODOR
Percent Volatiles by Volume:100%

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS/ALKALIES/MINERAL ACIDS
Hazardous Decomposition Products:OXIDES OF CARBON, VARIOUS HYDROCARBONS

Disposal

Waste Disposal Methods:LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.

