

CLIPPER S

MSDS Number

BBPMV

National Stock Number

9350-00F004111

Product Name

CLIPPER S

Manufacturer

A P GREEN INDUSTRIES INC

Product Identification

Product ID:CLIPPER S MSDS Date:07/15/1992 FSC:9350 NIIN:00F004111 MSDS Number: BBPMV

Responsible Party

A P GREEN INDUSTRIES INC

GREEN BOULEVARD

MEXICO, MO 65265-2582

US

Emergency Phone: 314-473-3626

Info Phone: 314-473-3626 Preparer: ELLIS J SMITH

Cage: 84446

Contractor

GREEN A P INDUSTRIES INC

MEXICO, MO 65265-2582

US

573-473-3626 Cage: 84446

Ingredients

SILICA CRYSTALLINE, SILICA (CRISTOBALITE) (SUSPECTED HUMAN

CAS: 14464-46-1 RTECS: VV7325000

ACGIH TLV: 0.05 MG/CUM

SILICA DIOXIDE, CRYSTALLINE QUARTZ, SAND (SUSPECTED HUMAN

CAS: 14808-60-7 RTECS: VV7330000

ACGIH TLV: 0.1 MG/CUM RESP DUST

SILICA CRYSTALLINE, SILICA (CRISTOBALITE) (SUSPECTED HUMAN

CAS: 14464-46-1



RTECS: VV7325000

ACGIH TLV: 0.05 MG/CUM

SILICA DIOXIDE, CRYSTALLINE QUARTZ, SAND (SUSPECTED HUMAN

CAS: 14808-60-7 RTECS: VV7330000

ACGIH TLV: 0.1 MG/CUM RESP DUST

Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic: EYES: DUST OR CHIPS CAN CAUSE

MECHANICAL IRRITATION. SKIN: CAN CAUSE MECHANICAL ABRASION OR CUTS.

INHALATION: DUST, IF PRESENT MAY CAUSE UPPER RESPIRATORY

IRRITATION. DUST MAY CAUSE LUNG DAMAGE IF INH ALED ON A LONG-TERM

BASIS.

Explanation of Carcinogenicity: SEE INGREDIENTS

First Aid

First Aid: EYES: FLUSH W/WATER FOR 15 MINUTES. SKIN: TREAT CUTS OR ABRASIONS USING STANDARD FIRST AID PROCEDURES. INHALATION: REMOVE TO FRESH AIR. INGESTION: DON'T INDUCE VOMITING UNLESS INSTRUCTED TO DO SO BY A PHYSICIAN. PRODUCT IS NON-TOXIC AS SUPPLIED, BUT ITS ABRASIVE NATURE COULD DAMAGE INTERNAL ORGANS. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Fire Fighting

Flash Point: NONE

Accidental Release

Spill Release Procedures: FOR BROKEN SHAPES OR FRAGMENTS, SWEEP, SHOVEL UP, OR PICK UP.

Exposure Controls

Respiratory Protection: USE NIOSH APPROVED RESPIRATOR WHEN CUTTING OR WHEN REMOVING THIS PRODUCT AFTER SERVICE.

Ventilation: GENERAL MECHANICAL VENTILATION IS ADEQUATE

Protective Gloves: LEATHER

Eye Protection: GOGGLES OR SAFETY GLASSES W/SIDESHIELDS

Other Protective Equipment: LONG-SLEEVED & LONG-LEGGED CLOTHING, SAFETY

SHOES.

Supplemental Safety and Health

Chemical Properties

Spec Gravity: 2.6-2.7

Solubility in Water: INSOLUBLE

Appearance and Odor:OFF-WHITE TO BROWN SOLID; NO ODOR.

Stability

Stability Indicator/Materials to Avoid:YES

Disposal

Waste Disposal Methods: CAN BE DISPOSED OF IN AN APPROVED LANDFILL, IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their



particular situation.