

DURACRYL ACRYLIC LACQUER ORANGE, DDL60156

MSDS Number

BBTPJ

National Stock Number

8010-00F005946

Product Name

DURACRYL ACRYLIC LACQUER ORANGE, DDL60156

Manufacturer

PPG INDUSTRIES INC

Product Identification

Product ID:DURACRYL ACRYLIC LACQUER ORANGE, DDL60156

MSDS Date:01/01/1987

FSC:8010

NIIN:00F005946

MSDS Number: BBTPJ

Responsible Party

PPG INDUSTRIES, INC/CLEVELAND, OH 44111

Emergency Phone: (304) 843-1300

Cage: DO894

Contractor

PPG INDUSTRIES, INC.

9

ALLISON PARK, PA 15101

US

412-592-5555

Cage: DO894

Ingredients

XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS: 1330-20-7

RTECS: ZE2100000

Fraction By Weight:

OSHA PEL100 PPM/150 STEL

ACGIH TLV: 100 PPM/150STEL;9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

LEAD CHROMATE (OSHA PEL FOR LEAD FROM 29CFR

CAS: 7758-97-6

RTECS: GB2975000

Fraction By Weight: 10%

OSHA PEL0.05 MG/M3 (PB)

ACGIH TLV: 0.05MG/M3(CR)A2;8990

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

Fraction By Weight: 35%

OSHA PEL200 PPM/150 STEL

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS: 78-93-3

RTECS: EL6475000

Fraction By Weight: 20%

OSHA PEL200 PPM/300 STEL

ACGIH TLV: 200 PPM/300STEL 9192

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

METHYL ISOBUTYL KETONE (SARA III)

CAS: 108-10-1

RTECS: SA9275000

Fraction By Weight:

OSHA PEL100 PPM/75 STEL

ACGIH TLV: 50 PPM/75 STEL; 9293

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

Hazards

Effects of Overexposure:SKIN, EYE & RESP TRACT IRRIT/CNS
DEPRESSION/STAGGERING GAIT/CONFUSION/UNCONSCIOUSNESS, OR COMA.

First Aid

First Aid:INHALATION: REMOVE FROM EXPOSURE. RESTORE BREATHING. NOTIFY
PHYSICIAN. EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. TAKE TO
PHYSICIAN FOR DEFINITIVE MEDICAL TREATMENT. SKIN: WASH W/WATER.
REMOVE CO NTAMINATED CLOTHING. CONSULT PHYSICIAN.

Fire Fighting

Flash Point:21F, PMCC

Lower Limits:1.8%

Extinguishing Media:CO2, DRY CHEMICAL OR FOAM

Fire Fighting Procedures:WATER SPRAY MAY BE INEFFECTIVE. FOG NOZZLES
ARE PREFERABLE.

Unusual Fire/Explosion Hazard:WATER TO COOL CLOSED CONTAINERS TO
PREVENT PRESSURE BUILD-UP & POSSIBLE AUTOIGNITION OR EXPLOSION.

Accidental Release

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION (FLAMES, HOT
SURFACES, & ELECTRICAL, STATIC, OR FRICTNAL SPARKS). AVOID
BREATHING VAPORS. VENTILATE AREA. REMOVE WITH INERT AORBENT &
NON-SPARKING TOOLS.

Handling

Handling and Storage Precautions: DON'T STORE >120F. STORE LARGE QUANTITIES IN BUILDINGS DESIGNED & PROTECTED FOR STORAGE OF NFPCCLASS IB FLAMMABLE LIQUIDS. DON'T TAKE INTERNALLY.
Other Precautions: INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING/INHALING THE CONTENTS CAN BE HARMFUL OR FATAL. DON'T FLAME CUT, BRAZE OR WE W/O NIOSH APPROVED RESPIRATORS OR APPROPRIATE VENTILATION.

Exposure Controls

Respiratory Protection: OPEN AREAS: FILTER RESPIRATORS FOR OVERSPRAY.

Ventilation: PROVIDE LOCAL EXHAUST VENTILATION TO KEEP Protective Gloves: REQUIRED

Eye Protection: WEAR EYEWEAR

Other Protective Equipment: PREVENT FOR PROLONGED SKIN CONTACT TO CONTAMINATED CLOTHING.

Supplemental Safety and Health

MSDS DATE: 8/24/84. WT/GAL: 8.67. ALSO CONTAINS: ACRYLIC ESTER MONOMERS (1001656AM) N.V.

Chemical Properties

Boiling Pt: B.P. Text: 80-100C

Vapor Density: >AIR

Evaporation Rate & Reference: SLOWER THAN ETHER

Percent Volatiles by Volume: 71.2

Stability

Stability Indicator/Materials to Avoid: YES

Hazardous Decomposition Products: CO, LEAD OXIDE & CHROMIUM OXIDES.

Disposal

Waste Disposal Methods: DISPOSE OF ACCORDANCE WITH LOCAL, STATE & FEDERAL REGULATIONS. DON'T INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.