

SR-2 RESIST STRIPPER RINSE

MSDS Number

BCBDF

National Stock Number

6850-00K000593

Product Name

SR-2 RESIST STRIPPER RINSE

Manufacturer

ALLIED CHEMICAL CORP

Product Identification

Product ID:SR-2 RESIST STRIPPER RINSE MSDS Date:01/01/1985 FSC:6850 NIIN:00K000593 MSDS Number: BCBDF

Responsible Party

ALLIED CHEMICAL CORP

COLUMBIA RD & PARK AVE

MORRISTOWN, NJ 07960

US

Cage: 1L168

Contractor

ALLIED-SIGNAL INC

1087R

MORRISTOWN, NJ 07962-2332

US

201-455-4414

Cage: 1L164

Ingredients

METHYLENE CHLORIDE (SARA III)

CAS: 75-09-2

RTECS: PA8050000

Fraction By Weight: UNK

OSHA PEL500 PPM/C,1000; Z2 ACGIH TLV: 50 PPM, A2; 9192 EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS

PROPRIERTARY COMPONENTS(ALCOHOL)

Fraction By Weight: UNK ACGIH TLV: 400 PPM

Hazards

Effects of Overexposure: EYE/SKIN: CAN



IRRITATE.INHALATION: DIZZYNESS, NAUSEA, HEADACHE, CONFUSION, TINGLING FEELING.

First Aid

First Aid: EYE: FLUSH W WATER 15 MIN.SKIN: WASH W SOAP & WATER. INHALATION: REMOVE TO FRESH AIR. GIVE CPR/O*2 IF NEED. DO NOT GIVE ADRENALIN OR STIMULANTS. GET MEDICAL ATTENTION.

Fire Fighting

Extinguishing Media: PRESENCE IN FIRE DOES NOT HINDER USE OF ANY STANDARD MEDIUM

Fire Fighting Procedures: WEAR SELF-CNTND BRTHG APP.COOL CONT W.H*20 Unusual Fire/Explosion Hazard: METHYLENE CHLORIDE COMPONENT GIVES OFF PHOSGENE AT DECOMPOSITION TEMPERATURES.

Accidental Release

Spill Release Procedures: REMOVE IGNITION SOURCES. STOP LEAK IF PERTINENT AND WITHOUT RISK. KEEP UNPROTECTED PERSONS AWAY. ALLOW MATERIAL TO VAPORIZE.

Handling

Handling and Storage Precautions:STORE IN COOL,DRY AREA.VENTILATE TRUCKS BEFORE ENTERING.VENTING SHOULD EXCLUDE MOISTURE.INDOOR TANK SHOULD BE VENTED OUTDOORS.USE FORMAL TANK ENTRY.

Other Precautions:DO NOT USE RUBBER OR PLASTIC HOSE TO CLEAN CONT/TANKS.HALOCARBONS REQUIRE WELL-VENTED DRAFT AS THEY DEPLETE OXYGEN BECAUSE THEY READILY VAPORIZE.HIGH CONCS CAN CAUSE CARDIAC ARRHYTHMIA,DEATH

Exposure Controls

Respiratory Protection:SELF-CNTND BRTHG APP.POSITIVE PRESSURE HOSE MASKS.

Ventilation:LOCAL EXHAUST TO DRAW VAPORS AWAY.MECHANICAL IN STORAGE ARFA

Protective Gloves: RUBBER

Eye Protection: SAFETY GLASSES/FACE SHILD

Other Protective Equipment: HARD HAT, STEEL-TOE SHOES, LEATHER

SHOES,IMPERVIOUS CLOTHING.
Supplemental Safety and Health

Chemical Properties

HCC:T4

Boiling Pt:B.P. Text:101F

Vapor Pres:384 Vapor Density:2.9 Spec Gravity:1.24

Evaporation Rate & Reference: 0.6(ETHER=1)

Solubility in Water: APPRECIABLE

Appearance and Odor: CLEAR, COLORLESS LIQUID WITH PLEASANT, AROMATIC ODOR

Percent Volatiles by Volume: 100

Stability

Stability Indicator/Materials to Avoid:YES
ALUMINUM,POTASSIUM,SODIUM,LITHIUM.
Stability Condition to Avoid:AUTOIGNITION TEMPERATURE 1180-1220F.
Hazardous Decomposition Products:METHYLENE CHLORIDE REPORTED TO GIVE
PHOSGENE AT DECOMP TEMP

Disposal

Waste Disposal Methods: RESIDUE MAY BE POURED SAND, EARTH OR ASHES AT A SAFE DISTANCE FROM OCCUPIED AREAS AND ALLOWED TO EVAPORATE INTO THE ATMOSPHERE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and



your source for safety https://msdsreport.com/msds/BCBDF

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.