

TURCO 6215

MSDS Number

BCBKM

National Stock Number

6850-00K000743

Product Name

TURCO 6215

Manufacturer

TURCO PRODUCTS INC

Product Identification

Product ID:TURCO 6215

MSDS Date:01/01/1985

FSC:6850

NIIN:00K000743

MSDS Number: BCBKM

Responsible Party

TURCO PRODUCTS,INC.

24700 SOUTH MAIN STREET

CARSON , CA 90749

US

Emergency Phone: 614-387-6200

Info Phone: 714-890-3600

Cage: D9808

Contractor

TURCO PRODUCTS,INC.

6200

PHILADELPHIA, PA 19103

US

215-419-7890

Cage: D9808

Ingredients

METHYLENE CHLORIDE (SARA III)

CAS: 75-09-2

RTECS: PA8050000

Fraction By Weight: 67.8%

OSHA PEL500 PPM/C,1000; Z2

ACGIH TLV: 50 PPM, A2; 9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

ETHYL ALCOHOL (ETHANOL)

CAS: 64-17-5

RTECS: KQ6300000

Fraction By Weight: 13.5%
OSHA PEL1000 PPM
ACGIH TLV: 1000 PPM; 9192

DIPHENYLQUANIDINE

Fraction By Weight: 2.8%
ACGIH TLV: LD50 375MG/KG

ETHANOLATED ALKYL GUANIDINE-AMINE COMPLEX(HIGH MOLECULAR

Fraction By Weight: 2.0%

TRIETHANOL AMINE --SEE SUPPL DATA FOR OTHER INGREDIENTS.

CAS: 102-71-6
RTECS: KL9275000

Fraction By Weight: 0.2%

Hazards

Effects of Overexposure:INH:DIZZ,HEAD,INTOXIC;SKIN:SEV
BURNS,DEFATTING.MAY BE ABSORBED TOX AMTS;EYES:SEV IRRIT,MAY DAMAGE.

First Aid

First Aid:SEV CHEST PAIN MAY INDICATE DANGER LEV OF CARBOXY
HEMOGLOBIN.GET MED ATTN;INH:REMOVE TO FRESH AIR.GIVE OXY/CPR IF
NEEDED;EYES:FLUSH W/LG AMT OF WATER;SKIN:WASH W/SOAP & WATER;ING:DO
NOT INDUCE VOMIT,D ILUTE W/H*20 OR MILK;GET MED ATTN FOR ANY
PROBLEM.

Fire Fighting

Flash Point:NONE TO BOIL-SCC
Lower Limits:UNK
Upper Limits:UNK
Extinguishing Media:CO*2,FOAM
Fire Fighting Procedures:USE GAS MASKS(DO NOT USE CANISTER CONTAINING
HOPCALITE)
Unusual Fire/Explosion Hazard:THERMAL DECOMP EMITS TOXIC OXIDES OF
CHLORINE & CARBON.

Accidental Release

Spill Release Procedures:VENTILATE AREA.WEAR PROTECTVE EQUIP.ELEMINATE
IGN SOURCE.STOP LEAK W/O RISK.DIKE/CONTAIN SPILLAGE.WIPE UP OR
ABSORB SPILLAGE ONTO ABSORBENT MATL.RECOVER IN DRUMS/CONTNRS WHICH
ARE SUITABLE FOR SHIPMEN T TO DISPOSAL LOCATION.

Handling

Handling and Storage Precautions:TRANSPORT & STORE IN CLOSED CONTAINERS
AT TEMPERATURE BELOW 90F.USE CARE IN OPENING DRUMS TO AVOID
SPURTING OF CONTENTS.
Other Precautions:NOTE TO PHYSICIAN:POST STERNUM CHEST PAIN MAY
INDICATE AN ACCUMULATION OF DANGEROUS LEVELS OF CARBOXY HEMOGLOBIN
BY METABOLISM OF METHYLENE CHLORIDE TO CARBON MONOXIDE.

Exposure Controls

Respiratory Protection:CANISTE TYPE W/ORG VAP CARTRIDGE IF EXCEEDS
TLV(NEVER USE HOPCALITE)
Ventilation:MECHANICAL VENTILATION (LOCAL EXHAUST)
Protective Gloves:NEOPRENE
Eye Protection:CHEM GOGGLES

Other Protective Equipment: SOLVENT RESISTANT BOOTS & APRONS.
Supplemental Safety and Health
-PROD ALSO CONTAINS 11.5% WATER, 1% PARAFFIN MAX, HYDROXYPROPYL METHYL CELLULOSE & 0.2% CONDENSED ETHYL SILICATE.

Chemical Properties

HCC: T4
Boiling Pt: B.P. Text: APPROX 105F
Vapor Pres: 350
Vapor Density: > 1.0
Spec Gravity: 1.16
Evaporation Rate & Reference: Solubility in Water: APPRECIABLE
Appearance and Odor: OPAQUE WHITE VISCOUS LIQUID W/MILD ODOR.
Percent Volatiles by Volume: 90.0

Stability

Stability Indicator/Materials to Avoid: YES
STRONG OXIDIZING AGENTS
Hazardous Decomposition Products: TOXIC OXIDES OF CARBON OR CHLORINE

Disposal

Waste Disposal Methods: MFGR RECOMMENDS ONE OR ALL OF THE FOLLOWING METHODS: (1) INCINERATE IN AN APPRVD INCINERATOR W APPROPRIATE FUME SCRUBBER; (2) LANDFILL IAW LOCAL, STATE, FED REGS; (3) TRANSFER/SHIP TO RECLAIMING FACILITY FOR SOLVENT RECOVERY.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.