

## **TURCO ALKALINE RUST REMOVER-IND**

### **MSDS Number**

BCBKT

### **National Stock Number**

6850-00K000755

### **Product Name**

TURCO ALKALINE RUST REMOVER-IND

### **Manufacturer**

TURCO PRODUCTS INC

### **Product Identification**

Product ID:TURCO ALKALINE RUST REMOVER-IND

MSDS Date:01/01/1985

FSC:6850

NIIN:00K000755

MSDS Number: BCBKT

### **Responsible Party**

TURCO PRODUCTS,INC.

24700 SOUTH MAIN STREET

CARSON , CA 90749

US

Emergency Phone: 614-387-6200

Info Phone: 714-890-3600

Cage: D9808

### **Contractor**

TURCO PRODUCTS,INC.

6200

PHILADELPHIA, PA 19103

US

215-419-7890

Cage: D9808

### **Ingredients**

SODIUM HYDROXIDE (SARA III)

CAS: 1310-73-2

RTECS: WB4900000

Fraction By Weight: 70.0%

OSHA PEL2 MG/M3

ACGIH TLV: C 2 MG/M3; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

ALIPHATIC PETROLEUM DISTILLATE

Fraction By Weight: 1.0%

ACGIH TLV: 200PPM

## Hazards

Effects of Overexposure:SKIN:SEV IRRIT;EYES:CORNEAL DAMAGE,BLINDNESS;INH:SEV IRRIT;ING:TISSUE DAMAGE

## First Aid

First Aid:SKIN\*FLUSH AT ONCE W/COPIOUS AMOUNTS OF WATER OR BORIC ACID SOLN.GET MED ATTN IF IRRIT PERSISTS;EYES:FLUSH W/WATER FOR 15 MIN.GET MED;INH:REMOVE TO FRESH AIR,GET MD IF IRRITN PERSISTS;ING:DRINK LG QTY OF WATER/MILK.DO NOT INDUCE VOMIT GET MD

## Fire Fighting

Flash Point:NONE  
Lower Limits:UNK  
Upper Limits:UNK  
Fire Fighting Procedures:NONE KNOWN  
Unusual Fire/Explosion Hazard:CAN GIVE HYDROGEN GAS ON THERMAL DECOMPOSITION &/OR WITH CERTAIN METALS.

## Accidental Release

Spill Release Procedures:SWEEP UP SPILLAGE & RETURN TO CONTAINER.SOAK UP SPILLS OF WATER SOLUTION W/SWEEPING COMPOUND OR ABSORBENT MATERIAL AND PLACE IN SEALABLE CONTAINER.WHICH IS SUITABLE FOR SHIPMENT.

## Handling

Handling and Storage Precautions:TRANSPORT & STORE IN CLOSED CONTANERS AT TEMPERATURES BELOW 130F.ALWAY ADD CAUTIOUSLY TO COOL WATER,W.AGITATION.HEAT EVOLVED.  
Other Precautions:CAN FORM CARBON MONOXIDE UPON CONTACT W/FOOD & BEVERAGE PRODUCTS IN ENCLOSED SPACES & CAN BE FATAL.FOLLOW APPROPRIATE TANK ENTRY PROCEDURES(SEE ANSI Z117.1-1977)

## Exposure Controls

Respiratory Protection:DUST MASK WHEN HANDLING DRY PRODUCT  
Ventilation:MECHANICAL(GEN)  
Protective Gloves:RUBBER  
Eye Protection:CHEM GOGGLES  
Other Protective Equipment:NONE KNOWN  
Supplemental Safety and Health

## Chemical Properties

HCC:C2  
Evaporation Rate & Reference:WHITE TO TAN COLOR  
Solubility in Water:COMPLETE  
Appearance and Odor:GRANULAR MIX.

## Stability

Stability Indicator/Materials to Avoid:YES  
ACIDS,ALUNINUM,TIN,ZIN,OXIDIZERS & FLAMMABLE MATL  
Hazardous Decomposition Products:HYDROGEN WHEN IN CONTACT W/REACTIVE METALS

## Disposal

Waste Disposal Methods:NEUTRALIZE ALKALINITY & SEPARATE FLOATABLE GREASES & OILS FOR INCINERATION OR DISPOSE IN LANDFILL DISCHARGE MEUTRALIZED WATER LAYER IAW FED,STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

