

TURCO FABRIFILM REMOVER

MSDS Number

BCBLG

National Stock Number

6850-00K000772

Product Name

TURCO FABRIFILM REMOVER

Manufacturer

TURCO PRODUCTS INC

Product Identification

Product ID:TURCO FABRIFILM REMOVER

MSDS Date:01/01/1985

FSC:6850

NIIN:00K000772

MSDS Number: BCBLG

Responsible Party

TURCO PRODUCTS,INC

Emergency Phone: 213-634-3300

Cage: D9808

Contractor

TURCO PRODUCTS,INC.

6200

PHILADELPHIA, PA 19103

US

215-419-7890

Cage: D9808

Ingredients

2-BUTOXYETHANOL

CAS: 111-76-2

RTECS: KJ8575000

Fraction By Weight: 3.0%

OSHA PELs, 50 PPM

ACGIH TLV: S, 25 PPM; 9293

SODIUM CHROMATE (SARA III)

CAS: 7775-11-3

RTECS: GB2955000

Fraction By Weight: 0.1%

OSHA PEL0.1 PPM CRO3;CEILING

ACGIH TLV: 0.05 MG CR/M3; 9192

EPA Report Quantity: 10 LBS

DOT Report Quantity: 10 LBS

AMMONIUM HYDROXIDE (SARA III)

CAS: 1336-21-6

RTECS: BQ9625000

Fraction By Weight: 5.0%

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

SODIUM METASILICATE(CAS# 6834-92-0)

CAS: 6834-92-0

RTECS: VV9275000

Fraction By Weight: 0.5%

ACGIH TLV: 10MG/CUM

HEXYLENE GLYCOL

CAS: 107-41-5

RTECS: SA0810000

Fraction By Weight: 2.5%

OSHA PELC 25 PPM

ACGIH TLV: C 25 PPM; 9192

Hazards

Effects of Overexposure:SKIN:DEFAT,MINOR IRRIT;EYES:NON-PERMANENT IRRIT;INH:IRRIT,NAUSEA;ING:GASTRIC DISTURBANCE,NAUSEA

First Aid

First Aid:SKIN:WASH W/WATER;EYES:FLUSH W/WATER.GET MED ATTN IF IRRITN PERSISTS;INH:REMOVE TO FRESH AIR;INGESTION:GIVE MILK OR WATER AND/OR INDUCE VOMITING.IN SEVERE CASE,CALL PHYSICIAN FOR INSTRUCTIONS.

Fire Fighting

Flash Point:NONE,SETAFLASH

Lower Limits:UNK

Upper Limits:UNK

Extinguishing Media:CO*2,DRY CHEM,FOAM

Fire Fighting Procedures:USE SELF-CNTND BRTHG APP

Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures:SWEEP UP SPILLAG & RETURN TO CONTAINER.SOAK UP SPILLS OF WATER SOLUTION W/SWEEPING OR ABSORBING COMPOUND & PLACE IN A SEALABLE CONTAINER WHICH IS SUITABLE FOR SHIPMENT

Handling

Handling and Storage Precautions:STORE IN CLOSED CONTAINERS AWAY FROM EXCESSIVE HEAT OR DIRECT SUNLIGHT

Other Precautions:NONE KNOWN

Exposure Controls

Respiratory Protection:RESPIRATOR W/MECH FILTER FOR MIST OR DUST CONDITION

Ventilation:LOCAL EXHAUST

Protective Gloves:RUBBER OPTIONAL

Eye Protection:CHEM GOGGLES.

Other Protective Equipment:OPTIONAL,AS REQD BY LOCAL AUTHORITIES.

Supplemental Safety and Health
PRODUCT ALSO CONTAINS 2.0% SODIUM DODECYL BENZENE SULFONATE(CAS
#25155-30-0)

Chemical Properties

HCC:N1
Boiling Pt:B.P. Text:212F
Vapor Pres:30
Vapor Density:>1.0
Spec Gravity:1.006
Evaporation Rate & Reference:Solubility in Water:APPRECIABLE
Appearance and Odor:VISCOUS YELLOW LIQUID,AMMONICAL ODOR
Percent Volatiles by Volume:90.0

Stability

Stability Indicator/Materials to Avoid:YES
NONE KNOWN
Stability Condition to Avoid:NONE KNOWN
Hazardous Decomposition Products:UNK

Disposal

Waste Disposal Methods:NEUTRALIZE ALKALINITY & REMOVE FLOATABLE
GREASES,OIL,ETC FOR INCINERATION OR DISPOSAL.DISCHARGED NEUTRALIZED
WATER LAYER IAW FED,STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.