

## **EASTMAN 910 MHT ADHESIVE**

### **MSDS Number**

BCBRZ

### **National Stock Number**

8040-00K000901

### **Product Name**

EASTMAN 910 MHT ADHESIVE

### **Manufacturer**

EASTMAN KODAK COMPANY

### **Product Identification**

Product ID:EASTMAN 910 MHT ADHESIVE

MSDS Date:01/01/1985

FSC:8040

NIIN:00K000901

MSDS Number: BCBRZ

### **Responsible Party**

EASTMAN KODAK COMPANY

Emergency Phone: 716-722-5151

Cage: 19139

### **Contractor**

EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

ROCHESTER, NY 14650-1115

US

716-722-5151/(800) 242-2424

Cage: 19139

### **Ingredients**

ALKYL CYANOACRYLATE

Fraction By Weight: 100%

### **Hazards**

Effects of Overexposure:SKIN:POLYMERIZATION OCCURS & BONDS SKIN

V.RAPIDLY;EYES:CANBOND EYELIDS;VAP MAY IRRIT MUCUS MEMBRANE

### **First Aid**

First Aid:SKIN:FLUSH IMMED W/H\*20 TO CAUSE POLYMERIZATION OF THE MONOMER & REDUCE ITS AFFINITY FOR THE SKIN;EYES:IRRIGATE IMMED & THOROUGHLY W/H\*20 HOLDING THE LIDS APART TO PREVENT BONDING.DO NOT FORCE APART I F BONDED.SEE A PHYSICIAN;REMOVE FROM EXPOSURE.

### **Fire Fighting**

Flash Point:180F-COC

Lower Limits:UNK

Upper Limits:UNK

Extinguishing Media:CO\*2,DRY CHEM;WATER SPRAY IF POLYMERIZATION NOT HAZARDOUS.

Unusual Fire/Explosion Hazard:NONE KNOWN

### **Accidental Release**

Spill Release Procedures:ELIM IGNITION SURCES.SOAK UP ON CLOTHS/ABSORBENT MATL.INCINERATE IMMEDIATLY OR STORE IN A CLOSED METAL CONTAINER.PROTECT EYES,SKIN,& CLOTHING BEFORE CLEAN-UP IAW

FED,STATE & LOCAL REGULATIONS.

## Handling

Handling and Storage Precautions:STORE IN TIGHTLY CLOSED CONTAINERS IN VENTILATED/DRY AREA.AVOID WATER/MOISTURE CONTACT W/MATL CONTNRS.AVOID SKIN,EYES & CLOTHING CONTACT.  
Other Precautions:USE W/VENTILATION ADEQUATE TO MAINTAIN ATMOSPHERE CONCENTRATION OF VAP BELOW IRRITATING LEVEL.IF SKIN BONDG OCCURD,SOAK IN WARMWATER TO ENHANCE/LOOSENING OF THE BOND.KEEP AWAY FM HEAT/FLAME.

## Exposure Controls

Respiratory Protection:A NIOSH APPRVD RESP FOR ORGANIC VAP IF NEEDED;NO NEED IN NORML COND.  
Ventilation:LOCAL EXHAUST/MECHANICAL(GEN) RECOMMENDED BY MFR.  
Protective Gloves:POLYETHLN/RUBBR  
Eye Protection:SAFETY GOGGLES/GLASSES  
Other Protective Equipment:AS NEEDED BY LOCAL AUTHORITIES.  
Supplemental Safety and Health  
MFR MSDS 3/30/73.PROD SOLD TO PERMABON 8/80.PER PERMA-BOND 1/18/84 NO MULTIPLE HAZ EXIST.STORE WITH OTHER COMBUSTIBLES.

## Chemical Properties

HCC:V4  
Boiling Pt:B.P. Text:APPROX 176F  
Vapor Pres:UNK  
Vapor Density:UNK  
Spec Gravity:UNK  
Evaporation Rate & Reference:UNK  
Solubility in Water:INSOLUBLE  
Appearance and Odor:CLEAR LIQD;PUNGENT,UNPLEASNT ORDOR(MILD LACHRYMATR  
Percent Volatiles by Volume:UNK

## Stability

Stability Indicator/Materials to Avoid:NO  
OXIDIZING MATL CAN CAUSE A VIGOROUS REACTION.  
Stability Condition to Avoid:POLYMERIZATION OCCURS BY  
WATER/MOISTURE.MAY BE EXOTHERMIC.  
Hazardous Decomposition Products:CO,CO\*2,OXIDES OF NITROGEN.  
Conditions to Avoid Polymerization:MANY COMMON MATLS SUCH AS H\*2O CAN POLYMERIZE EXOTHERMALLY.

## Disposal

Waste Disposal Methods:INCINERATION OR LANDFILL.MFR SUGGESTED  
INCINERATE WASTE.OBSERVE ALL FEDERAL,STATE,& LOCAL LAWS CONCERNING  
HEALTH & POLLUTION.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.