

EKTAPRINT 3HC DEVELOPER REPLENISHER, PART A

MSDS Number

BCBVN

National Stock Number

6750-00K000941

Product Name

EKTAPRINT 3HC DEVELOPER REPLENISHER, PART A

Manufacturer

EASTMAN KODAK COMPANY

Product Identification

Product ID:EKTAPRINT 3HC DEVELOPER REPLENISHER,PART A MSDS Date:01/01/1985 FSC:6750 NIIN:00K000941

MSDS Number: BCBVN **Responsible Party**

EASTMAN KODAK COMPANY

343 STATE STREET

ROCHESTER, NY 14650

US

Emergency Phone: 716-722-5151

Info Phone: 716-722-5151

Cage: 19139

Contractor

EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

ROCHESTER, NY 14650-1115

716-722-5151/(800) 242-2424

Cage: 19139

US

Ingredients

BENZYL ALCOHOL(45-50) (CAS #100-51-6)

CAS: 100-51-6 RTECS: DN3150000

Fraction By Weight: 47.5%

HYDROXYL AMINE SULFATE(10-15%) (CAS #10039-54-0)

CAS: 10039-54-0 RTECS: NC5425000

Fraction By Weight: 12.5%

AQUEOUS SOLUTION, HAZARD UNKNOWN, UNIDENTIFIED (35-45%)

Fraction By Weight: 40%



Hazards

Effects of Overexposure: EYES: VAP/LIQ IRRIT; SKIN: IRRIT, ALERGIC ON REPEATD CONTACT. MAY ABSORB THRU SKIN; INH: VAP CAUSES IRRIT.

First Aid

First Aid:INH:REMOVE FM EXPOSURE,TREAT SYMPTOMATICALLY,&GET MED ATTN IF SYMPTOMS PERSIST;EYES:IMMED FLUSH W/PLENTY OF WATER.GET MED ATTN;SKIN:FLUS W/H*2O.GET MED ATTN IF IRRIT/ALERGIC REACTION OCCURS.

Fire Fighting

Flash Point: NONE

Extinguishing Media:CO*2,DRY CHEM,DRY FOAM

Fire Fighting Procedures: NONE KNOWN

Accidental Release

Spill Release Procedures: ELIM IGN SOURCES.USE PROTECTV EQUIP, PROVIDE VENT.STOP LEAK W/O RISK.DIKE LG SPILL & PUMP INTO COVRD DRUMS; ABSORB/CONTAIN SMALL SPILL IN CONTNR PENDING DISPOSAL; MFR RECOMMENDS, NEUTRLZ W/SOD BICARBONATE THEN FLUSH TO SEWER W/LG AMT H*20 IAW EXIST REGS.

Handling

Handling and Storage Precautions: STORE AWAY FROM STRONG ALKALI.STORE IN COOL, DRY PLACE. KEEP CONTNRS TIGHTLY CLOSED. PROTECT CONTNRS FROM PHYSICAL DAMAGE.

Other Precautions: AVOID SKIN/EYE CONTACT/CHEMICAL PRODUCTS. WASH THOROUGHLY AFTER HANDLING. THE ROUTINE USE OF NON-ALKALINE) ACID) HAND CLEANER WILL REDUCE ALERGIC REACTION; PRODUCT HAS PH APPROXIMATELY: 4.5

Exposure Controls

Respiratory Protection: AN APPRVD ORGANIC VAP RESPIRATOR FOR EMERGENCY USE ONLY

Ventilation:LOCAL EXHAUST & MECHANICAL(GENERAL) RECOMMENDED BY MFGR.

Protective Gloves: IMPERVIOUS

Eye Protection: SAFETY GLASSES/GOGGLES

Other Protective Equipment: AS NECESSARY TO PREVENT SKIN CONTACT.

Supplemental Safety and Health

PER MFR LETTER, PRODUCT HAS BEEN DISCONTND APPROX 1977; THIS DATA FOR PART A 0F 3 PART PRODUCT.

Chemical Properties

HCC:C3

Boiling Pt:B.P. Text:>212F

Vapor Pres:17

Vapor Density:0.6

Spec Gravity:1.12

Solubility in Water: COMPLETE

Appearance and Odor: MILKY WHITE MIXTURE, MILD AROMATIC ODOR

Percent Volatiles by Volume:84

Stability

Stability Indicator/Materials to Avoid:YES PER MFR,AVOID STRONG ALKALI Stability Condition to Avoid:UNK Hazardous Decomposition Products:NONE KNOWN

Disposal

Waste Disposal Methods: KEEP IN COVERD CONTNRS PENDING DISPOSAL. SHIP WASTE TONEUTRALZNG/DISPOSAL AREA IAW DOT/EPA REGS. HANDLE/DISPOSE OF IAW FED, STATE/LOCAL REGS; MFR SUGGESTS; NEUTRALZ W/SODIUM BICARBONATE THEN FLUSH TO SEWER W/LG AMT H*20.FED STATE/LOCAL LAWS TAKE PRECEDNCE

Disclaimer (provided with this information by the compiling agencies):



This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.