

# **EKTAPRINT 3HC DEVELOPER REPLENISHER, PART B**

# **MSDS Number**

**BCBVP** 

# **National Stock Number**

6750-00K000941

#### **Product Name**

EKTAPRINT 3HC DEVELOPER REPLENISHER, PART B

#### Manufacturer

EASTMAN KODAK COMPANY

# **Product Identification**

Product ID: EKTAPRINT 3HC DEVELOPER REPLENISHER, PART B MSDS Date:01/01/1985 FSC:6750

NIIN:00K000941 MSDS Number: BCBVP

# **Responsible Party**

EASTMAN KODAK COMPANY

343 STATE STREET

ROCHESTER, NY 14650

US

Emergency Phone: 716-722-5151

Info Phone: 716-722-5151

Cage: 19139

## **Contractor**

EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

ROCHESTER, NY 14650-1115

US

716-722-5151/(800) 242-2424

Cage: 19139

# **Ingredients**

AQUEOUS SOLUTION, HAZARD UNKNOWN, UNIDENTIFIED INGREDIENTS

Fraction By Weight: 25.0%

POTASSIUM HYDROXIDE (SARA III)

CAS: 1310-58-3 RTECS: TT2100000

Fraction By Weight: 7.5%

OSHA PELC, 2 MG/M3

ACGIH TLV: C 2 MG/M3; 9192 EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS



CAS: 584-08-7 RTECS: TS7750000

Fraction By Weight: 67.5%

#### Hazards

Effects of Overexposure: EYES: DIRECT CONTACT CAUSES BURNS; SKIN: MAY CAUSE IRRITAION &/OR BURNS.

#### First Aid

First Aid:INH:REMOVE FM EXPOSURE,TREAT SYMPTOMATICALLY,&GET MED ATTN IF SYMPTOMS PERSIST;EYES:IMMED FLUSH W/PLENTY OF WATER.GET MED ATTN;SKIN:FLUSH W/H\*2O.GET MED ATTN IF IRRIT/BURNS.

# Fire Fighting

Flash Point: NONE

Extinguishing Media:CO\*2,DRY CHEM Fire Fighting Procedures:NONE KNOWN

#### **Accidental Release**

Spill Release Procedures: ELIM IGN SOURCES.USE PROTECTV EQUIP, PROVIDE VENT.STOP LEAK W/O RISK.DIKE LG SPILL & PUMP INTO COVRD DRUMS; ABSORB/CONTAIN SMALL SPILL IN CONTNR PENDING DISPOSL; MFR RECOMMENDS, NEUTRLZ W/SOD BISULPHATE T HEN FLUSH TO SEWER W/LG AMT H\*20 IAW EXISTING REGS

# Handling

Handling and Storage Precautions: STORE IN COOL, DRY, WELL VENTILATED AREA. KEEP CONTNRS TIGHTLY CLOSED. PROTECT CONTNRS FROM PHYSICAL DAMAGE.

Other Precautions: AVOID PROLONGED/REPEATED CONTACT W/PRODUCT.REMOVE & WASH CONTAMINATED CLOTHING. WASH HANDS AFTER USE; MFR. MSDS STATES "PH GREATER THAN 14."

# **Exposure Controls**

Respiratory Protection: NONE REQD IN NORMAL CONDITIONS.

Ventilation: MECHANICAL (GENERAL) IF NEEDED

Protective Gloves: IMPERVIOUS Eye Protection: SAFETY GLASSES

Other Protective Equipment: AS NECESSARY TO PREVENT SKIN CONTACT.

Supplemental Safety and Health

MSDS FM MFR DATED:5-10-76;THIS DATA DESCRIBES PART B OF 3 PART PRODUCT;PER MFR LETTER ITEM DISCONTD APPROX 1977;CAT # UNKNOWN.

## **Chemical Properties**

HCC:B3

Boiling Pt:B.P. Text:>212F/>100C

Vapor Pres:17 Vapor Density:0.6 Spec Gravity:1.50

Solubility in Water: COMPLETE

Appearance and Odor: ODORLESS; CLEAR & COLORLESS LIQUID.

Percent Volatiles by Volume: 50%

### **Stability**

Stability Indicator/Materials to Avoid:YES AVOID MINERAL ACIDS,FLAMM/OXIDIZING MATL. Stability Condition to Avoid:UNK Hazardous Decomposition Products:PER MFR,SO\*2

# Disposal

Waste Disposal Methods: KEEP IN COVERD CONTNRS PENDING DISPOSAL.SHIP WASTE TO NEUTRALZNG/DISPOSAL AREA IAW DOT/EPA REGS.HANDLE/DISPOSE OF IAW FED, STATE/LOCAL REGS; MFR SUGGESTS: NEUTRALZ W/SODIUM BISULPHATE THEN FLUSH TO SEWER W/LG AMT H\*20.FED STATE/LOCAL



## LAWS/TAKE PRECEDNCE

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.