
146 4668,EKTONAL DEVELOPER,PART A

MSDS Number

BCBVS

National Stock Number

6750-00K000943

Product Name

146 4668,EKTONAL DEVELOPER,PART A

Manufacturer

EASTMAN KODAK COMPANY

Product Identification

Product ID:146 4668,EKTONAL DEVELOPER,PART A

MSDS Date:01/01/1985

FSC:6750

NIIN:00K000943

MSDS Number: BCBVS

Responsible Party

EASTMAN KODAK COMPANY

343 STATE STREET

ROCHESTER , NY 14650

US

Emergency Phone: 716-722-5151

Info Phone: 716-722-5151

Cage: 19139

Contractor

EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

ROCHESTER, NY 14650-1115

US

716-722-5151/(800) 242-2424

Cage: 19139

Ingredients

HYDROQUINONE (SARA III)

CAS: 123-31-9

RTECS: MX3500000

Fraction By Weight: 12.5%

OSHA PEL2 MG/M3

ACGIH TLV: 2 MG/M3; 9192

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

P-METHYLAMINOPHENOL(CAS # 55-55-0) (1-5%)

CAS: 55-55-1

RTECS: SL8650000

Fraction By Weight: 3%

SOLIDS,HAZARD UNKNOWN,UNIDENTIFIED

Fraction By Weight: 84.5%

Hazards

Effects of Overexposure:EYES:IRRITNT;INHALE/SKIN:MAY CAUSE IRRITATION;REPEATED SKIN CONTACT MAY CAUSE ALLERGIC SKIN REACTION

First Aid

First Aid:INHALE:REMOVE TO FRESH AIR,GIVE CPR/O*2 IF NEED;EYES:FLUSH W LG AMTS H*2O FOR 15 MIN;SKIN:FLUSH W LG AMTS H*2O;INGEST:RINSE MOUTH, GET IMMEDIATE MEDICAL ATTENTION.

Fire Fighting

Extinguishing Media:SUITABLE FOR SURROUNDING FIRE
Fire Fighting Procedures:WEAR SELF-CNTND BRTHG APP.
Unusual Fire/Explosion Hazard:NONE NOTED:IF DUSTING CONDITIONS,USE H*2O SPRAY TO KNOCK DOWN DUST(IRRITNT).

Accidental Release

Spill Release Procedures:EVACUATE UNPROTECTED PERSONS.PROVIDE VENTILATION/ELIM DUST.SWEEP/SHOVEL MATERIAL INTO COVERED CONTAINERS PENDING DISPOSAL.RESIDUE MAY BE FLUSHED WITH WATER.FEDERAL,STATE AND LOCAL EFFLUENT LAWS TAKE P RECEDENCE.

Handling

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED,LOW FIRE RISK AREA.PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT.KEEP CONTAINERS AWAY FROM MOISTURE.
Other Precautions:AVOID PROLONGED OR REPEATED CONTACT W CHEMICAL.REMOVE & WASH CONTAMINATED CLOTHING.MAINTAIN STRICT HYGIENE.USE OF NON-ALKALINE(ACID) TYPE HAND CLEANER REDUCES ALLERGIC SKIN REACTION RISK.

Exposure Controls

Respiratory Protection:FOR EXCESSIVE DISPERSAL,IN AIR,WEAR DUST RESPIRATOR
Ventilation:MECHANICAL(GEN./LOCAL EXHAUST AS NECESSARY)
Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY GLASSES,IF REQD
Other Protective Equipment:AS NECESSARY TO PREVENT SKIN CONTACT.
Supplemental Safety and Health
MSDS FROM MFG.DATED:7/31/80.ITEM IS PART A OF 2 PART KIT.

Chemical Properties

HCC:T4
Vapor Pres:NEG
Spec Gravity:>1
Solubility in Water:APPRECIABLE
Appearance and Odor:WHITE-OFF WHITE POWDER,NO APPRECIABLE ODOR

Stability

Stability Indicator/Materials to Avoid:YES
STRONG ACIDS
Stability Condition to Avoid:DUST GENERATING CONDITIONS.
Hazardous Decomposition Products:SULFUR DIOXIDE

Disposal

Waste Disposal Methods:KEEP IN COVERED CONTAINERS PENDING DISPOSAL.HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL,FEDERAL,STATE,& LOCAL REGULATIONS.MFG NOTES MATERIAL MAY BE FLUSHED TO SEWER WITH EXCE SS OF WATER;DISPOSE BY LANDFILL OR INCINERATE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.