

185 7440,KODAGRAPH ERADICATOR, SOLUTION A

MSDS Number

BCBYJ

National Stock Number

6750-00K000988

Product Name

185 7440, KODAGRAPH ERADICATOR, SOLUTION A

Manufacturer

EASTMAN KODAK COMPANY

Product Identification

Product ID:185 7440, KODAGRAPH ERADICATOR, SOLUTION A

MSDS Date:01/01/1985

FSC:6750

NIIN:00K000988 MSDS Number: BCBYJ

Responsible Party

EASTMAN KODAK COMPANY

343 STATE STREET

ROCHESTER, NY 14650

US

Emergency Phone: 716-722-5151

Info Phone: 716-722-5151

Cage: 19139

Contractor

EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

ROCHESTER, NY 14650-1115

US

716-722-5151/(800) 242-2424

Cage: 19139

Ingredients

AQUEOUS SOLUTION, HAZARD UNKNOWN, UNIDENTIFIED (80-85%)

Fraction By Weight: 82.5%

CUPRIC CHLORIDE (SARA III)

CAS: 7447-39-4

RTECS: GL7000000

Fraction By Weight: 17.5% OSHA PEL1 MG CU/M3 ACGIH TLV: 1 MG/M3

EPA Report Quantity: 10 LBS DOT Report Quantity: 10 LBS

Hazards

Effects of Overexposure: EYES: LIQD CONTACT MAY CAUSE



BURNS; SKIN: REPEATED/PROLONGED CONTACT W/LIQ MAY RESULT IN BURNS/IRRIT.

First Aid

First Aid:INH:REMOVE FROM EXPOSURE.GIVE CPR/OXY IF NEEDED & GET MED ATTN;EYES:FLUSH IMMED W/WATER FOR AT LEAST 15 MIN.GET MED HELP;SKIN:FLUSH IMMED W/PLENTY OF WATER FOR 15 MIN.FOR BURNS GET MED ATTN.

Fire Fighting

Flash Point: NONE

Extinguishing Media:CO*2,DRY CHEM

Fire Fighting Procedures: USE SELF-CNTND BRTHG APP; COOL EXPSD CONT

W/WATER SPRAY

Unusual Fire/Explosion Hazard: NONE KNOWN

Accidental Release

Spill Release Procedures: EVACUATE UNPROTECTED PERSONS, PROVIDE VENTILATION/SAFETY EQUIPMENTS IF NECESSARY. DIKE LG SPILL & PUMP INTO COVERED CONTNRS; ABSORB SM SPILL W/ABSORBING MATL & PLACE IN SAME CONTNR; MFR SUGGESTS FLUSH DOW N TO SEWER W/LG AMT OF H*20 IAW EXISTING REGS.

Handling

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA.KEEP CONTNRS TIGHTLY CLOSED.PROTECT CONTNRS FROM PHYSICAL DAMAGE.STORE AWAY FROM ALKALINE MATERIALS.

Other Precautions:AVOID PROLONGED/REPEATED CONTACT W/PRODUCT.REMOVE & WASH CONTAMINATED CLOTHING.WASH HANDS AFTER USE.APPROX PH OF PRODUCT:1.0

Exposure Controls

Respiratory Protection: NONE REQD IN NORMAL CONDITIONS

Ventilation: MECHANICAL (GEN)/LOCAL EXHAUST

Protective Gloves:IMPERVIOUS/RUBR Eye Protection:SAFETY GLASSES/GOGGLES

Other Protective Equipment: AS NECESSARY TO PREVENT SKIN CONTACT

Supplemental Safety and Health

MSDS FRM MFT DTD 11/1/77 REISSUED 5/79, ITEM IS TWO PART KIT THIS

SOLUTION A KEY1:N1

Chemical Properties

HCC:N1

Boiling Pt:B.P. Text:>212F/>100C

Vapor Pres:17 Vapor Density:0.6 Spec Gravity:1.17

Solubility in Water: COMPLETE

Appearance and Odor: BLUE COLORED LIQUID-ODORLESS

Percent Volatiles by Volume:96

Stability

Stability Indicator/Materials to Avoid:YES ALKALIS:ALKALINE MATERIAL Hazardous Decomposition Products:NONE KNOWN

Disposal

Waste Disposal Methods: KEEP IN COVERED CONTAINERS PENDING DISPOSAL.DISPOSE IN FULL COMPLIANCE W/FEDERAL, STATE & LOCAL REGULATIONS; MFR RECOMMENDS TO FLUSH DOWN TO SEWER W COPIOUS AMT H*20.STATE & LOCAL EFFLUENT LAWS TAKE PRE CEDENCE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this



