

## **159 2641,ORTHO RESIST**

### **MSDS Number**

BCCBG

### **National Stock Number**

6750-00K001027

### **Product Name**

159 2641,ORTHO RESIST

### **Manufacturer**

EASTMAN KODAK COMPANY

### **Product Identification**

Product ID:159 2641,ORTHO RESIST

MSDS Date:01/01/1985

FSC:6750

NIIN:00K001027

MSDS Number: BCCBG

### **Responsible Party**

EASTMAN KODAK COMPANY

343 STATE STREET

ROCHESTER , NY 14650

US

Emergency Phone: 716-722-5151

Info Phone: 716-722-5151

Cage: 19139

### **Contractor**

EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

ROCHESTER, NY 14650-1115

US

716-722-5151/(800) 242-2424

Cage: 19139

### **Ingredients**

CHLOROBENZENE (SARA III)

CAS: 108-90-7

RTECS: CZ0175000

Fraction By Weight: 60.5%

OSHA PEL75 PPM

ACGIH TLV: 10 PPM; 9192

EPA Report Quantity: 100 LBS

DOT Report Quantity: 100 LBS

NON-AQUEOUS SOLUTION,HAZARD UNKNOWN,UNIDENTIFIED (37-42%)

Fraction By Weight: 39.5%

### **Hazards**

Effects of Overexposure:EYES:LIQ/VAP CNTNCT CAUSES

IRRIT;SKIN:PROLONGD/REPEATD LIQ CNTCT IS IRRITATING;INH:VAP ARE IRRITATNG

## First Aid

First Aid:INH:REMOVE FROM EXPOSURE.GIVE CPR/OXY IF NEEDED & GET MED ATTN;EYES:FLUSH IMMED W/WATER FOR AT LEAST 15 MIN.GET MED HELP;SKIN:FLUSH IMMED W/PLENTY OF WATER FOR 15 MIN.FOR BURNS GET MED ATTN.

## Fire Fighting

Flash Point:80F(27C)-TCC  
Lower Limits:1.27  
Upper Limits:7.19  
Extinguishing Media:CO\*2,DRY CHEM,DRY FOAM  
Fire Fighting Procedures:USE SELF-CONTND BRTHG APP;COOL EXPSD CONT W/WATER SPRAY  
Unusual Fire/Explosion Hazard:SPILL/RUNOFF MAY CAUSE POLLUTION,FIRE &/OR EXPLOSION HAZARD.

## Accidental Release

Spill Release Procedures:EVACUATE UNPROTECTED PERSONS.ELIM IGN SOURCES.USE PROTCTV/SAFETY EQUIP.STOP LEAK W/O RISK.PROVIDE VENT.DIKE LG SPILL.PUMP LIQ TO SALVAGE TANK.ABSORB REMAINING LIQ W/ABSRBNG MATL & SHOVEL INTO DRUMS;PE R MFR SOAK UP SM SPILL W/ABSRBNT MATL IAW REGS.

## Handling

Handling and Storage Precautions:STORE AWAY FROM SOURCE OF IGN.STORE IN COOL,DRY PLACE.KEEP CONTNRS TIGHTLY CLOSED.PROTECT CONTNRS FROM PHYSICAL DAMAGE.  
Other Precautions:AVOID SKIN/EYE CONTACT W/CHEMICAL PRODUCTS.WASH THOROUGHLY AFTER HANDLING.

## Exposure Controls

Respiratory Protection:AN APPRVD ORGANIC VAP RESPIRATOR FOR EMERGENCY USE ONLY  
Ventilation:LOCAL EXHAUST & MECHANICAL(GENERAL) RECOMMENDED BY MFR.  
Protective Gloves:IMPERVIOUS  
Eye Protection:SAFETY GLASSES/GOGGLES  
Other Protective Equipment:AS NECESSARY TO PREVENT SKIN CONTACT.  
Supplemental Safety and Health  
MSDS FM MFR DATED:3/4/77.

## Chemical Properties

HCC:F4  
Boiling Pt:B.P. Text:267-281F  
Vapor Pres:Vapor Density:3.8  
Spec Gravity:1.397  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:LIGHT AMBER LIQ;SLIGHT VISCOUS;STRNG AROMTC ODOR.  
Percent Volatiles by Volume:80%

## Stability

Stability Indicator/Materials to Avoid:YES  
OXIDIZING & CORROSIVE MATERIAL.  
Stability Condition to Avoid:SOURCE OF IGNITION  
Hazardous Decomposition Products:BURNING MAY RESULT IN EVOLUTION OF CO & CO\*2.

## Disposal

Waste Disposal Methods:KEEP IN COVERED CONTNRS PENDING DISPOSAL.SHIP WASTE MATL IAW DOT TO DISPOSAL/INCINERATING FACILITY.HANDLE/DISPOSE IN FULL COMPLIANCE W/ALL FED,STATE/LOCAL REGS;MFR RECOMMENDS:BURN-TREAT AS ORGANIC SOL VNTS.FED,ST.& LOCAL EFFLUENT LAWS TAKE PRECEDENCE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.