

196 3388,STOP BATH & REPL,PROC C-22,PART B

MSDS Number

BCCDV

National Stock Number

6750-00K001077

Product Name

196 3388,STOP BATH & REPL,PROC C-22,PART B

Manufacturer

EASTMAN KODAK COMPANY

Product Identification

Product ID:196 3388,STOP BATH & REPL,PROC C-22,PART B

MSDS Date:01/01/1985

FSC:6750

NIIN:00K001077

MSDS Number: BCCDV

Responsible Party

EASTMAN KODAK COMPANY

343 STATE STREET

ROCHESTER , NY 14650

US

Emergency Phone: 716-722-5151

Info Phone: 716-722-5151

Cage: 19139

Contractor

EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

ROCHESTER, NY 14650-1115

US

716-722-5151/(800) 242-2424

Cage: 19139

Ingredients

ACETIC ACID (SARA III)

CAS: 64-19-7

RTECS: AF1225000

Fraction By Weight: 100%

OSHA PEL10 PPM

ACGIH TLV: 10 PPM/15 STEL; 9192

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

Hazards

Effects of Overexposure:INH:CAN IRRIT UPPER RESP TRACT;SKIN:SEVERE BURNS;EYES:LIQ CAN CAUSE SEVERE BURNS.VAPOR IS IRRITATNG.

First Aid

First Aid:EYES:IMMEDIATELY FLUSH W/PLENTY OF WATER FOR AT LEAST 15 MIN.GET MED ATTN;SKIN:IMMED FLUSH W/PLENTY OF WATER FOR AT LEAST 15

MIN.REMOVE CONTAMINATED CLOTHING/SHOES.GET MED ATTN;INH:REMOVE FROM EXPOSUR E.GIVE OXY/CPR IF NEEDED.GET MED HELP.

Fire Fighting

Flash Point:103F(39C)-TCC
Lower Limits:6.67
Upper Limits:19.9
Extinguishing Media:CO*2,DRY CHEMICAL OR SPRAY FOAM
Fire Fighting Procedures:WEAR FRESH AIR MASK/EQUIP TO AVOID CONTCT(RUBBR BOOTS/GLOVE)
Unusual Fire/Explosion Hazard:CONTNR MAY EXPLODE IN HEAT OF FIRE;SPILL/RUNOFF MAY CAUSE POLLUTION,FIRE,&/OR EXPLOSION.

Accidental Release

Spill Release Procedures:EVACUATE UNPROTECTD PERSONS.ELIM IGN SOURCES.USE PROTECTV EQUIP.PROVIDE VENT.STOP LEAK W/O RISK.DIKE LG SPILL & PUMP INTO COVRD DRUMS;ABSORB CONTAIN SM SPILL IN CONTNR PENDNG DISPOSAL;MFG RECOMM,NEUTR LZ W/BICARBONATE & FLUSH TO SEWER W/H*2O IAW REGS.

Handling

Handling and Storage Precautions:STORE AWAY FROM STRONG ALKALI.STORE IN COOL,DRY PLACE.KEEP CONTNRS TIGHTLY CLOSED.PROTECT CONTNRS FROM PHYSICAL DAMAGE.
Other Precautions:AVOID SKIN/EYE CONTACT W/CHEMICAL PRODUCTS.WASH THOROUGHLY AFTER HANDLING.PH OF PROD:LESS THAN 1.0

Exposure Controls

Respiratory Protection:AN APPRVD ORGANIC VAP RESPIRATOR IF VENTILATION IS INADEQUATE
Ventilation:LOCAL EXHAUST & MECHANICAL(GENERAL) RECOMMENDED BY MFGR.
Protective Gloves:IMPERVIOUS/RUBR
Eye Protection:SAFETY GLASSES/GOGGLES
Other Protective Equipment:AS NECESSARY TO PREVENT SKIN CONTACT.
Supplemental Safety and Health
MSDS FM MFR DTD:4/14/80;THIS IS PART B OF TWO PART PRODUCT;PART A IS POWDER FORM & PART B IS LIQUID FORM.

Chemical Properties

HCC:F6
Boiling Pt:B.P. Text:245F(118C)
Vapor Pres:11
Vapor Density:2.07
Spec Gravity:1.05
Solubility in Water:COMPLETE
Appearance and Odor:CLEAR LIQUID,STRONG PUNGENT,VINEGAR-LIKE ODOR
Percent Volatiles by Volume:99

Stability

Stability Indicator/Materials to Avoid:YES
ALKALIS,AMINES,ALCOHOLS & FLAMM/OXIDIZING MATL
Stability Condition to Avoid:UNK
Hazardous Decomposition Products:CO,CO*2 BY THERMAL DECOMPOSITION.

Disposal

Waste Disposal Methods:KEEP N COVERD CONTNRS PENDG DISPOSAL.SHIP WASTE MATL TO NEUTRALIZNG/DISPOSAL FACILITY IAW DOT/EPA REGS.HANDLE/DISPOSE OF IAW FED,STATE/LOCAL REGS;MFGR RECOMM NEUTRALIZE W/SOD. BICARBONATE & FLUSH TO S EWER W/LG AMT H*2O IAW EXISTNG REGS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.