

163 8204,KODAK 22 FIXER

MSDS Number

BCCFF

National Stock Number

6750-00K001085

Product Name

163 8204,KODAK 22 FIXER

Manufacturer

EASTMAN KODAK COMPANY

Product Identification

Product ID:163 8204, KODAK 22 FIXER

MSDS Date: 01/01/1987

FSC:6750

NIIN:00K001085 MSDS Number: BCCFF

Responsible Party

EASTMAN KODAK COMPANY

Emergency Phone: 716-722-5151

Cage: 19139

Contractor

EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

ROCHESTER, NY 14650-1115

US

716-722-5151/(800) 242-2424

Cage: 19139

Ingredients

AMMONIUM THIOCYANATE, CAS#1762-95-4,5-20%

CAS: 928-57-4

RTECS: XK8750000

Fraction By Weight: 13%

AMMONIUM THIOSULFATE, CAS#7783-18-8,10-25%

CAS: 7783-18-8

RTECS: XN6465000

Fraction By Weight: 18.5%

WATER,CAS#7732-18-5,60-75%

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: 68.5%

Hazards

Effects of Overexposure:LOW HAZARD



First Aid

First Aid:MANUFACTURER STATES NONE INDICATED BUT GOOD SAFETY HYGIENE PROCEDURES SHOULD BE FOLLOWED.

Fire Fighting

Extinguishing Media: USE MEDIUM SUITABLE FOR SURROUNDING FIRE. Fire Fighting Procedures: WEAR SELF-CNTND BREATHING APPARATUS. Unusual Fire/Explosion Hazard: NONE

Accidental Release

Spill Release Procedures: NEUTRALIZE WITH SODIUM CARBONATE.FLUSH DOWN SEWER WITH COPIOUS AMOUNTS OF WATER.STATE AND LOCAL EFFLUENT LAWS TAKE PRECEDENCE.

Handling

Handling and Storage Precautions:STORE AWAY FROM STRONG ALKALI,MINERAL ACIDS.PROTECT FROM PHYSICAL DAMAGE.KEEP CONTAINERS CLOSED. Other Precautions:NONE

Exposure Controls

Respiratory Protection:NONE NORMALLY REQUIRED
Ventilation:MECHANICAL(GENERAL) RECOMMENDED.LOCAL EXHAUST IF NEEDED
Protective Gloves:IMPERVIOUS
Eye Protection:CHEMICAL/SAFETY GOGGLES
Other Protective Equipment:NONE
Supplemental Safety and Health
PH APPROX 5/MSDS DATED 02-18-81/

Chemical Properties

HCC:C3
Boiling Pt:B.P. Text:>212F/100C
Vapor Pres:15
Vapor Density:0.7
Spec Gravity:1.16
Solubility in Water:COMPLETE

Appearance and Odor: CLEAR SOLUTION, SLIGHT VINEGAR ODOR, COLORLESS.

Percent Volatiles by Volume:76

Stability

Stability Indicator/Materials to Avoid:YES
MINERAL ACIDS,STRONG ALKALI
Hazardous Decomposition Products:SULFUR DIOXIDE

Disposal

Waste Disposal Methods: NEUTRALIZE WITH SODIUM CARBONATE.FLUSH DOWN SEWER WITH COPIOUS AMOUNTS OF WATER.STATE AND LOCAL EFFLUENT LAWS TAKE PRECEDENCE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.