
ALKYD METALLIC FINISH,BROWN,7011-D FP(03/82

MSDS Number

BCCVC

National Stock Number

8010-00K001414

Product Name

ALKYD METALLIC FINISH,BROWN,7011-D FP(03/82

Manufacturer

E I DUPONT DE NEMOURS AND COMPANY INC

Product Identification

Product ID:ALKYD METALLIC FINISH,BROWN,7011-D FP(03/82

MSDS Date:01/01/1985

FSC:8010

NIIN:00K001414

MSDS Number: BCCVC

Responsible Party

E.I.DUPONT DE NEMOURS & COMPANY,INC

1007 MARKET STREET

WILMINGTON , DE 19899

US

Emergency Phone: 800-441-7515

Info Phone: 800-441-7515

Cage: DO229

Contractor

E.I.DUPONT DE NEMOURS & CO INC

1635

BOSTON, MA 02118

US

800-441-7515

Cage: DO229

Ingredients

ALIPHATIC PETROLEUM DISTILLATE

Fraction By Weight: 35.0%

ACGIH TLV: 100PPM(PER MFR)

AROMATIC PETROLEUM DISTILLATE

Fraction By Weight: 17.0%

ACGIH TLV: 100PPM(PER MFR)

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

Fraction By Weight: 10.0%

OSHA PEL200 PPM/150 STEL

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS: 1330-20-7

RTECS: ZE2100000

Fraction By Weight: 2.0%

OSHA PEL100 PPM/150 STEL

ACGIH TLV: 100 PPM/150STEL;9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

LEAD (SARA III)

CAS: 7439-92-1

RTECS: OF7525000

Fraction By Weight: 0.51%

OSHA PEL0.05 MG/M3;1910.1025

ACGIH TLV: 0.15 MG/M3;DUST 9192

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

Hazards

Effects of Overexposure:CAUSES HEADACHE,NAUSEA,IMPAIRMENT OF REACTION TIME AND COORDINATION.

First Aid

First Aid:INHALATION:MOVE TO FRESH AIR TO IMPROVE BREATHING;SKIN:WASH WITH SOAP & WATER.REMOVE CONTAMINATED CLOTHING;EYES:FLUSH WITH WATER FOR AT LEAST 15 MIN.CALL A PHYSICIAN.

Fire Fighting

Flash Point:20-73F (CC)

Lower Limits:1.0

Upper Limits:7.0

Extinguishing Media:CO*2, FOAM, DRY CHEM.

Fire Fighting Procedures:COOL CLOSED CONTNRS W/H*2O USING FOG NOZZLES.

Accidental Release

Spill Release Procedures:EVACUATE UNPROTECTED PERSONS. ELIM IGNITION SOURCES. STOP LEAK. H*2O SPRAY COOL CONT/DIVERT SPILL FROM FIRE/HEAT. PROVIDE VENTILATION. ABSORB W COMMERCIAL ABSORBENT,SHOVEL INTO METAL DRUMS:LG SPILL:DI KE W COMMERCIAL ABSORBENT,PUMP INTO COVERED DRUMS.

Handling

Handling and Storage Precautions:KEEP AWAY FROM HEAT,SPARKS & OPEN FLAMES.CLOSE CONTAINERS AFTER EACH USE.DO NOT STORE ABOVE 120F

Other Precautions:WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR SMOKING;OBSERVE LABEL PRECAUTIONS;CONTAINERS SHOULD BE GROUNDED WHEN POURING.AVOID PROLONGED CONTACT WITH SKIN & BREATHING VAPOR.

Exposure Controls

Respiratory Protection:USE NIOSH/MSHA RESP TC-23C IF AIR CONTMNANTS CONTROL IS NOT FEASIBLE
Ventilation:LOCAL & MECH PROVIDE SUFFICIENT VENT TO KEEP BELOW TLV LEVEL
Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY/CHEM GOGGLES
Other Protective Equipment:USE APPROPRIARTE INDUSTRIAL HYGIENE PRACTICES.
Supplemental Safety and Health
NIOSH 6:GL5325000,COPPER,CAS#7440-50-8,13.06%,0.1MG/CUM;NIOSH 7:GB8750000,COBALT,CAS#7440-48-4,0.06%,0.1MG/CUM;NIOSH 8:OO9275000,MANGANESE,CAS #7439-96-5,0.05%,5.0MG/CUM; *SEE ADDL DATA *

Chemical Properties

HCC:F3
Boiling Pt:B.P. Text:212-426F
Vapor Pres:10
Vapor Density:3.00
Spec Gravity:0.919
Evaporation Rate & Reference:SLOWER THAN ETHER
Solubility in Water:NEGLIGIBLE
Appearance and Odor:LIQUID PAINT WITH CHARACTERISTIC ODOR.
Percent Volatiles by Volume:74.7

Stability

Stability Indicator/Materials to Avoid:YES
OXIDIZERS, CORROSIVES
Stability Condition to Avoid:HEAT, IGNITION SOURCES
Hazardous Decomposition Products:CO,CO*2,SMOKE,OXIDES OF PB,CO, MN, CU, & ZINC

Disposal

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.