

## **ACTIVATOR/CLEAR,826-S**

### **MSDS Number**

BCCVL

### **National Stock Number**

8010-00K001420

### **Product Name**

ACTIVATOR/CLEAR,826-S

### **Manufacturer**

E I DUPONT DE NEMOURS AND COMPANY INC

### **Product Identification**

Product ID:ACTIVATOR/CLEAR,826-S

MSDS Date:01/01/1985

FSC:8010

NIIN:00K001420

MSDS Number: BCCVL

### **Responsible Party**

E.I.DUPONT DE NEMOURS & COMPANY,INC

1007 MARKET STREET

WILMINGTON , DE 19899

US

Emergency Phone: 800-441-7515

Info Phone: 800-441-7515

Cage: DO229

### **Contractor**

E.I.DUPONT DE NEMOURS & CO INC

1635

BOSTON, MA 02118

US

800-441-7515

Cage: DO229

### **Ingredients**

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

Fraction By Weight: 6.0%

OSHA PEL200 PPM/150 STEL

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

ALIPHATIC ALCOHOL

Fraction By Weight: 25.0%

## 2-ETHOXYETHANOL (EGEE) (SARA III)

CAS: 110-80-5

RTECS: KK8050000

Fraction By Weight: 19.7%

OSHA PELS,200 PPM

ACGIH TLV: S, 5 PPM; 9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

## ALIPHATIC PETROLEUM DISTILLATE

Fraction By Weight: 5.0%

## XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS: 1330-20-7

RTECS: ZE2100000

Fraction By Weight: 5.0%

OSHA PEL100 PPM/150 STEL

ACGIH TLV: 100 PPM/150STEL;9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

## Hazards

Effects of Overexposure:COUGHNG,CHEST PAIN/BREATHNG DIFFICULTY MAY OCCUR.EARLY SIGNS MAY BE MISTAKEN FOR A COLD.

## First Aid

First Aid:SKIN:WASH WITH SOAP AND WATER. EYES: FLUSH WITH WATER. INHALED: REMOVE TO FRESH AIR. REMOVE CONTAMINATED CLOTHING;GET MED ATTN FOR EYES.

## Fire Fighting

Flash Point:RANGE 20-73F-CC

Lower Limits:1.0

Upper Limits:12.0

Extinguishing Media:CO\*2, FOAM, DRY CHEM.

Fire Fighting Procedures:USE WATER SPRAY TO COOL CONT, KNOCK-DOWN VAPORS. WEAR SCBA.

Unusual Fire/Explosion Hazard:VAPOR & SPRAY MISTS ARE HARMFUL

## Accidental Release

Spill Release Procedures:EVACUATE UNPROTECTED PERSONS. ELIM IGNITION SOURCES. STOP LEAK. H\*2O SPRAY COOL CONT/DIVERT SPILL FROM FIRE/HEAT. PROVIDE VENTILATION. ABSORB W COMMERCIAL ABSORBENT,SHOVEL INTO METAL DRUMS:LG SPILL:DI KE W COMMERCIAL ABSORBENT,PUMP INTO COVERED DRUMS.

## Handling

Handling and Storage Precautions:KEEP AWAY FROM HEAT,SPARKS & OPEN FLAME;CLOSE CONTAINER AFFTER EACH USE;DO NOT STORE ABOVE 120F  
Other Precautions:WASH THOROUGHLY AFTER HANDLING & BEFORE EATING OR SMOKING.OBSERVE LABEL PRECAUTIONS.CONTAINERS SHOULD BE GROUNDED WHEN POURING;ALLERGY-PRONE PERSON MAY BE SENSITV SHOULD NOT BE EXPSD ISOCYNATE

## Exposure Controls

Respiratory Protection:USE NIOSH/MSHA TC-19C AIRLINE UNIT OR TC-23C  
VAPOR/PARTICULATE ISGOOD  
Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN Protective Gloves:IMPERVIOUS  
Eye Protection:SAFETY GLASSES  
Other Protective Equipment:USE APPROPRIATE INDUSTRIAL HYGIENE PRACTICE  
Supplemental Safety and Health  
HAZ COMPNTS CONTND:39.3% NON AQUEOUS SOLN,HAZ UNKNOWN,UNIDENTIFIED;VAP  
DENSITY/VAP PRESSURE NOTED FOR PRINCIPAL SOLVENT;MSDS FM MFR  
DATED:09/14/81:

## Chemical Properties

HCC:F3  
Boiling Pt:B.P. Text:176-302F  
Vapor Pres:UNK  
Vapor Density:UNK  
Spec Gravity:0.883  
Evaporation Rate & Reference:SLOWER THAN ETHER  
Solubility in Water:APPRECIABLE  
Appearance and Odor:SEMI-VISCOUS LIQUID WITH CHARACTERISTIC ODOR.  
Percent Volatiles by Volume:64.1

## Stability

Stability Indicator/Materials to Avoid:YES  
PER MFR,NONE REASONABLY FORESEEABLE;BUT AVOID CORR/OXIDZR  
Stability Condition to Avoid:HEAT, IGNITION SOURCES;DO NOT MIX ACTVTR  
W/ENAMEL UNTILREADY  
Hazardous Decomposition Products:CO,CO\*2,SMOKE,OXIDES OF  
NITROGEN,NITROGEN.

## Disposal

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE &  
DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE  
INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.