https://msdsreport.com/msds/BCCWQ

# **CONDUCTOR COMPOSITION 9260**

## **MSDS Number**

BCCWQ

#### **National Stock Number**

5999-00K001445

#### **Product Name**

CONDUCTOR COMPOSITION 9260

#### Manufacturer

E I DUPONT DE NEMOURS AND COMPANY INC

## **Product Identification**

Product ID:CONDUCTOR COMPOSITION 9260 MSDS Date:01/01/1985 FSC:5999 NIIN:00K001445 MSDS Number: BCCWQ

## **Responsible Party**

E.I.DUPONT DE NEMOURS & COMPANY, INC

Emergency Phone: (302) 774-2421

Cage: DO229

#### Contractor

E.I.DUPONT DE NEMOURS & CO INC

1635

BOSTON, MA 02118

US

800-441-7515

Cage: DO229

## Ingredients

LEAD BOROSILICATE/TYPE GLASS.

Fraction By Weight: 5.0%

CELLULOSE ESTERS DISSOLVED IN DIBUTYL PHTHALATE(PRNCPL

Fraction By Weight: 15.0%

GOLD (POWDER);CAS #7440-57-5

RTECS: MS5070000

Fraction By Weight: 80.0%

## Hazards

Effects of Overexposure: ERYTHEMA KIDNEY DAMAGE-BY ANALOGY TO PINE OIL NAUSEA, DIZZINESS

## **First Aid**

First Aid:INHALATION:MOVE TO FRESH AIR TO IMPROVE BREATHING;SKIN:WASH WITH SOAP & WATER.REMOVE CONTAMINATED CLOTHING;EYES:FLUSH WITH WATER FOR AT LEAST 15 MIN.CALL A PHYSICIAN.



## **Fire Fighting**

Flash Point:315F(157C)-(CC) Lower Limits:UNK Upper Limits:UNK Extinguishing Media:CO\*2, FOAM, DRY CHEM. Fire Fighting Procedures:NONE NOTED BY MFR. Unusual Fire/Explosion Hazard:NONE INDICATED BY MFR.

#### Accidental Release

Spill Release Procedures:EVACUATE UNPROTECTED PERSONS. ELIM IGNITION SOURCES. STOP LEAK. H\*20 SPRAY COOL CONT/DIVERT SPILL FROM FIRE/HEAT. PROVIDE VENTILATION. ABSORB W COMMERCIAL ABSORBENT,SHOVEL INTO METAL DRUMS:LG SPILL:DI KE W COMMERCIAL ABSORBENT,PUMP INTO COVERED DRUMS.

•

#### Handling

Handling and Storage Precautions:KEEP AWAY FROM HEAT SPARKS & OPEN FLAME.KEEP IN TIGHTLY CLOSED CONTAINERS. Other Precautions:WASH THOROUGHLY AFTER HANDLING & BEFORE EATING OR SMOKING.OBSERVE LABEL PRECAUTIONS;AVOID PROLONGED CONTACT W/SKIN & PROLONGED BREATHING OF VAPORS DURINGK SPILL CLEAN UP.

## **Exposure Controls**

Respiratory Protection:NONE SHOULD BE NEEDED Ventilation:PROVIDE SUFFICIENT(LOCAL EXHAUST) VENTILATION; Protective Gloves:IMPERVIOUS Eye Protection:CHEM SPLASH GOGGLES Other Protective Equipment:USE APPROPRIATE INDUSTRIAL HYGIENE PRACTICES Supplemental Safety and Health MSDS FM MFR DATED:UNDATED;PHYSICAL DATA BY MFR IN MSDS IS OF PRINCIPAL SOLVENT.

## **Chemical Properties**

HCC:N1 Boiling Pt:B.P. Text:691F(366C) Vapor Pres:0.1 Vapor Density:UNK Spec Gravity:1.0 Evaporation Rate & Reference:Solubility in Water:SLIGHT Appearance and Odor:VISCOUS LIQUID Percent Volatiles by Volume:100

## Stability

Stability Indicator/Materials to Avoid:YES NONE KNOWN Stability Condition to Avoid:HEAT, IGNITION SOURCES Hazardous Decomposition Products:CO,CO\*2,SMOKE

## Disposal

Waste Disposal Methods: KEEP IN COVERED DRUMS, PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL, FEDERAL, STATE, & LOCAL REGULATIONS. MFR SPECIFIES, WIPE UP W/RAGS & BURN.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.