CORLAR EPOXY ENAMEL, BLUE HAZE, 823-8232

MSDS Number

BCCWX

National Stock Number

8010-00K001448

Product Name

CORLAR EPOXY ENAMEL, BLUE HAZE, 823-8232

Manufacturer

E I DUPONT DE NEMOURS AND COMPANY

Product Identification

Product ID:CORLAR EPOXY ENAMEL, BLUE HAZE, 823-8232 MSDS Date:01/01/1985 FSC:8010 NIIN:00K001448

MSDS Number: BCCWX **Responsible Party**

E.I. DUPONT DE NEMOURS & COMPANY

1007 MARKET STREET

WILMINGTON, DE 19899

US

Emergency Phone: 800-441-7515

Info Phone: 800-441-7515

Cage: 19898 **Contractor**

E.I. DUPONT DE NEMOURS & CO., INC.

1635

WILMINGTON, DE 19898

US

800-441-7515;800-441-9442

Cage: 19898

Ingredients

AROMATIC PETROLEUM DISTILLATE (AROMATIC BY ANALOGY TO

Fraction By Weight: 5.0% ACGIH TLV: 100PPM(PER MFR)

ETHER ALCOHOL

Fraction By Weight: 5.0% ACGIH TLV: 200PPM(PER MFR)

ALIPHATIC ALCOHOL

Fraction By Weight: 4.0% ACGIH TLV: 50 PPM(PER MFR)



XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS: 1330-20-7 RTECS: ZE2100000

Fraction By Weight: 14.0% OSHA PEL100 PPM/150 STEL

ACGIH TLV: 100 PPM/150STEL;9192 EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

BARIUM (SARA III)

CAS: 7440-39-3 RTECS: CQ8370000

Fraction By Weight: 15.0%

OSHA PELO.5 MG/M3

ACGIH TLV: 0.5 MG/M3; 9192

Hazards

Effects of Overexposure: CAUSES HEADACHE, NAUSEA, IMPAIRMENT OF REACTION TIME AND COORDINATION.

First Aid

First Aid:INHALATION:MOVE TO FRESH AIR TO IMPROVE BREATHING;SKIN:WASH WITH SOAP & WATER.REMOVE CONTAMINATED CLOTHING;EYES:FLUSH WITH WATER FOR AT LEAST 15 MIN.CALL A PHYSICIAN.

Fire Fighting

Flash Point:73-100F -(C.C.)

Lower Limits: 1.0 Upper Limits: 18.0

Extinguishing Media: CO*2, FOAM, DRY CHEM.

Fire Fighting Procedures: COOL CLOSED CONTNRS W/H*20 USING FOG NOZZLES

TO AVOID PRESSR

Accidental Release

Spill Release Procedures: EVACUATE UNPROTECTED PERSONS. ELIM IGNITION SOURCES. STOP LEAK. H*20 SPRAY COOL CONT/DIVERT SPILL FROM FIRE/HEAT. PROVIDE VENTILATION. ABSORB W COMMERCIAL ABSORBENT, SHOVEL INTO METAL DRUMS: LG SPILL: DI KE W COMMERCIAL ABSORBENT, PUMP INTO COVERED DRUMS.

Handling

Handling and Storage Precautions: KEEP AWAY FORM HEAT, SPARKS & OPEN FLAMES. CLOSE CONTAINERS AFETER EACH USE. DO NOT STORE ABOVE 120F; AVOID PROLONGED SKIN CONTACT.

Other Precautions: WASH THROUGHLY AFTER HANDLING AND BEFORE EATING OR SMOKING; OBSERVE LABEL PRECAUTIONS; CONTAINERS SHOULD BE GROUNDED WHEN POURING; USE NON-SPARKING TOOLS TO REMOVE SPILL; AVOID BREATHING VAPORS.

Exposure Controls

Respiratory Protection: USE CARTRIDGE-TYPE RESP IAW MFR DIRCTION IF AIR CONTMNTS UNCONTRLABL

Ventilation:LOCAL & MECH PROVIDE SUFFICIENT VENT TO KEEP BELOW TLV

LEVEL

Protective Gloves: IMPERVIOUS

Eye Protection: SAFETY/CHEM GOGGLES



Other Protective Equipment: USE APPROPRIATE INDUSTRIAL HYGIENE PRACTICES.

Supplemental Safety and Health

MSDS FM MFR DATED:11/12/65; VAP PRESSURE/DENSITY NOTED OF PRINCIPAL

SOLVENT; NIOSH 6:OF7525000, LEAD, CAS #7439-92-1, 0.05%, TLV

0.15MG/CUM; NIOSH 7:1001434AU, AQUEOUS SOLUTION *SEE ADDL DATA*

Chemical Properties

HCC:F4

Boiling Pt:B.P. Text:212-374F

Vapor Pres:10 Vapor Density:3.7 Spec Gravity:1.506

Evaporation Rate & Reference: SLOWER THAN ETHER

Solubility in Water: APPRECIABLE

Appearance and Odor: BLUE, SEMI-VISCOUS LIQUID; STRONG SOLVENT ODOR.

Percent Volatiles by Volume: 50.8

Stability

Stability Indicator/Materials to Avoid:YES
OXIDIZERS, CORROSIVES
Stability Condition to Avoid:HEAT, IGNITION SOURCES
Hazardous Decomposition Products:CO,CO*2,SMOKE AND OXIDES OF LEAD &
BARIUM.

Disposal

Waste Disposal Methods: KEEP IN COVERED DRUMS, PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL, FEDERAL, STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.