

CRONALITH LITHO DEVELOPER, CLLD, PART A

MSDS Number

BCCXZ

National Stock Number

6750-00K001468

Product Name

CRONALITH LITHO DEVELOPER, CLLD, PART A

Manufacturer

E I DUPONT DE NEMOURS AND COMPANY INC

Product Identification

Product ID:CRONALITH LITHO DEVELOPER, CLLD, PART A MSDS Date:01/01/1985 FSC:6750 NIIN:00K001468 MSDS Number: BCCXZ

Responsible Party

E.I. DUPONT DE NEMOURS & COMPANY, INC.

Emergency Phone: (302)774-2421

Cage: 19898

Contractor

 $\hbox{\rm E.I.}$ DUPONT DE NEMOURS & CO., INC.

1635

US

WILMINGTON, DE 19898

800-441-7515;800-441-9442

Cage: 19898

Ingredients

HYDROQUINONE (SARA III)

CAS: 123-31-9

RTECS: MX3500000

Fraction By Weight: 16.0%

OSHA PEL2 MG/M3

ACGIH TLV: 2 MG/M3; 9192 EPA Report Quantity: 1 LB DOT Report Quantity: 1 LB

GLYCOL SOLUTION

Fraction By Weight: UNK

AQUEOUS SOLUTION, HAZARD UNKNOWN, UNIDENTIFIED

Fraction By Weight: UNK

Hazards



Effects of Overexposure: CAUSES EYE & SKIN IRRITATION.

First Aid

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF NEED;EYES/SKIN:FLUSH W LG AMTS H*20 FOR 15 MIN;INGEST:RINSE MOUTH; GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER SYMPTOMS OF OVEREXPOSURE;I F INGESTED,CALL PHYSICIAN.

Fire Fighting

Flash Point:NONE Extinguishing Media:CO*2, FOAM, DRY CHEM. Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures: ELIMINATE IGNITION SOURCES. STOP LEAK. EVACUATE AREA.DO NOT TOUCH SPILLAGE. SM SPILL: ABSORB W. INERT ABSORBENT. PLACE IN CLOSED CONTAINER. FLUSH AREA W. WATER. LG SPILL: DIKE AHEAD FOR LATER DISPOSAL. NOTIFY AUTHORITIES; FLUSH TO CHEM SEWERW/H*20.

Handling

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED Other Precautions:AVOID CONTACT W/SKIN, EYES & CLOTHING. WASH THOROUGHLY AFTER HANDLING. WASH CLOTHES BEFORE REUSE. KEEP FROM THE REACH OF CHILDREN; DO NOT TAKE INTERNALLY.

Exposure Controls

Respiratory Protection: NONE INDICATED BY MFR.

Ventilation: LOCAL EXHAUST: MAINTAIN ADEQUATE VENTILATION.

Protective Gloves: RUBBER/PLASTIC Eye Protection: SAFETY GLASSES Supplemental Safety and Health

MSDS FM MFR DATED:04/12/76; PART A OF 2 PART PRODUCT; SEE P/N IND "B"

FOR PAT B DATA UNDER THIS NSN; PH OF SOLN: 5.0 T 7.0; PER MFR, BOTH PARTS WERE DISCONTINUED DU RING 1983 (EFF 12/83). KEY1:N1.

Chemical Properties

HCC:N1 Vapor Pres:UNK Vapor Density:UNK Spec Gravity:1.11

Solubility in Water: COMPLETE

Appearance and Odor:LIGHT AMBER CLEAR LIQUID

Percent Volatiles by Volume: UNK

Stability

Stability Indicator/Materials to Avoid:YES
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:NONE KNOWN

Disposal

Waste Disposal Methods: KEEP IN COVERED DRUMS, PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL, FEDERAL, STATE, & LOCAL REGULATIONS; MFR NOTES, FLUSH TO CHEMICAL OR INDUSTRIAL PROCESS SEWER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

