

AC-500 CONCENTRATE/RISTON ACID SOAK CLEANER

MSDS Number

BCDDS

National Stock Number

6850-00K001568

Product Name

AC-500 CONCENTRATE/RISTON ACID SOAK CLEANER

Manufacturer

E I DUPONT DE NEMOURS AND COMPANY INC(RISTON DIV)

Product Identification

Product ID:AC-500 CONCENTRATE/RISTON ACID SOAK CLEANER MSDS Date:01/01/1985 FSC:6850 NIIN:00K001568 MSDS Number: BCDDS

Responsible Party

E.I. DUPONT DE NEMOURS & COMPANY, INC (RISTON DIV)

1007 MARKET STREET

WILMINGTON, DE 19899

US

Emergency Phone: 800-441-7515

Info Phone: 800-441-7515

Cage: 19898

Contractor

E.I. DUPONT DE NEMOURS & CO., INC.

1635

WILMINGTON, DE 19898

US

800-441-7515;800-441-9442

Cage: 19898

Ingredients

2-(2-ETHOXYETHOXY)ETHANOL;CAS #111-90-0;% WT >10%. CAS: 111-90-0 RTECS: KK8750000 Fraction By Weight: 10.0%

DODECYLBENZENESULFONIC ACID;CAS #25155-30-0;% WT >10%. CAS: 25155-30-0 RTECS: DB6825000 Fraction By Weight: 10.0% EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS AQUEOUS SOLUTION, HAZARD UNKNOWN, UNIDENTFIED; % WT BY

Fraction By Weight: 80.0%

Hazards

Effects of Overexposure: MFR NOTES CAUSES BURNS.

First Aid

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF NEED;EYES/SKIN:FLUSH W LG AMTS H*20 FOR 15 MIN;INGEST:RINSE MOUTH; GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER SYMPTOMS OF OVEREXPOSURE.W ASH CLOTHING BEFORE REUSE.

•

Fire Fighting

Flash Point:NONE TO 204F-TCC Lower Limits:UNK Upper Limits:UNK Extinguishing Media:COMPATIBLE W/WATER SPRAY,DRY CHEM,FOAM,& CO*2. Fire Fighting Procedures:NONE Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures: ELIMINATE IGNITION SOURCES. STOP LEAK. EVACUATE AREA.DO NOT TOUCH SPILLAGE. SM SPILL: ABSORB W. INERT ABSORBENT. PLACE IN CLOSED CONTAINER. FLUSH AREA W. WATER. LG SPILL: DIKE AHEAD FOR LATER DISPOSAL. NOTIFY AUTHORITIES.

Handling

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED.AVOID EXCESSIVE HEAT. Other Precautions:AVOID CONTACT W/EYES,SKIN & CLOTHING.AVOID BREATHING MIST OR VAPOR.KEEP CONTAINER CLOSED.USE W/ADEQUATE VENTILATION.WASH THOROUGHLY AFTER HANDLING.

Exposure Controls

Respiratory Protection:NONE SHOULD BE NEEDED Ventilation:LOCAL EXHAUST TO MAINTN BELOW TLV. Protective Gloves:RUBBER/NEOPRENE Eye Protection:SAFETY GLASSES Other Protective Equipment:RUBBER OR NEOPRENE APRON. Supplemental Safety and Health MSDS FM MFR DATE:01/80

Chemical Properties

HCC:C3 Spec Gravity:1.04 Solubility in Water:COMPLETE Appearance and Odor:AMBER COLOR WITH CHARACTERISTIC ODOR,LIQUID.

Stability

Stability Indicator/Materials to Avoid:YES SLOWLY CORRODES,COPPER,COPPER ALLOYS & STEEL ALLOYS. Stability Condition to Avoid:HEAT, IGNITION SOURCES Hazardous Decomposition Products:NONE NOTED,BUT EXPECT CO, CO*2, H*20.

Disposal

Waste Disposal Methods: KEEP IN COVERED DRUMS, PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL, FEDERAL, STATE, & LOCAL REGULATIONS.MFR SPECIFIES-FLUSH TO CHEMICAL SEWER WITH WATER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and msds report

https://msdsreport.com/msds/BCDDS

- - - -

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.