

## **TEFLON-30**

### **MSDS Number**

BCDFM

### **National Stock Number**

6850-00K001586

### **Product Name**

TEFLON-30

### **Manufacturer**

E I DUPONT DE NEMOURS AND CO INC

### **Product Identification**

Product ID:TEFLON-30  
MSDS Date:01/01/1985  
FSC:6850  
NIIN:00K001586  
MSDS Number: BCDFM

### **Responsible Party**

E.I. DUPONT DE NEMOURS & CO. INC.  
Emergency Phone: 302-774-2421  
Cage: 19898

### **Contractor**

E.I. DUPONT DE NEMOURS & CO., INC.  
1635  
WILMINGTON, DE 19898  
US  
800-441-7515;800-441-9442  
Cage: 19898

### **Ingredients**

ACID AMMONIA SALTS,TYPE NOT SPECIFIED.

Fraction By Weight:

POLYTETRAFLUOROETHYLENE,CAS# 9002-84-0

CAS: 116-14-3

RTECS: KX4025000

Fraction By Weight: 60%

COUPLING AGENT,TYPE NOT SPECIFIED

Fraction By Weight: 10%

2,4,6-TRINITROTOLUENE (TNT)

CAS: 118-96-7

RTECS: XU0175000

Fraction By Weight: 5%

OSHA PELS, 1.5 MG/M3

ACGIH TLV: S, 0.5 MG/M3; 9293

ANTI-WETTING AGENT,TYPE NOT SPECIFIED,SEE SUPP DATA FOR

Fraction By Weight: 5%

## Hazards

Effects of Overexposure:PTE POLMER,WHE THERMALLY DECOMPOSED,MAY CAUSE POLYMER FUME FEVER,AND FLU-LIKE SYMPTOMS.

## First Aid

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O\*2 IF NEED;EYES/SKIN:FLUSH W LG AMTS H\*2O FOR 15 MIN;INGEST:RINSE MOUTH; GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER SYMPTOMS OF OVEREXPOSURE.

## Fire Fighting

Extinguishing Media:EXTINGUISH W. AGENT SUITABLE FOR SURROUNDING FIRE.  
Fire Fighting Procedures:NOT BURNABLE W/O EXTERNAL FUEL SOURCE(RATED 94 V-O BY U/L).  
Unusual Fire/Explosion Hazard:DRY TEFLON WILL BURN IN AN ATMOSPHERE OF 1005 OXYGEN WHEN AN IGNITION SOURCE IS PRESENT.

## Accidental Release

Spill Release Procedures:DO NOT TOUCH SPILL MATL. SM SPILL:ABSORB W SAND,OTHER NON COMBUSTIBLES ABSORB; FLUSH W/H\*2O LG SPILL:DIKE FAR AHEAD OF SPILL FOR LATER DISPOSAL.

## Handling

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED,LOW FIRE RISK AREA. PROTECT FROM PHYSICAL DAMAGE.KEEP CONTAINERS CLOSED. MAINTAIN STANDARD HYGIENE FOR CHEM HANDLING  
Other Precautions:AVOID SKIN CONTACT(8PH-10).FREEZNG CONDITIONS/ADDITIVES WHICH REDUCE PH,CAN CAUSE COAGULATION OF THE "TEFLON" DISPERSION.NOT APPRVD FOR FOOD-CONTACT APPLICATIONS. DO NOT CONTAM. TABACCO UTENSIL

## Exposure Controls

Respiratory Protection:ADEQUATE VENTILATION;IN CONFINED AREAS,USE BUREAU OF MINES RESPIR.  
Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE VENTILATION  
Protective Gloves:IMPERVIOUS  
Eye Protection:CHEM SPLASH GOGGLES  
Other Protective Equipment:NONE  
Supplemental Safety and Health  
MIOASH 6:1001685LE,LEVELING AGENT,5%,TLV-N/A.NIOSH 7:1001686LE,LUBRICANT EMULSION,%,TLV-UNK.NIOSH  
8:BO0875000,AMMONIA,CAS#7664-41-7,9:ZC0110000,WATER,%-UNK,TLV-N/A.

## Chemical Properties

HCC:T6  
Spec Gravity:1.5  
Evaporation Rate & Reference:SAME AS WATER  
Solubility in Water:INSOLUBLE  
Appearance and Odor:MILKY SUSPENS/H\*2O.PH-10.SLIGHT AMMONIACAL ODOR.  
Percent Volatiles by Volume:60

## Stability

Stability Indicator/Materials to Avoid:YES  
PRECIPITATED BY CATIONIC SURFACTANTS.  
Stability Condition to Avoid:STORE 60-80F TO MINIMIZE SETTLING.  
Hazardous Decomposition Products:HF & PERFLUOROCARBON OLEFINS EVOLVED ABOVE 250C/482F.

## Disposal

Waste Disposal Methods:SM & LG SPILL:DEPOSIT IN A POSTED TOXIC  
SUBSTANCE LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL  
REGULATIONS

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.