

TEFLON-TE-3379

MSDS Number

BCDFS

National Stock Number

6850-00K001586

Product Name

TEFLON-TE-3379

Manufacturer

E I DUPONT DE NEMOURS AND CO INC

Product Identification

Product ID:TEFLON-TE-3379 MSDS Date: 01/01/1985 FSC:6850 NIIN:00K001586 MSDS Number: BCDFS

Responsible Party

E.I. DUPONT DE NEMOURS & CO,INC. Emergency Phone: 302-774-2421

Cage: 19898

Contractor

E.I. DUPONT DE NEMOURS & CO., INC.

1635

WILMINGTON, DE 19898

US

800-441-7515;800-441-9442

Cage: 19898

Ingredients

ACID AMMONIUM SALTS, TYPE NOT SPECIFIED

Fraction By Weight:

POLYTETRAFLUOROETHYLENE, CAS#9002-84-0

CAS: 116-14-3 RTECS: KX4025000

Fraction By Weight: 60%

COUPLING AGETN, TYPE NOT SPECIFIED.

Fraction By Weight: 10%

2,4,6-TRINITROTOLUENE (TNT)

CAS: 118-96-7 RTECS: XU0175000 Fraction By Weight: 5% OSHA PELS, 1.5 MG/M3

ACGIH TLV: S, 0.5 MG/M3; 9293



ANTI-WETTING AGENT, TYPE NOT SPECIFIED.

Fraction By Weight: 5%

Hazards

Effects of Overexposure: PTFE POLYMER, WHEN THERMALLY DECOMPOSED, MAY CAUSE POLYMER FUME FEVER, AND FLU-LIKE SYMPTOMS.

First Aid

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF NEED;EYES/SKIN:FLUSH W LG AMTS H*20 FOR 15 MIN;INGEST:RINSE MOUTH; GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER SYMPTOMS OF OVEREXPOSURE.

Fire Fighting

Extinguishing Media: EXTINQUISH W. AGENT SUITABLE FOR SURROUNDING FIRE. Fire Fighting Procedures: NOT BURNABLE W/O EXTERNAL FUEL SOURCE(RATED 94 V-O BY U/L).

Unusual Fire/Explosion Hazard: DRY TEFLON WILL BURN IN AN ATMOSPHERE OF 100% OXYGEN WHEN AN IGNITION SOURCE IS PRESENT.

Accidental Release

Spill Release Procedures:DO NOT TOUCH SPILL MATL. SM SPILL:ABSORB W SAND,OTHER NON COMBUSTIBLES ABSORB; FLUSH W/H*20 LG SPILL:DIKE FAR AHEAD OF SPILL FOR LATER DISPOSAL.

Handling

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED,LOW FIRE RISK AREA. PROTECT FROM PHYSICAL DAMAGE.KEEP CONTAINERS CLOSED. MAINTAIN STANDARD HYGIENE FOR CHEM HANDLING Other Precautions:AVOID SKIN CONTACT(PH-10).FREEZNG CONDITIONS/ADDITIVES WHICH REDUCE PH,CAN CAUSE COAGULATION OF THE "TEFLON" DESPERSION.NOT APPRVD FOR FOOD-CONTACT APPLICATIONS.DO NOT CONTAM. TOBACCO UTENSILS

Exposure Controls

Respiratory Protection: ADEQUATE VENTILATION; IN CONFINED AREAS, USE BUREAU OF MINES RESPIR.

Ventilation: MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE

VENTILATION

Protective Gloves: IMPERVIOUS

Eye Protection: CHEM SPLASH GOGGLES Other Protective Equipment: NONE Supplemental Safety and Health

NIOSH 6:1001685LE, LEVELING AGENT, 5%, TLV-N/A. NIOSH 7:1001686LE, LUBRICANT

EMULSION, 5%, TLV-UNK. NIOSH

(:BO0875000,AMMONIA,CAS#7664-41-7,9:ZC0110000,WATER,%-UNK,TLV-N/A.

Chemical Properties

HCC:T6

Spec Gravity:1.5

Evaporation Rate & Reference: SAME AS WATER

Solubility in Water:INSOLUBLE

Appearance and Odor: MILKY SUSPENS/H: 20.PH-10.SLIGHT AMMONIA ODOR.

Percent Volatiles by Volume:60

Stability

Stability Indicator/Materials to Avoid:YES PRECIPITATED BY CATIONIC SURFACTANTS.

Stability Condition to Avoid: STORE 60-80F TO MINIMIZE SETTLING.

Hazardous Decomposition Products: HF & PERFLUOROCARBON OLEFINS EVOLVED 250C/482F.

Disposal



Waste Disposal Methods: SM & LG SPILL: DEPOSIT IN A POSTED TOXIC SUBSTANCE LANDFILL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.