

AS0011 PART A (11C RESIN)

MSDS Number

BCFMC

National Stock Number

8040-00N000445

Product Name

AS0011 PART A (11C RESIN)

Manufacturer

HYSOL DIV THE DEXTER CORP

Product Identification

Product ID:AS0011 PART A (11C RESIN)

MSDS Date:01/01/1985

FSC:8040

NIIN:00N000445

MSDS Number: BCFMC

Responsible Party

HYSOL DIVISION, THE DEXTER CORP.

Emergency Phone: (213) 968-6511

Cage: 14347

Contractor

HYSOL DIVISION, THE DEXTER CORPORATION

312

LA PUENTE, CA 91746

US

818-968-6511

Cage: 14347

Ingredients

NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

Hazards

Effects of Overexposure:PROLONGED/REPEATED CNTCT MAY CAUSE SKIN IRRIT

First Aid

First Aid:SKIN: REMOVE EXCESS & WASH W/SOAP & WATER. CONSULT MD IF IRRIT OCCURS. EYES: FLUSH IMMED W/RUNNING WATER FOR 15 MIN, REPEAT IF NEEDED. SEE MD IF DISCOMFORT PERSISTS. INH: REMOVE PATIENT TO FRESH AIR, CONSULT MD.

Fire Fighting

Flash Point:470F COC

Extinguishing Media:CO*2, DRY CHEM, FOAM, WATER SPRAY OR FOG

Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SELF-CNTND BRTHNG APPARATUS

Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures:REMOVE IGNITION SOURCES, PROVIDE ADEQUATE VENT. COVER SPILL W/ABSORBENT MATL & REMOVE TO WASTE CNTNR.

Handling

Handling and Storage Precautions:STORE IN CLOSED CNTNR IN COOL, DRY

AREA AWAY FROM HEAT, SPARKS, OPEN FLAME.

Other Precautions: AVOID PROLONGED/REPEATED BREATHING OF VAPORS OR CONTACT WITH SKIN. USE ADEQUATE VENT TO KEEP VAPOR CONCENTRATION AVAILABLE SHOULD VENT FAIL.

Exposure Controls

Respiratory Protection: APPROVED SELF-CONTAINED BREATHING APPARATUS OR INDUSTRIAL CANISTER

Ventilation: LOCAL: FACE VELOCITY >60 FPM. MECH: EXPLO-PROOF SYSTEM.

Protective Gloves: YES

Eye Protection: CHEM GOGGLES, FACE SHIELD

Other Protective Equipment: HYDROCARBON, INSOLUBLE GLOVES/APRON. EYE WASH, SHOWER.

Supplemental Safety and Health

ONE PART OF A TWO PART PRODUCT; VAPOR DENSITY IS HEAVIER THAN AIR; WT. PER GALLON IS 13 LBS.

Chemical Properties

NRC/State Lic Num: NA

Boiling Pt: B.P. Text: 500F

Spec Gravity: 1.600

Evaporation Rate & Reference: SLOWER THAN ETHER

Stability

Stability Indicator/Materials to Avoid: YES

ACIDS, AMINES, WATER

Stability Condition to Avoid: HIGH TEMP

Hazardous Decomposition Products: CO, CO* FROM THERMAL DECOMPOSITION

Disposal

Waste Disposal Methods: DISPOSE IAW FED, STATE, LOCAL REG

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.