

TI-PURE TITANIUM DIOXIDE PIGMENT, R-902

MSDS Number

BCHJB

National Stock Number

6810-00N001229

Product Name

TI-PURE TITANIUM DIOXIDE PIGMENT, R-902

Manufacturer

DU PONT E I DE NEMOURS AND CO INC

Product Identification

Product ID:TI-PURE TITANIUM DIOXIDE PIGMENT, R-902

MSDS Date:05/01/1989

FSC:6810

NIIN:00N001229

MSDS Number: BCHJB

Responsible Party

DU PONT E I DE NEMOURS & CO INC

1007 MARKET STREET

WILMINGTON , DE 19898

US

Emergency Phone: 800-441-3637/800-424-9300(CHEMTREC)

Info Phone: 800-441-7515/MSDS 302-992-3511

Preparer: J.C. WATTS

Cage: 18873

Contractor

E.I. DUPONT DE NEMOURS & CO

WILMINGTON, DE 19898

US

800-441-7515;800-441-9442

Cage: 18873

Ingredients

TITANIUM DIOXIDE

CAS: 13463-67-7

RTECS: XR2275000

Fraction By Weight: 80-98%

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3 TDUST; 9293

SILICA, AMORPHOUS, DUST; (AMORPHOUS SILICA)

CAS: 112945-52-5

RTECS: VV7310000

Fraction By Weight: 0-10%

OSHA PEL6 MG/M3

ACGIH TLV: 10 MG/M3

ALUMINUM HYDROXIDE

CAS: 21645-51-2

RTECS: BD0940000

Fraction By Weight: 0-9%

Hazards

LD50 LC50 Mixture:LD50:(ORAL,RAT) >24,000 MG/KG.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:SOME (BUT NOT ALL) GRADES COVERED BY MSDS CONTAIN ALUMINUM HYDROXIDE &/OR AMORPHOUS SILICA. HUMAN HLTH EFTS OF OVEREXP TO AMORPHOUS SILICA BY SKIN/EYE CONTACT MAY INCLUDE EYE IRRIT W/DISCOMFORT, TEARI NG/BLURRING OF VISION; OR SLIGHT SKIN IRRIT W/DISCOMFORT OR RASH. HUMAN HLTH EFTS OF OVEREXP BY INHAL (EFTS OF OVEREXP)
Explanation of Carcinogenicity:NOT RELEVANT
Effects of Overexposure:HLTH HAZ:TO TITANIUM DIOXIDE MAY INCLUDE MILD & TEMPORARY UPPER RESP IRRIT W/COUGH & SHORTNESS OF BREATH. OVEREXP BY INHAL TO AMORPHOUS SILICA MAY CAUSE TEMPORARY LUNG IRRIT EFTS W/COUGH, DISCOMFORT, DIFFICULTY BRTHG OR SHORTNESS OF BREATH.
Medical Cond Aggravated by Exposure:PRE-EXISTING DISEASES OF LUNGS MAY HAVE INCREASED SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURES TO AMORPHOUS SILICA.

First Aid

First Aid:INHAL:REMOVE TO FRESH AIR. IF NOT BRTHG, GIVE ARTF RESP. IF BRTHG IS DFCLT, GIVE OXYGEN. CALL MD. EYE:IMMED FLUSH W/PLENTY OF WATER FOR AT LST 15 MINS. CALL MD. SKIN:COMPOUND IS NOT LIKELY TO BE HAZ B UT CLEANSING SKIN AFTER USE IS ADVISABLE. INGEST:NO SPECIFIC INTERVENTION IS INDICATED AS COMPOUND IS NOT LIKELY TO BE HAZ BY INGEST. HOWEVER, CONSULT MD IF NECESSARY.

Fire Fighting

Flash Point:WILL NOT BURN
Extinguishing Media:ANY MEDIA AS APPROPRIATE FOR COMBUSTIBLES IN AREA.
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

Accidental Release

Spill Release Procedures:SHOVEL INTO COVERED CONTAINER FOR DISPOSAL. FLUSH RESIDUE TO WASTE WATER TREATMENT SYSTEM.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:STORE IN DRY CLEAN AREA. PROTECT CONTAINERS FROM DAMAGE.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

Exposure Controls

Respiratory Protection:AVOID BREATHING DUST. USE NIOSH/MSHA APPROVED DUST FILTER RESPIRATOR IF EXPOSURE LIMITS ARE EXCEEDED.
Ventilation:GOOD GENERAL VENTILATION SHOULD BE PROVIDED TO KEEP DUST CONCENTRATIONS BELOW THE EXPOSURE LIMITS.
Protective Gloves:IMPERVIOUS GLOVES .
Eye Protection:CHEMICAL WORKERS GOGGLES .
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

Chemical Properties

HCC:V7
Spec Gravity:3.8-4.3
pH:4-10
Solubility in Water:INSOLUBLE
Appearance and Odor:WHITE POWDER; NO ODOR.

Stability

Stability Indicator/Materials to Avoid:YES
NONE KNOWN
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

Disposal

Waste Disposal Methods:COMPLY WITH FEDERAL,STATE & LOCAL REGULATIONS.IF
APPROVED,REMOVE TO LAND DISPOSAL AREA.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.