

D-2 CARPET SQUARES ADHESIVE

MSDS Number

BCKMY

National Stock Number

8040-00N003646

Product Name

D-2 CARPET SQUARES ADHESIVE

Manufacturer

UNITED STATES GYPSUM COMPANY

Product Identification

Product ID:D-2 CARPET SQUARES ADHESIVE

MSDS Date:01/01/1985

FSC:8040

NIIN:00N003646

MSDS Number: BCKMY

Responsible Party

UNITED STATES GYPSUM COMPANY

Emergency Phone: 312-321-4383/4000

Cage: 61357

Contractor

UNITED STATES GYPSUM CO

CHICAGO, IL 60606-4302

US

312-606-4000 (EMERG /4542)

Cage: 61357

Ingredients

2-ETHYL HEXYL ACRYLATE (%)

CAS: 103-11-7

RTECS: AT0855000

Fraction By Weight:

ACGIH TLV: 10 PPM (MFR)

ETHYLENEDIAMINE (SARA III)

CAS: 107-15-3

RTECS: KH8575000

Fraction By Weight:

OSHA PEL10 PPM

ACGIH TLV: S, 10 PPM; 9192

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

METHYL ALCOHOL (METHANOL) (SARA III)

CAS: 67-56-1

RTECS: PC1400000

Fraction By Weight:

OSHA PELs,200PPM/250STEL

ACGIH TLV: S,200PPM/250STEL; 93

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

1,2-BENZISOTHIAZOLIN-2-ONE (%)

Fraction By Weight:

Hazards

Effects of Overexposure:EYE/SKIN: IRRITATION

First Aid

First Aid:EYES:FLUSH WITH WATER 15 MINUTES,CONSULT PHYSICIAN. SKIN:WASH WITH SOAP & WATER,REMOVE CLOTHING & LAUNDRER BEFORE REUSE. INGESTION:CALL PHYSICIAN. INHALATION:REMOVE TO FRESH AIR.

Fire Fighting

Flash Point:149F/65C

Extinguishing Media:WATER SPRAY,FOAM,DRY CHEMICAL,CO*2

Fire Fighting Procedures:SELF-CONT BREATH APP,WATER SPRAY TO COOL EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY RUPTURE DUE TO PRESSURE BUILD UP.

Accidental Release

Spill Release Procedures:ABSORB ON INERT MATERIAL,SWEEP OR SCOOP UP AND PUT IN DISPOSAL CONTAINER. FLUSH AREA IMMEDIATELY WITH PLENTY OF WATER,PREVENT WASHINGS FROM ENTERING WATERWAYS.

Handling

Handling and Storage Precautions:STORE BELOW 100F/37C

Other Precautions:PREVENT EYE & SKIN CONTACT.

Exposure Controls

Respiratory Protection:NIOSH/MSHA APPROVED RESP DEVICE IN ACCORD WITH EXPOSURE OF CONCERN

Ventilation:LOCAL EXHAUST

Protective Gloves:NEOPRENE

Eye Protection:SAFETY GLASSES

Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:212F/100C

Vapor Pres:Spec Gravity:1.02

Appearance and Odor:WHITE MEDIUM SYRUP,ACRYLIC ODOR

Percent Volatiles by Volume:35

Stability

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:CO,CO*2,OXIDES OF NITROGEN

Disposal

Waste Disposal Methods:IN ACCORDANCE WITH LOCAL,STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.