

## **B69 W 17, C & M HI-BILD ENAMEL,WHITE**

### **MSDS Number**

BCMBY

### **National Stock Number**

8010-00N006151

### **Product Name**

B69 W 17, C & M HI-BILD ENAMEL,WHITE

### **Manufacturer**

THE SHERWIN WILLIAMS COMPANY

### **Product Identification**

Product ID:B69 W 17, C & M HI-BILD ENAMEL,WHITE

MSDS Date:01/01/1985

FSC:8010

NIIN:00N006151

MSDS Number: BCMBY

### **Responsible Party**

THE SHERWIN-WILLIAMS COMPANY

101 PROSPECT AVE N W

CLEVELAND , OH 44115-1042

US

Emergency Phone: 216-566-2917

Info Phone: 216-566-2902

Cage: DO693

### **Contractor**

THE SHERWIN-WILLIAMS CO

CLEVELAND, OH 44115

US

216-566-2902

Cage: DO693

### **Ingredients**

N-BUTANOL

Fraction By Weight:

ACGIH TLV: S,C,50 PPM

XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS: 1330-20-7

RTECS: ZE2100000

Fraction By Weight: 35%

OSHA PEL100 PPM/150 STEL

ACGIH TLV: 100 PPM/150STEL;9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

NAPHTA (PETROLEUM SPIRITS OR BENZIN)

CAS: 8030-30-6

RTECS: DE3030000

Fraction By Weight: 10%

OSHA PEL100 PPM

## Hazards

Effects of Overexposure:VAPORS:ANESTHETIC,LIGHT HEADEDNESS,STAGGER  
GAIT,IRRIT OF RESP TRACT. EYE/SKIN:IRRITATION.

## First Aid

First Aid:INHALATION:REMOVE FROM EXPOSURE,RESTORE BRATHING,CONSULT  
PHYSICIAN. EYE:FLUSH WITH WATER 15 MINUTES. SKIN:WASH WITH SOAP AND  
WATER,REMOVE CONTAMINATED CLOTHING & WASH BEFORE REUSE.

## Fire Fighting

Flash Point:79F/26C (PMCC)

Lower Limits:0.7

Extinguishing Media:CARBON DIOXIDE,DRY CHEMICAL,ALCOHOL FOAM

Fire Fighting Procedures:SELF-CONTAIN BREATH APP,WATER FOG TO COOL  
EXPOSED CONTAINER

Unusual Fire/Explosion Hazard:WATER SPRAY MAY BE INEFFECTIVE.

## Accidental Release

Spill Release Procedures:SECURE SOURCES OF IGNITION. VENTILATE AND  
REMOVE WITH INERT ABSORBENT.

## Handling

Handling and Storage Precautions:STORE AWAY FROM HEAT & OPEN FLAME IN  
ORIGINAL CONTAINER. USE APPROVED BONDING AND GROUNDING PROCEDURES.

AVOID SKIN/EYE CONTACT & BREATH OF VAPORS/MIST

Other Precautions:KEEP OUT OF REACH OF CHILDREN.USE WITH ADEQUATE  
VENTILATION. DO NOT TAKE INTERNALLY.

## Exposure Controls

Respiratory Protection:NIOSH/MSHA APPROVED RESP DEVICE IN ACCORD WITH  
EXPOSURE OF CONCERN.

Ventilation:LOCAL EXHAUST

Protective Gloves:REQUIRED

Eye Protection:SAFETY GOGGLES

Other Protective Equipment:UNPERFORATED SIDE SHIELDS ON GOGGLES

Supplemental Safety and Health

## Chemical Properties

Boiling Pt:B.P. Text:94F/34C

Vapor Density:>1

Evaporation Rate & Reference:Percent Volatiles by Volume:64.8

## Stability

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:CO,CO\*2,HYDROGEN CHLORIDE

## Disposal

Waste Disposal Methods:COMPLY WITH LOCAL,STATE AND FEDERAL REGULATIONS.  
DO NOT INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their

particular situation.