

V-BELT DRESSING (LAB NO. 31649)

MSDS Number

BCMXP

National Stock Number

6850-00N006502

Product Name

V-BELT DRESSING (LAB NO. 31649)

Manufacturer

CALGON CORP

Product Identification

Product ID:V-BELT DRESSING (LAB NO. 31649)

MSDS Date:01/01/1985

FSC:6850

NIIN:00N006502

MSDS Number: BCMXP

Responsible Party

CALGON CORPORATION

PITTSBURGH , PA 15230-1346

US

Cage: EO504

Contractor

CALGON CORPORATION

1346

PITTSBURG, PA 15230-1346

US

412-494-8000

Cage: EO504

Ingredients

METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)

CAS: 71-55-6

RTECS: KJ2975000

Fraction By Weight: 70%

OSHA PEL350 PPM/450 STEL

ACGIH TLV: 350 PPM/450STEL;9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

DICHLORODIFLUOROMETHANE (SARA III)

CAS: 75-71-8

RTECS: PA8200000

Fraction By Weight: 73%

OSHA PEL1000 PPM

ACGIH TLV: 1000 PPM; 9192

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

ETHYL CHLORIDE (SARA III)

CAS: 75-00-3

RTECS: KH7525000

Fraction By Weight: 20%

OSHA PEL1000 PPM

ACGIH TLV: 1000 PPM; 9192

EPA Report Quantity: 100 LBS

DOT Report Quantity: 100 LBS

PROPANE

CAS: 74-98-6

RTECS: TX2275000

Fraction By Weight: 7%

OSHA PEL1000 PPM

ACGIH TLV: ASPHYXIAN; 9192

Hazards

Effects of Overexposure:VAPORS: DIZZINESS OR NAUSEA.

First Aid

First Aid:INHALATION: MOVE TO FRESH AIR - CALL PHYSICIAN. EYE CONTACT:
FLUSH WITH WATER 15 MINUTES, CONSULT PHYSICIAN.

Fire Fighting

Flash Point:Extinguishing Media:CARBON DIOXIDE,DRY CHEMICAL OR FOAM

Fire Fighting Procedures:SELF-CONTAIN BREATH APP,WATER FOG TO COOL
EXPOSED CONTAINERS

Unusual Fire/Explosion Hazard:EXPOSURE TO DIRECT SUNLIGHT OR OTHER HEAT
MAY CAUSE BURSTING.

Accidental Release

Spill Release Procedures:SECURE SOURCES OF IGNITION, VENTILATE AREA.
AVOID BREATHING VAPORS. REMOVE WITH INERT ABSORBENT.

Handling

Handling and Storage Precautions:DO NOT STORE AT TEMPS ABOVE
120F/48C,EXPOSURE TO DIRECT SUNLIGHT OR OTHER HEAT MAY CAUSE
BURSTING. DO NOT SPRAY NEAR FIRE OR OPEN FLAME.

Other Precautions:DO NOT PUNCTURE OR INCINERATE. KEEP AWAY FROM
CHILDREN.

Exposure Controls

Respiratory Protection:NIOSH/MSHA APPROVED RESP DEVICE IN ACCORD WITH
EXPOSURE OF CONCERN.

Ventilation:LOCAL EXHAUST TO MAINTAIN BELOW TLV.

Eye Protection:SAFETY GOGGLES

Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:Vapor Density:>1

Evaporation Rate & Reference:>1 (ETHER)

Percent Volatiles by Volume:95

Stability

Stability Indicator/Materials to Avoid: YES

Stability Condition to Avoid: TEMPS ABOVE 120F/48C

Hazardous Decomposition Products: CARBON MONOXIDE, TOXIC FUMES OF CHLORIDES & FLUORIDES

Disposal

Waste Disposal Methods: BY METHODS CONSISTENT WITH LOCAL, STATE AND FEDERAL REGULATIONS. DO NOT INCINERATE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.