

VARIPRIME 615S,PART A

MSDS Number

BCPLJ

National Stock Number

8010-00N008117

Product Name

VARIPRIME 615S,PART A

Manufacturer

E I DU PONT DE NEMOURS AND CO (INC)

Product Identification

Product ID:VARIPRIME 615S,PART A

MSDS Date:01/01/1987

FSC:8010

NIIN:00N008117

MSDS Number: BCPLJ

Responsible Party

E.I. DU PONT DE NEMOURS & CO. (INC.)

1007 MARKET ST BRANDYWINE BLDG 3332

WILMINGTON , DE 19898

US

Cage: 18773

Contractor

E.I. DU PONT DE NEMOURS & CO., INC.

WILMINGTON, DE 19898

US

800-441-3637

Cage: 18773

Ingredients

N-BUTYL ACETATE (SARA III)

CAS: 123-86-4

RTECS: AF7350000

OSHA PEL150 PPM/200 STEL

ACGIH TLV: 150 PPM/200STEL;9192

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

OSHA PEL200 PPM/150 STEL

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

ISOPROPYL ALCOHOL (SARA III)

CAS: 67-63-0

RTECS: NT8050000

OSHA PEL400 PPM/500 STEL

ACGIH TLV: 400 PPM/500STEL;9192

METHYL ISOBUTYL KETONE (SARA III)

CAS: 108-10-1

RTECS: SA9275000

OSHA PEL100 PPM/75 STEL

ACGIH TLV: 50 PPM/75 STEL; 9293

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

ZINC CHROMATE

CAS: 13530-65-9

RTECS: GB3290000

OSHA PEL0.1 MG/M3 (CRO3)

ACGIH TLV: 0.01MG/M3(CR)A1;9192

Hazards

Effects of Overexposure:INGEST:GI DISTRESS.INHAL:POSS NOSE&THROAT IRRIT.POSS NERVOUS SYS DEPRESSION CHARAC BY:(SEE OTHR PREC

First Aid

First Aid:INGEST:CALL PHYS IMMED,HAVE INGREDIENT NAMES AVAIL. INHAL:OF VAP/SPRAY MIST,REMOVE TO FRESH AIR.IF BREATHING DIFFICULTY PERSISTS/OCCURS LATER,CALL PHYS. EYE:IMMED FLUSH W/PLENTY H*20 @ LEAST 15 MIN;CA LL PHYS.SKIN:WASH W/SOAP&H*20;IRRIT OCCURS,CALL MD

Fire Fighting

Flash Point:20-73F,-7-23C;CC

Lower Limits:1.1%

Upper Limits:14%

Extinguishing Media:FOAM,CARBON DIOXIDE,DRY CHEMICAL

Fire Fighting Procedures:FULL PROTECT EQUIP W/SCBA.COOL CLOSED CNTNRS W/H*20-FOG NOZZ

Unusual Fire/Explosion Hazard:HEAT >FLASH PT,EMITS FLAMM VAPS-MIX W/AIR,CAN BURN/EXPLO.FINE MIST/SPRAY POSS FLAMM @TEMPS

Accidental Release

Spill Release Procedures:VENTILATE AREA. REMOVE SOURCES OF IGNITION. PREVENT SKIN CONTACT & BREATHING OF VAPOR. CONFINE & REMOVE W/INERT ABSORBANT.

Handling

Handling and Storage Precautions:OBSERVE LABEL PRECAUTNS.KEEP FROM HEAT,SPARKS,FLAME.CLOSE CNTNR AFT USE.GROUND CNTNRS WHEN POUR.WASH AFT HANDLE,BEFORE EAT/SMOKE.DONT STORE ABOVE 120F

Other

Precautions:HEADACHE,DIZZ,NAUS,STAGGER,CONFUSN,UNCONSCIOUS.PRLNG/RP TD SOLVNT OVEREXP ASSOC W/PERMANENT BRAIN&NERVOUS SYS DAMAGE.EYE:IRRIT/BURNING.SKIN:PRLNG/RPTD LIQ CONTACT-IRRIT

W/DISCOMFORT&DERMATITIS.

Exposure Controls

Respiratory Protection: NIOSH/MSHA TC-23C APVD PAINT SPRAY RSPTR IF
APPLY&UNTIL EXHAUST VAPS
Ventilation: SUFFICIENT IN VOLUME&PATTERN TO KEEP CONTAM REQUIREMENTS
Protective Gloves: NEOPRENE GLOVES
Eye Protection: W/SPLASH GUARDS/SIDESHIELDS
Other Protective Equipment: COVERALLS RECOMMENDED
Supplemental Safety and Health
INGRED: ACETONE, CAS# 67-64-1, TLV-750PPM, PEL-10000PPM; ETHYL ALCOHOL, CAS#
64-17-5, TLV-1000PPM; ACRYLIC RESIN. OTHER PRECAUTION: NIOSH/MSHA APPROVED
RESPIRATOR/VENT IF SAND, FLAME CUT, BRAZE, WELD

Chemical Properties

Boiling Pt: B.P. Text: 129F-401F
Vapor Density: > 1
Evaporation Rate & Reference: SLOWER THAN ETHER
Solubility in Water: SLIGHT
Appearance and Odor: DENSITY: 6.8-12.7 #/GALLON

Stability

Stability Indicator/Materials to Avoid: YES
NONE REASONABLY FORESEEABLE
Hazardous Decomposition Products: CO, CO*2, SMOKE, OXIDES OF ZINC & CHROMIUM

Disposal

Waste Disposal Methods: DO NOT ALLOW MATERIAL TO CONTAMINATE GROUND
WATER SYSTEMS. INCINERATE ABSORBED MATERIAL IN ACCORDANCE
W/FEDERAL, STATE & LOCAL REQUIREMENTS. DO NOT INCINERATE IN CLOSED
CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.