

## **6R118 (1020/1035/2830 TONER)**

### **MSDS Number**

BCPVL

### **National Stock Number**

6850-00N008267

### **Product Name**

6R118 (1020/1035/2830 TONER)

### **Manufacturer**

XEROX CORP

### **Product Identification**

Product ID:6R118 (1020/1035/2830 TONER)

MSDS Date:01/01/1987

FSC:6850

NIIN:00N008267

MSDS Number: BCPVL

### **Responsible Party**

XEROX CORPORATION

Emergency Phone: 716-422-2177

Cage: 26921

### **Contractor**

XEROX CORPORATION

ROCHESTER, NY 14644-1877

US

800-828-6571/716-422-2177

Cage: 26921

### **Ingredients**

25213-39-2) (60-65%)

ACRYLIC RESIN (20-25%)

CAS: 9003-01-4

RTECS: AT4680000

CARBON BLACK

CAS: 1333-86-4

RTECS: FF5800000

OSHA PEL3.5 MG/M3

ACGIH TLV: 3.5 MG/M3; 9192

SILICA, AMORPHOUS, DUST

CAS: 112945-52-5

RTECS: VV7310000

Fraction By Weight:

OSHA PEL6 MG/M3

ACGIH TLV: 10 MG/M3; 8990

9003-07-0)

CAS: 9003-07-4

RTECS: UD1842000

Fraction By Weight:

## Hazards

Effects of Overexposure: MINIMAL RESPIRATORY TRACT IRRIT MAY OCCUR AS W/EXPOS TO LRG AMTS OF ANY NONTOXIC DUST. (SEE OTHR PREC

## First Aid

First Aid: EYES: FLUSH W/H\*2O FOR AT LEAST 15 MINUTES. SKIN: WASH W/ SOAP & H\*2O. INHALATION: REMOVE FROM EXPOSURE. INGESTION: DILUTE STOMACH CONTENTS W/ SEVERAL GLASSES OF H\*2O.

## Fire Fighting

Extinguishing Media: WATER, FOAM, DRY CHEMICAL

Fire Fighting Procedures: AVOID INHALATION OF SMOKE.

Unusual Fire/Explosion Hazard: TONER IS A COMBUSTIBLE POWDER. WHEN DISPERSED IN AIR, IT FORMS EXPLOSIVE MIXTURES.

## Accidental Release

Spill Release Procedures: LOOSE TONER CAN BE REMOVED USING A VACUUM CLEANER. RESIDUE CAN BE REMOVED W/ SOAP & COLD WATER. AFTER REMOVAL OF LOOSE TONER, GARMENTS MAY BE WASHED OR DRY CLEANED.

## Handling

Handling and Storage Precautions: NONE

Other Precautions: MFR: MATL HAS BEEN TESTED & EVALUATED BY XEROX CORP. WHEN USED AS INTENDED, DOES NOT REPRESENT A HEALTH/SAFETY HAZARD. TLV: MFR-10MG/CUM, TOT DUST. PEL: MFR-15MG/CUM, TOT DUST. PRIM ENTRY ROUTE: INHALATION

## Exposure Controls

Respiratory Protection: NONE REQUIRED WHEN USED AS INTENDED IN XEROX EQUIPMENT.

Protective Gloves: SEE SUPP DATA

Eye Protection: SEE SUPP DATA

Other Protective Equipment: FOR USE OTHR THAN NORM CUSTOMER-OPERATING PROC (SEE SUPP DAT

Supplemental Safety and Health

PROT GLOVES, EYE PROT: NONE REQUIRED WHEN USED AS INTENDED IN XEROX EQUIPMENT. OTHER PROT: (SUCH AS IN BULK TONER PROCESSING FACILITY), GOGGLES & RESPIRATORS MAY BE REQUIRED. MORE INFO, CONT XEROX.

## Chemical Properties

Spec Gravity: 1

Solubility in Water: NEGLIGIBLE

Appearance and Odor: BLACK POWDER/FAINT ODOR

## Stability

Stability Indicator/Materials to Avoid: YES

NONE

Stability Condition to Avoid: NONE

Hazardous Decomposition Products: PRODUCTS OF COMBUSTION ARE TOXIC.

AVOID BREATHING SMOKE.

## Disposal

Waste Disposal Methods: DO NOT INCINERATE. NO SPECIAL TECHNIQUES BEYOND

NORMAL PRACTICE. INSURE CONFORMITY W/FEDERAL,STATE OR LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.