

TOUCHDOWN 780

MSDS Number

BCTRM

National Stock Number

8040-00N010289

Product Name

TOUCHDOWN 780

Manufacturer

W F TAYLOR CO INC

Product Identification

Product ID:TOUCHDOWN 780 MSDS Date:05/13/1986 FSC:8040 NIIN:00N010289

MSDS Number: BCTRM

Responsible Party

W. F. TAYLOR CO., INC.

13660 EXCELSIOR DRIVE

SANTA FE SPRINGS , CA 90670

Emergency Phone: (213)802-1896

Info Phone: (213)802-1896

Cage: 00317

Contractor

W. F. TAYLOR CO., INC.

SANTA FE SPRINGS, CA 90670

(213)802-1896 Cage: OO317

Ingredients

PETROLEUM PROCESS OIL

CAS: 64742-11-6 RTECS: PY8042000

Fraction By Weight: 7%

OSHA PELN/K ACGIH TLV: N/K

MINERAL SPIRITS

CAS: 64742-88-7

Fraction By Weight: 3%

OSHA PELN/K ACGIH TLV: N/K

METHYL ALCOHOL (METHANOL) (SARA III)

CAS: 67-56-1



RTECS: PC1400000 Fraction By Weight: 3%

OSHA PELS, 200PPM/250STEL

ACGIH TLV: S,200PPM/250STEL; 93 EPA Report Quantity: 5000 LBS DOT Report Quantity: 5000 LBS

Hazards

LD50 LC50 Mixture:N/K

Reports of Carcinogenicity: NTP: NO IARC: YES OSHA: NO

Health Hazards Acute and Chronic: ACUTE: MAY LEAD TO HEADACHE & SKIN RASH. CHRONIC: MAY CAUSE DIZZINESS, IRRITATED MUCOUS MEMBRANES, SKIN

RASH & DROWSINESS.

Explanation of Carcinogenicity: PETROLEUM PROCESS OIL: IARC-ANIMAL CARCINOGEN, SOURCE LIST 9G. WHILE NO EVIDENCE INDICATES THAT

PETROLEUM(SUP DAT)

Effects of Overexposure: INHALATION: MAY CAUSE HEADACHE & DROWSINESS. EYES: MAY CAUSE SLIGHT IRRITATION. SKIN: MAY CAUSE SLIGHT IRRITATION. INGESTION: MAY CAUSE VOMITING. SYMPTOMS MAY BE SAME AS INHALATION. Medical Cond Aggravated by Exposure: NONE KNOWN.

First Aid

First Aid: EYE: IMMED FLUSH W/LGE AMTS OF LEAST 15 MIN . IF IRRITATION PERSISTS, SEE A PHYSICIAN. SKIN: WASH W/SOAP & WTR.APPLY A SKIN CREAM. IF IRRITATION PERSISTS, SEE A PHYSICIAN. INHALATION: REMOVE TO FRE SH AIR. SUPPORT BREATHING (GIVE O*2/ARTIFICIAL RESPIRATION). INGESTION: SEEK MEDICAL ATTENTION. DO NOT INDUCE VOMITING. THIS COULD CAUSE CHEMICAL PNEUMONITIS.

Fire Fighting

Flash Point Method:TCC

Flash Point: N/K

Lower Limits: N/APPLICABLE Upper Limits: N/APPLICABLE

Extinguishing Media: WATER SPRAY, FOAM, CARBON DIOXIDE, DRY CHEMICAL.

Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA & FULL

PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard: NONE KNOWN.

Accidental Release

Spill Release Procedures: SOAK UP MATERIAL W/SAND OR CLAY. PLACE CONTAMINATED MATERIAL IN NON LEAKING CONTAINER. WASH DOWN AREA

Neutralizing Agent: N/K .

Handling

Handling and Storage Precautions: PROTECT AGAINST PHYSICAL DAMAGE, STORE IN A COOL PLACE, PROT MEASURES DURING MAINTENANCE OF CONTAM EQUIP: WEAR PROT GOGG WHEN WASHING FROM EQUIPMENT.

Other Precautions: N/K

Exposure Controls

Respiratory Protection: NONE REQUIRED, UNLESS EXPOSURE IS BELOW TLV. USE NIOSH/MSHA APPROVED RESPIRATOR.

Ventilation: LOCAL EXHAUST. OPEN WINDOWS IF NECESSARY.

Protective Gloves: ACRYLONITRILE.

Eve Protection: CHEMICAL GOGGLES & FACESHIELD.

Other Protective Equipment: IF CLOTHING BECOMES CONTAMINATED, REMOVE &

CLEAN BEFORE REWEARING.

Work Hygienic Practices: FOLLOW ALL LABEL INSTRUCTIONS.

Supplemental Safety and Health

% VOLT:N/K .PH:N/K .RTE ENTRY:N/K .CARC:OILS CAUSE SKIN CANCER IN HUMANS, LAB TESTING SHOWS THAT WHN PETRO OIL IS APPLIED TO THE SHAVED BACKS OF MICE AT REG INTERVAL W/OUT CLEAN-UP BT WEEN



APPL, THAT SKIN CANCER CAN DEVELOP IN LAB ANIMALS (MFR).

Chemical Properties

Boiling Pt:B.P. Text:212F/100C Melt/Freeze Pt:M.P/F.P Text:N/K Decomp Temp:Decomp Text:N/K Vapor Pres:N/DETERMIN Vapor Density:HV THN AIR Spec Gravity:N/K Evaporation Rate & Reference:N/k

Evaporation Rate & Reference:N/K Solubility in Water:DILUTABLE

Appearance and Odor: SEMI-LIQUID. BEIGE COLOR. MILD ODOR.

Corrosion Rate:

Stability

Stability Indicator/Materials to Avoid:YES NONE KNOWN.
Stability Condition to Avoid:STORAGE IN AREAS OF EXCESSIVE HEAT. Hazardous Decomposition Products:OXIDES OF CARBON.

Disposal

Waste Disposal Methods: DISPOSE OF ALL WASTES IN ACCORDANCE W/FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.