

# PR-1422-G B-2, PART B

## **MSDS Number**

**BCVDC** 

## **National Stock Number**

8030-00-007-8339

## **Product Name**

PR-1422-G B-2, PART B

#### Manufacturer

PRODUCTS RESEARCH AND CHEMICAL CORP

## **Product Identification**

Product ID:PR-1422-G B-2, PART B MSDS Date:11/13/1985 FSC:8030 NIIN:00-007-8339 Kit Part:Y

MSDS Number: BCVDC

HISDS Number: BeVBe

# **Responsible Party**

PRODUCTS RESEARCH AND CHEMICAL CORP

5430 SAN FERNANDO ROAD

GLENDALE, CA 91209

US

Emergency Phone: 818-240-2060

Cage: DO563

## **Contractor**

PRODUCTS RESEARCH & CHEMICAL

1800

GLENDALE, CA 91209

US

818-240-2060 Cage: DO563

## **Ingredients**

PHENOLIC RESIN CAS: 9003-35-4

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

OSHA PEL200 PPM/150 STEL
ACGIH TLV: 50 PPM; 9293
EPA Report Quantity: 1000 LBS
DOT Report Quantity: 1000 LBS



CAS: 25068-38-6 RTECS: KC2100000

METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS: 78-93-3

RTECS: EL6475000

OSHA PEL200 PPM/300 STEL

ACGIH TLV: 200 PPM/300STEL 9192 EPA Report Quantity: 5000 LBS DOT Report Quantity: 5000 LBS

MAGNESIUM CHROMATE

CAS: 13423-61-5

OSHA PELC, O.1 MG/M3 (CRO3) ACGIH TLV: 0.05 MG/M3(CR); 8990

STRONTIUM CHROMATE (SARA III)

CAS: 7789-06-2

RTECS: GB3240000

OSHA PEL0.1 PPM CRO3;CEILING ACGIH TLV: 0.0005MG CR/M3;A2;93

EPA Report Quantity: 10 LBS DOT Report Quantity: 10 LBS

SILICON DIOXIDE (FULLY ENCAPSULATED)

CAS: 7631-86-9

OSHA PEL15 MG/CUM ACGIH TLV: 10 MG/CUM

TITANIUM DIOXIDE (FULLY ENCAPSULATED)

CAS: 13463-67-7

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3 TDUST; 9293

CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS: 1317-65-3 RTECS: EV9580000

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3 TDUST; 9192

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES



Health Hazards Acute and Chronic:MAY CAUSE ALLERGIC SKIN RASH IN SENSITIZED INDIVIDUALS. MAY CAUSE LIVER AND KIDNEY DAMAGE Explanation of Carcinogenicity:IARC HAS ESTABLISHED THAT STRONTIUM CHROMATE IS A POSITIVE ANIMAL CARCINOGEN. HUMAN CARCINOGEN POSITIVE Effects of Overexposure:IRRITATION OF EYES AND SKIN. INHALATION: ANESTHESIA, HEADACHE, DIZZINESS, NAUSEA AND RESPIRATORY IRRITATION. INGESTION: MAY CAUSE NAUSEA, VOMITING, AND ABDONINAL PAIN Medical Cond Aggravated by Exposure:SKIN SENSITIZATION

#### First Aid

First Aid: FLUSH EYES WITH LUKE WARM WATER FOR 15 MINUTES. IF SYMPTOMS PERSIST, CONSULT PHYSICIAN. WASH SKIN WITH SOAP AND WATER. IF SYMPTOMS PERSIST, CONSULT PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. IF SYMPTO MS ARE PRESENT CONSULT A PHYSICIAN, INGESTION: CONSULT A PHYSICIAN.

## **Fire Fighting**

Flash Point Method:PMCC Flash Point:93F,33.8C

 ${\bf Extinguishing\ Media: CARBON\ DIOXIDE,\ DRY\ CHEMICAL, FOAM,\ WATER}$ 

Fire Fighting Procedures: USE AIR SUPPLIED RESPIRATOR

Unusual Fire/Explosion Hazard: NONE KNOWN BY MANUFACTURER

#### **Accidental Release**

Spill Release Procedures: REMOVE ALL IGNITION SOURCES. SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH 1,1,1-TRICHLOROETHANE Neutralizing Agent: NONE RECOMMENDED BY MANUFACTURER

## Handling

Handling and Storage Precautions: WASH THOROUGHLY AFTER HANDLING AND BEFORE SMOKING OR EATING. AVOID INGESTION. Other Precautions: NONE

# **Exposure Controls**

Respiratory Protection: USE NIOSH APPROVED ORGANIC VAPOR CARTRIDGE RESPIRATOR OR AIR-SUPPLIED RESPIRATOR WHEN AIRBORN LEVELS OF SOLVENT EXCEED PEL

Ventilation: GENERAL VENTILATION TO MAINTAIN VAPORS BELOW PEL.

Protective Gloves: SOLVENT RESISTANT GLOVES

Eye Protection: SAFETY GLASSES Other Protective Equipment: NONE

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING AND BEFORE

SMOKING OR EATING. AVOID INGESTION

Supplemental Safety and Health

THIS IS PART B OF A TWO PART KIT. SEE P/N IND A, SAME NSN, FOR

ADDITIONAL INFORMATION

## **Chemical Properties**

Spec Gravity:1.32

Solubility in Water: NEGLIGIBLE

Appearance and Odor: GREEN LIQUID (SEMISOLID)

Percent Volatiles by Volume:6.2

## **Stability**

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER Hazardous Decomposition Products:OXIDES OF CARBON, SO\*2, TRACES OF H\*2S. CHROMIUM COMPOUNDS

# Disposal

Waste Disposal Methods: DISPOSE IN COMPLIANCE WITH FEDERAL AND STATE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,





expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.