https://msdsreport.com/msds/BCZQS

ENAMEL EQUIP. LT. GRAY NO. 111

MSDS Number

BCZQS

National Stock Number

8010-00-117-8724

Product Name

ENAMEL EQUIP. LT. GRAY NO. 111

Manufacturer

PRATT AND LAMBERT

Product Identification

Product ID:ENAMEL EQUIP. LT. GRAY NO. 111 MSDS Date:01/01/1987 FSC:8010 NIIN:00-117-8724 MSDS Number: BCZQS

Responsible Party

PRATT & LAMBERT

16116 E 13TH ST

WICHITA , KS 67201

US

Cage: PRATT

Contractor

PRATT AND LAMBERT INC

2153

CLEVELAND, OH 44101-1027

US

216-566-2902

Cage: 61196

Ingredients

NAPHTHA (PETROLEUM SPIRITS OR BENZIN) CAS: 8030-30-6 RTECS: SE7555000 Fraction By Weight: 15% OSHA PEL100 PPM

TRIETHYLAMINE (SARA III) CAS: 121-44-8 RTECS: YE0175000 Fraction By Weight: OSHA PEL25 PPM/15 STEL ACGIH TLV: 10 PPM/15 STEL; 9293 EPA Report Quantity: 5000 LBS DOT Report Quantity: 5000 LBS



https://msdsreport.com/msds/BCZQS

•

NORMAL BUTYL ALCOHOL RTECS: EO1575000 Fraction By Weight: ACGIH TLV: 50PPM

XYLENES (O-,M-,P- ISOMERS) (SARA III) CAS: 1330-20-7 RTECS: ZE2100000 Fraction By Weight: OSHA PEL100 PPM ACGIH TLV: 100 PPM/150STEL;9394 EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

OSHA PEL200 PPM/150 STEL

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

Hazards

Effects of Overexposure:INHAL:ANESTHETIC. IRRITATION OF NOSE, THROAT, EYES & POSS.DIZZINESS & NAUSEA.

First Aid

First Aid:INHAL:REMOV FROM EXPOS & PROVIDE FRESH AIR.SPLASH EYES:FLUSH IMMED. W/LG AMTS OF WATER F/15 MIN.SPLASH SKIN:REMOV CONTAM CLOTHING & WASH AFFECT AREA W/WATER.INGEST:DO NOT INDUCE VOMITING.CONSULT A DR. IMMED.IN ALL CASES.

Fire Fighting

Flash Point:44F TCC 7C TCC Extinguishing Media:CARBON DIOXIDE,DRY CHEM, OR ALCOHOL FOAM Fire Fighting Procedures:SELF-CONTND BREATH APPARAT SHOULD BE AVAIL

F/FIREMEN. Unusual Fire/Explosion Hazard:CLOSED CONTNRS MAY EXPLOD WHN EXPOS TO

EXTREME HEAT.KP CONTNRS TIGHTLY CLOS, ISOLAT FR HEAT, ELECTRIC

Accidental Release

Spill Release Procedures:REMOV ALL SOURCES OF IGNIT (FLAMES,HOT SURFACES & ELECTRICAL,STATIC OR FRICTIONAL SPARKS).VENTILATE AREA & AVOID BREATHING VAPORS.REMOVE W/INERT ABSORBENT & USE NON-SPARKING TOOLS.

Handling

Handling and Storage Precautions: DO NOT STORE ABOVE 120F. STORE LG QUANTITIES IN COMPLIANCE W/OSHA 1910.106.CONTNRS SHLD BE BONDED TO EA OTHR & GRNDED PROPERLY TRANSFR/POURING INTO AN Other Precautions: DO NOT CUT OR WELD ON EMPTY CONTNRS DO NOT USE UNTIL ALL SAFETY PRECAUTIONS & MIXING DIRECTIONS HAVE BEEN READ & FULLY



UNDERSTOOD BY THE USER.

Exposure Controls

Respiratory Protection:USE NIOSH APPRVD MECH RESPIRAT TO REMOV OVRSPRA WHN SPRA IN OUTDR OR Ventilation:VAPS EMITTED WHN THIS PRODCT IS BAKED OR FORCED DRIED MUST(S Protective Gloves:SOLVNT IMPERMEA Eye Protection:SAFETY EYEWR F/SPLASH OF Other Protective Equipment:USE PROPR PERSNL PROTCTV EQPMT TO PREVNT SKIN CONTACT. Supplemental Safety and Health VENTILAT- BE PROPERLY VENTED. PROVIDE GEN. DILUT. OR LOC EXHAUST VENTILAT TO KEEP CONCENTR. OF HAZ INGRED. BELOW ACCEPTBL TLV & BELOW STATED LEL LIMITS.

•

Chemical Properties

HCC:F3 Boiling Pt:B.P. Text:208-344F Evaporation Rate & Reference:SLOWER THAN ETHER Percent Volatiles by Volume:53

Stability

Stability Indicator/Materials to Avoid:YES AVOID CONTACT WITH STRONG ACIDS OR ALKALIS. Stability Condition to Avoid:FIRES,HEAT,SPARKS, & HOT SURFACES. Conditions to Avoid Polymerization:DO NOT ADD DRIERS OR REACTIV CHEM W/O TECH SUPERVIS.SE LABL

Disposal

Waste Disposal Methods: DISPOSE IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS. INCINERATE IN EPA APPRVD FACILITY. DO NOT INCINERATE CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.