

# **TRIBOLUBE-1**

## **MSDS Number**

**BCZYH** 

#### **National Stock Number**

9150-00-128-8032

## **Product Name**

TRIBOLUBE-1

#### Manufacturer

AEROSPACE LUBRICANTS INC

## **Product Identification**

Product ID:TRIBOLUBE-1 MSDS Date: 09/26/1996 FSC:9150 NIIN:00-128-8032 MSDS Number: BCZYH

# **Responsible Party**

AEROSPACE LUBRICANTS INC.

1505 DELASHMUT AVE

COLUMBUS , OH 43212-2641

US

Emergency Phone: 614-291-3045

Info Phone: 614-291-3045 Preparer: STEPHEN E GATES

Cage: 66164 **Contractor** 

INLAND PACKAGING INC

644

ELIZABETHTOWN, KY 42701-9804

US

502-737-6757 Cage: 66172

#### **Ingredients**

NON-HAZARDOUS INGREDIENTS

Fraction By Weight: 100%

## **Hazards**

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS:SKIN. ACUTE- NONE.

PROLONGED/REPEATED SKIN CONTACT MAY CAUSE MILD IRRITATION IN SOME

INDIVIDUALS. CHRONIC- NONE. Explanation of Carcinogenicity: NONE

Effects of Overexposure: MILD SKIN IRRITATION Medical Cond Aggravated by Exposure: NONE

## First Aid

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:MOVE TO FRESH AIR. EYES:FLUSH WITH PLENTY OF WATER. SKIN:WIPE OFF AND WASH WITH



SOAP & WATER. ORAL: SEEK MEDICAL ATTENTION.

# Fire Fighting

Autoignition Temp:Autoignition Temp Text:>500F
Extinguishing Media:WATER FOG/SPRAY, CARBON DIOXIDE, FOAM/DRY CHEMICAL.
DIRECTLY SPRAYING WATER/FOAM ONTO BURNING OIL MAY CAUSE FROTHING.
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND
NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS. COOL FIRE
EXPOSED CONTAINERS WITH WATER SPRAY.
Unusual Fire/Explosion Hazard:TOXIC FLUORINE GASES

#### **Accidental Release**

Spill Release Procedures: WEAR PROTECTIVE EQUIPMENT. RECOVER FREE PRODUCT. REMOVE SPILL WITH INERT ABORBENT SUCH AS SAWDUST, DIATOMACEOUS EARTH. TRANSFER TO PROPER CONTAINERS FOR DISPOSAL. SPILL CAUSES SLIPPERY SURFACE. Neutralizing Agent: NOT RELEVANT

## Handling

Handling and Storage Precautions: STORE AWAY FROM STRONG OXIDIZING AGENTS & FLAMMABLES. KEEP CONTAINER TIGHTLY CLOSED. KEEP OUT OF REACH OF CHILDREN. USE REASONABLE CARE.

Other Precautions: DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING. EMPTY CONTAINER RETAINS PRODUCT RESIDUE. OBSERVE ALL PRECAUTIONS GIVEN IN THE MATERIAL SAFETY DATA SHEET. DO NOT STORE ABOVE 250F.

## **Exposure Controls**

Respiratory Protection: NONE REQUIRED UNDER NORMAL CONDITIONS. IF HIGH VAPOR OR MIST CONCENTRATIONS EXPECTED, USE NIOSH-APPROVED RESPIRATOR FOR ORGANIC VAPORS AND MISTS.

Ventilation: ADEQUATE

Protective Gloves:LATEX, RUBBER RECOMMENDED
Eye Protection:SAFETY GOGGLES RECOMMENDED
Other Protective Equipment:EYE WASH STATION AND SAFETY SHOWER.
INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.
Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. WASH BEFORE EATING OR DRINKING.
Supplemental Safety and Health

# **Chemical Properties**

NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:>500F,>260C Decomp Temp:Decomp Text:>550F,>288C Vapor Pres:Spec Gravity:1.05 Solubility in Water:NEGLIGIBLE Appearance and Odor:LIGHT TAN GREASE - PETROLEUM ODOR

## **Stability**

HCC:V6

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:TEMPERATURES ABOVE 250F Hazardous Decomposition Products:FLUORINE PRODUCTS, SILICON DIOXIDE, CARBON MONOXIDE, CARBON DIOXIDE

#### Disposal

Waste Disposal Methods: INCINERATE OR RECYCLE. DISPOSAL MUST BE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their



particular situation.