

## **GS-7126-G,BLK 37038 WLKWAY,TYPE 2(ROUGH)**

### **MSDS Number**

BDBQV

### **National Stock Number**

5610-00-142-6525

### **Product Name**

GS-7126-G,BLK 37038 WLKWAY,TYPE 2(ROUGH)

### **Manufacturer**

AKRON PAINT AND VARNISH INC

### **Product Identification**

Product ID:GS-7126-G,BLK 37038 WLKWAY,TYPE 2(ROUGH)

MSDS Date:08/21/1985

FSC:5610

NIIN:00-142-6525

MSDS Number: BDBQV

### **Responsible Party**

AKRON PAINT & VARNISH, INC.

1390 FIRESTONE PARKWAY

AKRON , OH 44301

Emergency Phone: (216)773-8911

Info Phone: (216)773-8911

Cage: HO385

### **Contractor**

AKRON PAINT AND VARNISH INC

AKRON, OH 44301-1624

US

216-773-8911

Cage: 70228

### **Ingredients**

VM&P NAPHTHA (LIGROINE)

CAS: 8032-32-4

RTECS: OI6180000

Fraction By Weight: 28.5%

OSHA PEL300 PPM/400 STEL

ACGIH TLV: 300 PPM; 9192

1.0, VAPOR PRESSURE=2.0

Fraction By Weight: 0.2%

OSHA PELN/K

ACGIH TLV: N/K

1.1

CAS: 96-29-7

RTECS: EL9275000

Fraction By Weight: 0.1%

OSHA PELN/K

ACGIH TLV: N/K

## Hazards

LD50 LC50 Mixture:N/K

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:PROLONGED/REPEATED EXPOSURE MAY CAUSE NAUSEA, HEADACHE, & LOSS OF CONSCIOUSNESS, NARCOSIS & IRRITATION OF RESPIRATORY SYSTEM. LIQUID IRRITATING TO EYES & SKIN.

Explanation of Carcinogenicity:NOT APPLICABLE

Effects of Overexposure:SEE HEALTH HAZARD DATA .

Medical Cond Aggravated by Exposure:N/K

## First Aid

First Aid:EYE:IMME FLUSH W/LGE AMTS OF WTR FOR AT LEAST 15 MIN,& OBTAIN MED ATTN. INHAL:REMOVE TO FRESH AIR.SUPPORT BRTHNG (GIVE O\*2/ARTIFICIAL RESPIRATION),OBTAIN MED ATTN. SKIN:WASH CAREFULLY W/MI NERAL SPIRITS(MFR),THEN W/SOAP & WTR. INGESTION:CALL MD IMMEDIATELY .

## Fire Fighting

Flash Point Method:SCC

Flash Point:50F/10C

Lower Limits:N/K

Upper Limits:N/K

Extinguishing Media:CARBON DIOXIDE, FOAM/DRY CHEMICAL

Fire Fighting Procedures:WATER SPRAY TO COOL CONTAINER. USE NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:HEAT MAY CAUSE DISRUPTIVE PRESSURE OF CONTAINERS,& FLAMMABLE VAPORS MAY FORM EXPLOSIVE MIX W/AIR.THERMAL DECOMPOSITION CAN PRODUCE TOXIC FUME.

## Accidental Release

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION. DAM-UP TO LIMIT SPREADING. ABSORB ON INERT MATERIAL. VENTILATE AREA.

Neutralizing Agent:N/K

## Handling

Handling and Storage Precautions:DO NOT DROP CONTAINERS. AVOID HEAT, SPARKS & OPEN FLAME. STORE AT ROOM TEMPERATURE W/GOOD VENTILATION.

Other Precautions:DO NOT TAKE INTERNALLY. AVOID PROLONGED INHALATION & BODY CONTACT. GROUND CONTAINER WHILE POURING. CONSULT NFPA CODE.

## Exposure Controls

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:PROVIDE ADEQUATE VENTILATION TO REMOVE HAZARDOUS INGREDIENTS PER TLV, & TO AVOID LEL LIMITS.

Protective Gloves:CHEMICAL RESISTANT GLOVES.

Eye Protection:SAFTY GOGG W/SIDE SHIELD&FACE SHLD

Other Protective Equipment:NORMAL PROTECTIVE CLOTHING.

Work Hygienic Practices:N/K .

Supplemental Safety and Health

BP:115.6-148.9C.PH:N.RTE OF ENTRY:

## Chemical Properties

HCC:F3

Boiling Pt:B.P. Text:240-300F OR

Melt/Freeze Pt:M.P/F.P Text:N/K

Decomp Temp:Decomp Text:N/K

Vapor Pres:N/K

Vapor Density:HV THN AIR

Spec Gravity:1.33  
pH:N/K-FP  
Evaporation Rate & Reference:SLOWER THAN ETHER  
Solubility in Water:N/K  
Appearance and Odor:N/K  
Percent Volatiles by Volume:49.2  
Corrosion Rate:

## **Stability**

Stability Indicator/Materials to Avoid:YES  
OXIDIZING AGENTS & ALKALINE MATERIALS.  
Stability Condition to Avoid:HEAT, SPARKS, OPEN FLAME.  
Hazardous Decomposition Products:COMBUSTION IN RESTRICTED ENVIRONMENT  
CAN PRODUCE CARBON MONOXIDE & TOXIC FUMES.  
Conditions to Avoid Polymerization:STORAGE OF WETTED COMBUSTIBLE  
MATERIALS MAY CAUSE SPONTANEOUS COMBUSTION.

## **Disposal**

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/APPLICABLE LOCAL,  
STATE & FEDERAL REGUALTIONS .

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.