

## **DAP WELDWOOD CONTACT CEMENT**

### **MSDS Number**

BDBSG

### **National Stock Number**

8040-00-142-9193

### **Product Name**

DAP WELDWOOD CONTACT CEMENT

### **Manufacturer**

BEECHAM HOME IMPROVEMENT PRODUCTS INC

### **Product Identification**

Product ID:DAP WELDWOOD CONTACT CEMENT

MSDS Date:01/01/1987

FSC:8040

NIIN:00-142-9193

MSDS Number: BDBSG

### **Responsible Party**

BEECHAM HOME IMPROVEMENT PRODUCTS INC

855 N 3RD ST

TIPP CITY , OH 45371-3014

US

Cage: 1BL51

### **Contractor**

BEECHAM HOME IMPROVEMENT PRODUCTS INC

277

TIPP CITY, OH 45371-3014

US

Cage: 1BL51

### **Ingredients**

HEXANE (N-HEXANE)

CAS: 110-54-3

RTECS: MN9275000

Fraction By Weight: -45%

OSHA PEL500 PPM

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

Fraction By Weight: -28%

OSHA PEL200 PPM/150 STEL

ACGIH TLV: 50 PPM; 9293

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

ACETONE (SARA III)

CAS: 67-64-1

RTECS: AL3150000

Fraction By Weight: -28%

OSHA PEL1000PPM

ACGIH TLV: 750PPM/1000STEL;9293

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

## Hazards

Effects of Overexposure:ACUTE:ANESTHETIC.CAUSE IRRIT OF THE RESPIR TRACT,HDACH,DIZZ,NAUSEA OR UNCONSCIOUSNESS.SUPP DATA.

## First Aid

First Aid:INHAL:REMOVE TO FRESH AIR,RESTORE BREATH.CONTACT A PHYSICIAN.EYE:FLUSH W/ LARGE AMOUNTS OF WATER.CONTACT A PHYSICIAN.SKIN:WASH W/ SOAP & WATER.CONSULT A PHYSICIAN IF IRRIT DEVELOPS.INGEST:DO NOT INDUCE VOMIT.GIVE WATER OR MILK.CONTACT A PHYSIC IMMED

## Fire Fighting

Flash Point:-50--20F CC

Lower Limits:1.2

Upper Limits:12.8

Extinguishing Media:FOAM,CO\*2,DRY CHEMICALS

Fire Fighting Procedures:FULL PROTECT EQUIP.SCBA.DO NOT USE STRAIGHT HOSE H\*20 STREAM

Unusual Fire/Explosion Hazard:CONTNR MAY EXPLO IF EXPO TO EXTREME HEAT.ISOLATE FROM HEAT,FLAMES.DO NOT PUT IN CONTACT W/ OXID MAT.

## Accidental Release

Spill Release Procedures:SMALL:USE ABSORB MAT OR SCRAPE UP DRIED MAT & PLACE INTO CONTAINER.LARGE:WEAR PROTECT EQUIP.ELIMINATE ALL SOURCES OF IGNIT & VENT AREA.CONTAIN SPILL BY DIKING.ABSORB W/ ABSORB MAT.WASH W/ NONFLAM SOLVE NT:1,1,1-TRICHLOROETHANE.PREVENT RUN-OFF.

## Handling

Handling and Storage Precautions:KEEP CONTNR FROM HEAT,FLAMES & DIRECT SUNLIGHT.DO NOT STORE AT TEMP ABOVE 120F.PROVIDE CROSS VENT IN STORAGE AREA.KEEP CONTNR TIGHTLY CLOSED.

Other Precautions:KEEP OUT OF REACH OF CHILDREN.CONTAINS FLAMMABLE SOLVENT.VAPOR HARMFUL & MAY CAUSE FLASH FIRE.HARMFUL OR FATAL IF SWALLOW.USE ONLY W/ ADEQUATE VENT & ELIMINATE SOURCE OF IGNIT WHEN USING PROD.

## Exposure Controls

Respiratory Protection:USE APPRVD NIOSH/MSHA RESPIR.CONSULT 29CFR1910.134 FOR RESP. REQUIRE

Ventilation:LOCAL OR GENERAL EXHAUST TO MAINTAIN BELOW TLV

Protective Gloves:IMPERVIOUS

Eye Protection:GOGG,SAFE GLASS;SIDE SHLD

Other Protective Equipment:PROVIDE EYE WASH & SOLVENT IMPERVIOUS APRON.BARRIER CREAM.

Supplemental Safety and Health

MSDS PREP:APR 4,2986.FLASH POINT:-45--29C.MAY BURN OR IRRIT EYES & CAUSE DRYING OR CRACKING OF SKIN.IF INGESTED CAUSES

NAUSEA,VOMIT,DIARRHEA,DEPRESSED RESPIR.SPEC:1 TYPE AND 1 CLASS.

---

## Chemical Properties

Boiling Pt:B.P. Text:131F,56C  
Vapor Pres:400  
Vapor Density:2  
Spec Gravity:0.81  
Evaporation Rate & Reference:>1(BU AC=1)  
Solubility in Water:INSOLUBLE  
Appearance and Odor:TAN MOBILE LIQUID,GASOLINE-LIKE ODOR  
Percent Volatiles by Volume:85

## Stability

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZERS AND CAUSTICS  
Stability Condition to Avoid:EXCESSIVE HEAT  
Hazardous Decomposition Products:NORMAL COMBUSTION PRODUCTS,CO\*X,NO\*X

## Disposal

Waste Disposal Methods:DISCARDED SPILL RESIDUE MAY BE INCINERATED.DO  
NOT INCINERATE SEALED CONTNR.DISPOSE ACCORD TO FED,STATE & LOCAL  
REGULATIONS.LIQUIDS CANNOT BE DISPOSED OF IN A LANDFILL.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.