

BOSTIK

MSDS Number

BDGTP

National Stock Number

8010-00-181-8283

Product Name

BOSTIK

Manufacturer

AKZO COATINGS INC

Product Identification

Product ID: BOSTIK

MSDS Date: 01/01/1985

FSC: 8010

NIIN: 00-181-8283

Kit Part: Y

MSDS Number: BDGTP

Responsible Party

AKZO COATINGS INC

434 W. MEATS STREET

ORANGE , CA 92661

US

Emergency Phone: 714-637-1750; CHEMTREC 800-424-9300

Info Phone: 714-637-1750

Cage: 98502

Contractor

AKZO COATINGS INC

ORANGE, CA 92661

US

714-637-1750; CHEMTREC 800-424-9300

Cage: 98502

Ingredients

SOLVENTS

Fraction By Weight: 45.0%

ACGIH TLV: 100-400 PPM

POLYESTER RESIN

Fraction By Weight: 19.1%

ISOCYANATE PREPOLYMER (ALIPHATIC)

Fraction By Weight: 16.5%

PIGMENTS

Fraction By Weight: 19.2%

ADDITIVES

Fraction By Weight: 0.2%

Hazards

Effects of Overexposure:INHALE-IRRITATE NOSE & THROAT. MAY CAUSENAUSEA OF VOMITING. MAY CAUSE EYE & SKIN IRRITATION.

First Aid

First Aid:SKIN-WASH WITH SOAP & WATER. EYE-FLUSH WITH WATER; CONSULT DOCTOR. INHALE-REMOVE TO FRESH AIR;CONSULT DOCTOR. INGESTION. INDUCE VOMITING;CONSULT DOCTOR.

Fire Fighting

Flash Point:23F, -5 TCC

Lower Limits:1.1

Extinguishing Media:CO2 OR DRY CHEM FOR SMALL; ALCOHOL FOAM FOR LARGE FIRES.

Fire Fighting Procedures:WATER MAY BE INEFFECTIVE.USE AIR SUPPLIED RESCUE EQUIPMENT

Unusual Fire/Explosion Hazard:DO NOT APPLY TO HEATED SURFACES OR IN AREAS WHERE ELECTRICAL SPARKS MAY BE PRESENT

Accidental Release

Spill Release Procedures:ABSORB WITH SAWDUST OR OIL ABSORBIN COMPOUND. WASH AREA WITH DETERGENT AND WATER. USE ADEQUATE VENTILATION TO CLEAR FUMES FROM AREA. AVOID SPARKS.

Handling

Handling and Storage Precautions:STORE UNDER 100F. KEEP AWAY FROM HEAT, SPARKS & OPEN FLAME. KEEP CONTAINERS CLOSED WHEN NOT IN USE.

Other Precautions:DO NOT STORE OR MIX WITH STRONG OXIDANTS

Exposure Controls

Respiratory Protection:AIR SUPPLIED RESPIRATOR OR SUITABLE CHEMICAL CARTRIDGE

Ventilation:TO MEET TLV

Protective Gloves:SOLVEN RESISTAN

Eye Protection:GOGGLES OR FACE SHIELD

Other Protective Equipment:COVERALLS, APRON, NON-SPARKING SAFETY SHOES, ETC

Supplemental Safety and Health

Chemical Properties

HCC:F2

Boiling Pt:B.P. Text:175-320F

Vapor Density:>AIR

Evaporation Rate & Reference:Percent Volatiles by Volume:57.4

Stability

Stability Indicator/Materials to Avoid:YES

STRONG OXIDANTS

Hazardous Decomposition Products:CO & COMBUSTION PRODUCTS OF VARIOUS PIGMENTS

Disposal

Waste Disposal Methods:INCINERATE WITH CARE SANITARY LAND FILL PREFERABLE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.