

## **ANAEROBIC SEALANT PRIMER GRADE T SPRAY**

### **MSDS Number**

BDGWB

### **National Stock Number**

8030-00-181-8372

### **Product Name**

ANAEROBIC SEALANT PRIMER GRADE T SPRAY

### **Manufacturer**

MILLER CHEMICAL AND FERTILIZER CORP

### **Product Identification**

Product ID:ANAEROBIC SEALANT PRIMER GRADE T SPRAY

MSDS Date:01/01/1987

FSC:8030

NIIN:00-181-8372

MSDS Number: BDGWB

### **Responsible Party**

MILLER CHEMICAL AND FERTILIZER CORP

RADIO RD OFF RTE 94

HANOVER , PA 17331

US

Emergency Phone: 213-320-3342

Cage: 29057

### **Contractor**

MILLER CHEMICAL AND FERTILIZER CORP

333

HANOVER, PA 17331

US

804-279-4371 DSN 695-4371

Cage: 29057

### **Ingredients**

1.1.1-TRICHLOROETHANE

RTECS: YB2500000

METHYL ALCOHOL (METHANOL) (SARA III)

CAS: 67-56-1

RTECS: PC1400000

OSHA PELS,200PPM/250STEL

ACGIH TLV: S,200PPM/250STEL; 93

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

PEROXIDE

METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS: 78-93-3

RTECS: EL6475000

OSHA PEL200 PPM

ACGIH TLV: 200 PPM/300STEL;9394

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

HYDROCARBON

## Hazards

Effects of Overexposure:EYE AND SKIN IRRITANT.EFFECT CAN BE DELAYED.POTENTIAL SKIN SENSITIZER.

## First Aid

First Aid:IN CASE OF CONTACT,FLUSH SKIN W/PLENTY OF WATER;FOR EYES,FLUSH W/WATER FOR AT LEAST 15 MINUTES AND SEEK MEDICAL ATTENTION.WASH CONTAMINATED CLOTHING BEFORE RE-USE.(DISCARD CONTAMINATED SHOES).

## Fire Fighting

Flash Point:105F 41C

Extinguishing Media:FOAM,CARBONDIOXIDE OR DRY CHEMICAL,WATER SPRAY

Fire Fighting Procedures:EVACU. AREA OF ALL NON-EMERGENCY PERSONNEL  
FIRE FIGHTERS MUS

## Accidental Release

Spill Release Procedures:AVOID EYE OR SKIN CONTACT OR ORAL INGESTION.WEAR PROTECTIVE EQUIPMENT AS DESCRIBED IN SECTION VIII BELOW.WASH AREA THOROUGHLY AND COLLECT MATERIAL FOR INCINERATION.

## Handling

Handling and Storage Precautions:STORE IN COOL PLACE IN ORIG. CONT.;KEEP OUT OF DIRECT SUNLIGHT.EMPLOYER SHOULD PROVIDE A CHG OF CLOTHING,SHOES-AIR OUT DAILY (SEE OTHER PRECAUTIONS)  
Other Precautions:WASH CLOTHES FREQUENTLY.DISCARD IF CONTAMINATED BY SPILL.AT END OF SHIFT,BEFORE CHANGING CLOTHES, TAKE HOT-NOT COLD-SHOWER TO REMOVE ANY TRACE OF VAPORS IN SKIN PORES.

## Exposure Controls

Respiratory Protection:NO SPECIAL VENTILATION IS REQD

Ventilation:LOCAL EXHAUST PREFERRED.MECH(GEN),NORMAL VENTIL.

Protective Gloves:IMPERVIOUS GLOV

Eye Protection:CHEMICAL SAFETY GOGGLES

Other Protective Equipment:IMPERVIOUS OVERSHOES AND PROTECTIVE CLOTHING

Supplemental Safety and Health

EVACUATE AREA OF ALL NON-EMERGENCY PERSONNEL.FIRE FIGHTERS MUST WEAR SELF-CONTAINED BREATHING APPARATUS(SUCH AS SCOTT AIR PAK).KEEP ALL EXPOSED CONTAINERS,WHICH ARE NOT IGNITED COOLED DOWN W/F

## Chemical Properties

HCC:F4

Boiling Pt:B.P. Text:80-90C 176

Vapor Density:HEAV

Evaporation Rate & Reference:SLOWER THAN ETHER

## Stability

Stability Indicator/Materials to Avoid:NO

Stability Condition to Avoid:OPEN FLAME

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE

## **Disposal**

Waste Disposal Methods: CHEMICAL INCINERATOR

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.